


ACORN USER

BBC micro, Electron and Atom magazine

March 1984 £1



LIFE
in 3D
on the
BBC micro
and Electron

DESIGNED WITH PROGRESS IN MIND



An example of superior technology, total reliability and outstanding performance, combined to produce the LVL Disk Drive Family.

Truly professional units designed to work with the BBC Microcomputer.

- Compatible with the BBC drive units. Disks are interchangeable with those formatted on the BBC Drives.
- Operates either from the BBC DOS the LVL Double Density DOS Kit or from the optional Z80 and CP/M.
- Supplied complete with all necessary connecting leads, utility disk and full operating manual.
- Available from all LVL Dealers.
- Powered from your BBC model B computer. No chance of data corruption from on-board power supply.



Scientific House, Bridge Street, Sandiacre, Nottingham NG10 5BA Tel: 0602 394000

**KEENEST PRICES ★
PROMPT RELIABLE SERVICE ★
that's Twillstar!★**



**BBC
MICROCOMPUTER**

Model B	£399.00
Model B & Disk Interface	£469.00
Model B & Econet	£446.00
Model B & Econet & Disk Interface	£516.00
Teletext Receiver	£225.00
Official BBC Data Recorder	£29.95
Official Joysticks	£13.00

BBC UPGRADES

1.2 O/S	£11.50
Basic 11	£32.00
Disk Interface Kit	£97.00

ECONET ACCESSORIES

Econet Interface	£70.00
Clock Box (Inc. PSU)	£45.00
Terminator Box (Inc. PSU)	£35.00
Printer Server Rom	£49.00
File Server Level 1	£99.00
File Server Level 2	£249.00
10 Station Lead Set	£29.00
100M Econet Cable	£99.00
Econet System User Guide	£10.00

**DOT MATRIX
PRINTERS
SHINWA
CP80**

FREE CABLE AND PAPER WITH ALL PRINTERS	
80 column, friction and adjustable tractor feed, bi-directional logic seeking Hi-RES graphics and block graphics sub and super scripts, condensed and emphasised print, and underlining vertical and horizontal tabs, self test, italic print, etc.	
Shinwa CP80 F/T	£230
80 column, friction and adjustable tractor feed, bi-directional logic seeking Hi-RES graphics and block graphics sub and super scripts, condensed and emphasised print, and underlining vertical and horizontal tabs, self test, italic print, etc.	
Shinwa CP80 F/T	£230

**MANNESMANN
MT80**

High quality 80 column serial dot matrix printer. Dual density dot addressable graphics, quick tear facility as standard, optional sound reduction kit to give an impressive L55dBA acoustic noise rating. Ability to handle both tractor-fed fanfold and single paper.	
Special price of	£249
EPSON	
Epson FX80 F/T	£395
Epson RX30 F/T	£305
Epson FX100 F/T	£499

**RITEMAN MATRIX
PRINTER**


SLEEK DESIGN EXCELLENT FEATURES, SUPERB PRINT QUALITY	
80 COLUMN · FRICTION AND PIN FEED · 120 CPS BI-DIRECTIONAL · HI-RES AND BLOCK GRAPHICS · 9 x 9 MATRIX TRUE DESCENDERS · NORMAL, EXPANDED, CONDENSED PRINTING · EMPHASISED AND DOUBLE STRIKE PRINTING · ITALICS PRINTING · AUTO UNDERLINING · SUBSCRIPT AND SUPERSUBSCRIPTS · INTERNATIONAL CHARACTER SETS · EASY ACCESS DIPSWITCHES · 1:1 HIGH RES (TRUE CIRCLE AND SQUARES) · OPTIONAL TRACTOR UNIT · OPTIONAL RS232C INTERFACE	

£230

NEW!

**THE ULTIMATE MATRIX
PRINTER AT UNBEATABLE PRICE**


TRUE 160 CPS,
80 COLUMN
UHR PRINTER
WITH 100%
DUTY CYCLE
AND
UNBELIEVABLE
FEATURES



160CPS BI-DIRECTIONAL LOGIC
SEEKING · STANDARD SPOOL RIBBON ·
UP TO 136 COLUMNS · 5, 6, 8, 10, 12
and 17 CHARACTERS PER INCH ·
DOWNLOADABLE CHARACTER SETS
(UP TO 384 CHARACTERS AVAILABLE) ·
MACRO INSTRUCTION SET · PARALLEL
AND SERIAL INTERFACE STANDARD ·
STANDARD WITH 8K BUFFER · 240 CPS
WHITE SPACE SPEED · EMPHASISED
AND DOUBLE STRIKE · SUPER AND
SUB SCRIPTS · COLUMN SCAN BIT
IMAGE GRAPHICS · ITALICS · FRICTION,
TRACTOR AND ROLL HOLDER AS
STANDARD

DAISYWHEELS

£395




JUKI 6100

20 CPS max
(13 CPS)
Shannon text)
10, 12, 16 CPI and proportional spacing up
to 220 characters per line, diablo
protocols. Bold, shadow printing and
underlining.
2K Buffer Standard

£395

BROTHER HR15



13 CPS. 10, 12, 15 CPI and proportional
spacing up to 165 characters per line,
colour printing, shadow printing,
super/sub script, auto underlining, text
reprinting.

3K Buffer Standard
Brother HR15

£395

Keyboard

£160

Sheet Feeder

£228

Tractor Unit

£109

MONITORS
PHILIPS TP200
Green Monitor
You can use this latest Philips Green Monitor for personal computers, business computers, control systems, automatic test equipment. The picture quality of the TP200 means not only 80 x 24 lines of information but also usage for high resolution graphics.



AT THE
BARGAIN PRICE
OF £79

NORDMENDE
14" TV/MONITOR

£95

This TV Monitor is not a modified television as many TV Monitors are, but a 14" TV/Monitor which has been designed to perform both functions. It has RGB and Composites video and sound. An RGB cable for a BBC is supplied as standard.

With Remote Control

£269

MICROVITEC 14"
Colour Monitors

Microvitec 1431 14" Std. Res. £245
Med. Res. £395
Hi-Res. £495

Twillstar Computers Limited

17 REGINA ROAD · SOUTHALL · MIDDLESEX · TEL: (01) 574 5271
(OPEN SIX DAYS A WEEK - 10 a.m. to 8 p.m.)

**★ STAR
BARGAIN!**



WORD PROCESSING PACKAGE

BBC Model B plus Disc/Interface fitted view, V.D.U. Green Monitor, Daisywheel Printer, 200K Dual Disk Drives and manual and formatting disk.
ONLY £1,329 (incl. all cables)

TCL DRIVES AT

**LOW PRICES!
SLIM DISK
DRIVES**

TEAC 55A S/S 40 TRACK

100K Single

£165

200K Dual

£330

TEAC 55E S/S 80 TRACK

200K Single

£199

400K Dual

£398

TEAC 55F D/S 80 Track

400K Single

£255

800K Dual

£510

Power Supply Unit (Optional)

£29

40/80 Switch

£8

MITSUBISHI DRIVES

400K D/S DD Single

£245

Dual

£435

ROM EXPANDER

Double your sideways Rom sockets, with the TCL Rom expander.

Simple to install and very easy to use!

Manufactured using components of the highest quality!

Extremely reliable!

£18.95

WORD PROCESSORS

View Word Processor

£59

Word Wise Processor

£39

UTILITY SOFTWARE

Screen Dump Rom

£17.25

For EPSON, SHINWA, NEC, STAR

NEW TCL MICROGUIDES

The KEYPLATES to make it easy!

Microguide KEYPLATES fit neatly over your computer keys · Gives you an easy to read list of commands · Alphabetically arranged for immediate access · Placed exactly where you require it as part of your computer keyboard · The Keyplates, made of durable plastic, have space for function key notes · Clean-wipe pen for function key identity is supplied · + FREE ERROR MESSAGE BOOK. ALL FOR ONLY £5.95

STAR BUYS

SURE SHOT

BBC Compatible

KLIK STIK JOYSTICK —

SELF CENTRING

Two Fire Buttons

Single

£17.95

Dual

£34



CABLES — Drive Cables

Single

£9.50

Dual

£13.50

BBC Printer Parallel

£13.50

Serial

£25

BBC Cassette Leads

£3

FLOPPY DISKS

Floppy Disks in packs of 10

Single sided 40 Track

£20

Double sided 80 Track

£35

TCL VINYL DUS COVERS

BBC

£3.50

Printer

£5.50


Monitor

£4.50



NOW AVAILABLE
THE ACORN
ELECTRON ONLY £199

**24hr DELIVERY
ON ALL ITEMS**



£143.75

STAR BUY

Add new dimensions to your computer enjoyment. Create your own designs. Complete with Utility programmes.

Amazing value. Complete unit — simply plug in —

BOOKS BBC

Micro's for Beginner's

£6.95

Advanced Prog Tech

£7.95

ALP on BBC (A/W)

£7.95

Ass Lang for BBC (Shival)

£8.95

ALP (Macmillan)

£5.95

Basic (Arnold)

£6.95

Basic (Mel-House)

£6.95

Basic Progs for BBC

£5.95

Easy Progs for Your BBC

£5.95

Expert Guide

£6.95

Functional Forth

£5.95

Further Progs

£5.95

Games BBC Computers Play

£6.95

Games for Your BBC

£2.95

Graphics & Sound (Granada)

£6.95

In Education

£12.95

Introducing the BBC Micro

£5.95

Let Your BBC Teach You

£12.95

Micro Revealed

£7.95

Programming the BBC

£6.50

Putting Your BBC to Work

£4.95

Structured Programming

£6.50

Using Floppy Disks

£9.95

21 Games for BBC

£5.95

30 Hour Basic

£5.95

30+ Progs

£4.95

35 Educational Progs

£6.95

36 Challenging Games for BBC

£5.95

Hobbitt BBC (cassette)

£14.95

Hobbitt BBC (book)

£5.95

Brainteasers for BBC

£5.95

Best of PCW Software BBC

7

The News

Publisher's announcement: Acorn User changes hands. The "bookware" invasion has started! MP comes under fire over Welsh software, robots break new ground, IEEE interface launched, Top 20 software

16

Software Top 20

The ins and outs of the best-selling games

23

Time machine

Is your program code quick enough? Jonathan Gibbs' utility puts it to the timer test

25

Fractal factory

Susan Stepney introduced them last October. Now you can roll your own fractals

34



Teletext printout

George Hill tells you how to dump teletext pages and mode 7 graphics

46

Joe's Jottings

What's cooking with Telford? A mixed platter of stick-in boards and ROM chips is tasted



57

Hints & Tips

SAVE yourself tape trouble with Martin Phillips' cassette care column – plus: buffers and baffles, Wordwise advice, and a keyword spacesaver

65

Beeb Forum

George Hill steps in with a disc-to-tape transfer program – plus: an easy way to pass procedures to arrays, and Econet's rogue vector

71

Alien sounds

Bruce Smith puts the whoosh into your interstellar action

80

Micro Gallery

Who's a winner in our first screen graphics competition?

83

Learn Lisp

In the first of a three-part series, Stan Frodo sets you on course to learn one of computing's most powerful languages

91

Graphics

You learnt all about Life forms in the January issue. Now Malcolm Banthorpe makes it a cubic world

102

View extra

A versatile printer driver from Tony Rudkin extends the View to include a 'pad' facility

112

Basic upgrade

Beef up your Basic I with some of the Basic II specifications. David Barnett has the secret

115

Measurement

Paul Beverley gets the best out of the Beeb's ADC chip

122

Atom Forum

Your host Barry Pickles advises on Beeb/Atom disc transfer and how to fit long programs into memory – plus tabulated listings made easy

126

Pretty printing

A listing formatter for the Atom from Vincent Fojut that goes one or two better than the Beeb's LISTS facility

132

Atom utility

A 'bytes free' routine by Barry Pickles

How to submit articles:

You are welcome to send articles to the Editor of *Acorn User* for publication. *Acorn User* cannot undertake to return them unless a stamped addressed envelope is enclosed. Articles should be typed or computer written with double line spacing. Black and white photographs or transparencies are also appreciated. If submitting programs a cassette or disc is vital. Payment is £50 per page or pro rata. Please indicate if you have submitted your article elsewhere. Send articles, reviews and information to: The Editor, *Acorn User*, 53 Bedford Square, London WC1B 3DZ. Tel: 01-631 1636.

Annual subscription rates:

UK	£15
Europe	£18
Middle East	£20
The Americas and Africa	£22
Rest of the World	£24

These prices are inclusive of post and packing (air mail overseas) for 12 issues.

134 Schools

Martin Hill puts Factfile to the classroom test

140 Keyboard skills

Elizabeth Segall's routine encourages familiarisation with the micro keys

149 Amcom DFS

How does Pace's product compare with Acorn's? Bruce Smith reports

157 Reviews

- Beebpen word processor EPROM
- Clares Atom expansion system
- Sea Wolf by Optima
- Microbe by Virgin
- Assembly language from Shiva



165 Competition

Simon Dally whispers the secrets of the dungeon

169 Readers' letters

178 Readers' free ads

183 £10 small ads

All rights reserved. No part of this publication may be reproduced without prior written permission of the publisher. The publisher cannot accept any responsibility for claims or errors in articles, programs or advertisements published. The opinions expressed on the pages of this magazine are those of the authors and do not necessarily represent those of the publisher. Acorn Computers Ltd, or Acornsoft Ltd. Acorn, Acornsoft, and the Acorn symbol are the registered trademarks of Acorn Computers Ltd and Acornsoft Ltd.

Coming soon in Acorn User:

Fancy graphics:

Making use of the BBC micro's video controller chip to produce special effects

BBC micro 52k:

Does the Aries B20 RAM board live up to its claims?

BBC TV:

We look behind the scenes at how Beefs are changing television

Schools:

Joe Telford takes a look at software from Acorn's new education arm. Is it any good?

April Fool:

Watch out for it in the April issue. Don't say we didn't warn you!

Filing systems:

First of a series on Acorn's Advanced Filing Systems and their structure

Atom to BBC Basic:


How to convert listings from one Acorn dialect to the other

Authors please note


We've been inundated with articles for publication - many of an extremely high standard. It takes time to read them, try listings out and edit them - which is the only way to maintain standards. Also remember that magazines work at least two months in advance.

So please bear with us if you hear nothing for weeks (although all submissions are acknowledged).

Thanks for your patience and apologies for any frustration caused.



Actual screen shot of Swordmaster



£7.95 each

TWO games are now available from Acorn User. They are Sword Master (BBC B and Electron) and Trek (BBC B and Electron). Both make extensive use of the excellent graphics, speed and sound of the machines. Turn to page 13 for details.


Editor Tony Quinn. **Editorial Assistant** Kitty Milne. **Art Editor** Phil Kanssen. **Production** Peter Ansell, Tina Teare. **Promotion Manager** Pat Bitton. **Publisher** Stanley Malcolm. **Typesetting & Artwork** Camden Typesetters, Camden Road, NW1. **Printed in Great Britain** by E. T. Heron (Print) Ltd, Silver End, Witham, Essex. **Advertising Agents** Computer Marketplace Ltd, 20 Orange Street, London WC2H 7ED. Tel: 01-930 1612. **Distributors to the News Trade** Magnum Distribution Ltd, 01-253 3135. Telex: 893340. **Magnum G. Subscriptions** BKT Subscription Services, Douglas Road, Tonbridge, Kent TN9 2TS. Tel: (0732) 351216. **Publishers** Addison-Wesley Publishers Ltd, 53 Bedford Square, London WC1B 3DZ. Tel: 01-631 1636. Telex: 8811948. ISSN: 201-17002 7

© Addison-Wesley Publishers Ltd 1984

TECHNOMATIC

BBC Computer & Econet Referral Centre
01-452 1500 01-450 9764 01-450 6597 Telex 922800

PRINTERS:



We have selected a range of printers that will meet most requirements.

SEIKOSHA—ranging from a low-cost utility printer, right up to an advanced four-colour printer.

EPSON—the high quality dot-matrix printers that set the standard in the industry—versatile printers that provide the optimum in performance

& reliability. The RX80/FT provides all standard printing & graphic functions, (single sheets & perforated paper), with the de-luxe FX80 giving in addition proportional printing, italics, programmable characters etc. The FX100 also allows the use of 15" wide paper. The **JUKI** daisywheel provides a quality normally found in printers costing far more. Printer cables, interfaces, ribbons, paper etc. are all normally available from stock.

SPECIAL OFFER
Epson FX80
only £325

DISC DRIVES:

A full range of disc drives fitted with quality Japanese slimline mechanisms, (such as TEAC, MITSUBISHI etc.) are supplied ready to connect to your BBC, and come complete with necessary cables, formatting disc, manual etc. TEAC & MITSUBISHI mechanisms can operate in single and double density modes. The switchable disc drives give the user flexibility, by allowing access to both 40 & 80 Track discs. The 40/80 Track switching module can be simply attached to your standard 80 track drives thereby vastly increasing their versatility. For the serious user whose prime need is data storage, we can offer the KENDA PROFESSIONAL DMFS, which provides a genuine double density system. We also have a full range of diskettes, variety of disc storage cases, disc-drive cables. The **Floppiclene** head cleaning kit, is the ideal way to ensure optimum performance of your drives. The use of disposable cleaning discs eliminate the risk of recontamination and abrasion, and ensure continuous data capture and transmission.



TORCH Z-80 Pack:

Your BBC computer can be converted into a business machine at a cost slightly higher than a 800K disc drive. The Torch pack with twin disc drive and a Z80A processor card greatly enhances the data storing and processing capability of the computer (NOTE: In BBC mode the disc pack functions as a normal BBC drive). Z80A card comes with 64K of RAM and a CP/M compatible operating system in ROM. The system is supplied complete with a BBC owner's user guide, a System/Demo disc, a **PERFECT** software package and COMANEX, a business management game. The **PERFECT** software package comprises of a DATABASE, CALC, WORD PROCESSOR and SPELTER commercially valued at over £1000. We are now supplying a Utility that enables software on 40 Track discs to be transferred to 80 Track discs £730.

NOW AVAILABLE — The TORCH Z80 SECOND PROCESSOR CARD — for those who already have suitable disc drives. The card is supplied with all the free software, as detailed above, presenting a very attractive package. £375.

ACORN COMPUTER SYSTEMS

BBC Model B	£348.00a
BBC Model B+Econet	£389.00a
BBC Model B+DFS	£409.00a
BBC Model B+DFS+Econet	£450.00a
Acorn Electron	£175.00a
BBC Teletext Receiver	£195.00a
BBC Dust Cover	£4.00d
Pair of Joysticks	£11.70c

TORCH Z80 SYSTEM

TORCH Z80 Disk Pack	£730.00a
TORCH Z80 2nd Processor Card	£375.00a

UPGRADE KITS

A to B Upgrade Kit	£75.00d
Installation	£15.00
DFS Kit	£84.00d
Installation	£15.00
Econet Kit	£45.00d
Installation	£25.00
Speech Kit	£47.00d
Installation	£10.00

ECONET ACCESSORIES

Printer Server Rom	£41.00c
File Server Level 1	£86.00c
File Server Level 2	£216.00b
Clock + 2 Terminators	£85.00b
Econet User Guide	£10.00d

BBC FIRMWARE

1.2 Operating System	£7.50d
Basic II Rom	£32.00d
View Word Processor Rom	£52.00c
Wordwise W/P Rom	£32.00c
Beebcalc Spreadsheet Rom	£29.00c
BCPL ROM+Disc	£87.00b
Pascal-T ROM	£44.00c
Disc Doctor Utility Rom	£30.00c
Terminator Emulator Rom	£29.00c
Beebcalc Spreadsheet Rom	£32.00c
ULTRACALC Rom (BBC Publ.)	£65.00c
Gremlin debug Rom	£28.00c
Computer Concepts Graphics Rom	£28.00c

BBC ANCILLARY HARDWARE

EPROM Programmer	£79.50b
Smartmouth Speech Synthesiser	£37.00b
RH Light Pen	£39.50b
"Time-Warp" Real-Time	
Clock/Calendar	£29.00b
ACORN IEEE Interface ANKOI	£282.00c
EXMON	£20.00d
TOOL KIT	£20.00d

PRINTERS & PLOTTERS

EPSON FX-80	£325.00a
EPSON RX-80 FT	£250.00a
EPSON FX-100	£490.00a
NEC PC80 23BE-N	£310.00a
SEIKOSHA GP100A	£170.00a
SEIKOSHA GP250X	£199.00a
SEIKOSHA GP700A Colour	£375.00a
JUKI 6100 Daisy wheel	£350.00a
MCP40 Col. Printer/Plotter	£129.00a
Accessories:	
Parallel Printer Lead	£10.00d
Serial Printer Lead	£8.00d
Epson Serial Interface 2K	£60.00c
Epson Serial Interface	£50.00c
NEC Serial Interface	£42.00c
Epson Paper Roll Holder	£17.00c
FX-80 Tractor Attachment	£37.00c
PAPER Fanfold 2000 sheets	£13.50b
Printer Sharer Parallel	
3 computers - 1 printer	£59.00c
Grafad Graphics Tablet	£125.00c
GRAPHICS Plotter	£270.00a

COLOUR/GREEN MONITORS (leads incl)


Microvitec 1431 14" RGB Std Res	£15.00a
Microvitec 1431P 14" RGB/PAL Std Res	£249.00a
Microvitec 1431PS 14" RGB/PAL + Sound	£259.00a
Microvitec 1451 14" RGB Mid Res	£325.00a
Microvitec 1441 14" RGB Hi Res	£440.00a
Microvitec 2031 20" RGB Std Res	£287.00a
KAGA Vision I 12" RGB Std Res	£230.00a
KAGA Vision III 12" RGB Hi Res	£385.00a
KAGA 12" Green Hi Res	£106.00a
SANYO DM8112CX 12" Green Hi Res	£99.00a
KAGA RGB Lead	£6.50d
BNC Green Screen Monitor Lead	£3.50d

BBC COMPATIBLE 5.25" DISC DRIVES:

(All include cables, manual + format disc)	
100K (40 Track)	£150.00a
100K (40 Track) with psu	£185.00a
200K (40/80 Track)	£18000a
200K (80 Track) with psu	£260.00a
400K (80 Track DS)	£195.00a
2x100K (40/80 Track) with psu	£320.00a
2x200K (40/80 Track) with psu	£400.00a
2x400K (80 Track DS) with psu	£420.00a
Accessories:	
40/80 Track Switching Module	£30.00c
Single Disc Cable	£6.00d

ALL PRICES EXCLUDE VAT. Please add carriage 50p

COLOUR GRAPHICS PLOTTER:



This robustly built 3-colour graphics plotter provides both versatility & precision. The carriage can be moved with an accuracy of 0.025cm. over an area the size of A4 paper. The plotter bed can accept paper & far thicker materials, at sizes of up to A3. The basic plotter carries three pens each of which is software selectable. Optional accessories that can be fitted include: Scriber, miniature drill, router, and optical sensor for scanning. This versatile plotter can provide an endless source of creative ideas.

Our in depth stocks allow us to offer immediate deliveries on most items and our aim is to provide the best available products at competitive prices. In addition to the items listed above we carry extensive stocks of: connectors, connector assemblies, components including TTLs, CMOS, RAMs, EPROMs and CPUs. Spares for the BBC computers are normally available from stock. Orders from government departments, public bodies, hospitals, schools, colleges, universities and recognised PLCs welcome. We specialise in world wide exports. No VAT on exports. Our specially negotiated freight charges to many countries ensure the customer considerable savings on charges.

Everything you need for your BBC Computer

Plus friendly service and professional advice

Double Disc Cable.	£8.50d
DISCS 40T SS/DD Pkt of 10.	£15.00c
DISCS 80T SS/DD Pkt of 10.	£24.00c
DISCS 40T DS/DD Pkt of 10.	£18.00c
DISCS 80T DS/DD Pkt of 10.	£26.00c
FLOPPICLENE Drive Head Cleaning Kit.	£14.50c
Disc Library Case.	£2.50d
Disc File Case 30/40.	£8.00c
Disc Lockable Case 30/40.	£16.00c
Disc Lockable Case 60/70.	£30.00b
EPROMS:	
2764-250nS	£7.00
27128-300nS	£18.00
27128-250nS	£22.00
SOFTWARE:	
GEMINI BUSINESS including Database Mail-List, Beebcalc, Beebleplot, Stock-Control, Home Accounts, Above on Cassette.	£17.25c
Above on Disc.	£20.25c
CashBook on Disc.	£52.00c
Final Accounts on Disc.	£52.00c
Cashbook/Final Accounts both.	£82.00c
GEMINI Leisure - Full Range.	
TABS BUSINESS SOFTWARE FOR TORCH	
Sales Ledger (CP/N).	£99.00c
Purchase Ledger (CP/N).	£99.00c
Mailing List (CP/N).	£99.00c
ACORN SOFTWARE - Full Range.	
ACORN LANGUAGES including BCPL, LISP	
FORTH with Manuals.	
BBCSOFT - Full Range.	
PROGRAM POWER - Full Range.	
ACORNSOFT (Electron) - Full Range.	
BEBUGSOFT - Full Range.	
CASSETTE RECORDERS:	
SANYO DR101 Data Recorder.	£34.00b
Datex Slim Line.	£24.00c
BBC Tape Recorder.	£28.50b
Cassette Lead.	£3.00d
HOBBIT Floppy Tape.	£136.00b
HOBBIT Zero Memory Option.	£25.00d
Computer Grade C-12 cassette.	£0.50d
Computer Grade Cassette 10 off.	£4.50c
Phillips Mini-data cassette.	£3.00d
BBC BOOKS (NO VAT) p&p £1.50/book	
Advanced User Guide (p&p £2).	£12.95
Advanced 6502 Assy Lang Prog.	£10.25
CP/M Handbook	£10.75

unless indicated as follows: (a) £7 (b) £2.50 (c) £1.50 (d) £1.00

SANYO DR101

Data Recorder. An advanced data recorder that consistently achieves superior performance.

MONITORS:

MICROVITEC—a range of British Made DTI/ACORN approved Std/Med/Hi-resolution RGB colour monitors that have a consistent, reliable performance. Also available in RGB/PAL/SOUND versions. The **KAGA** range provides a similar performance in 12" screen format. Our Japanese manufactured Hi-Res green screen **SANYO** is an ideal solution for high clarity 80 column text display. The **KAGA** green screen, with its 'chemically etched' anti-glare screen for the discerning user. All monitors are supplied with suitable leads at no extra charge.



MAIL ORDERS TO: 17 Burnley Road, London NW10 1ED
(Tel: 01-452 1500, 01-450 6597 Telex 922800)

SHOPS AT: NW London: 15 Burnley Road, London NW10 1ED
(Dollis Hill \ominus 2 mins walk, ample car parking space)
West London: 305 Edgware Road, London W2. Tel: 01-723 0233
(Near Edgware Road \ominus)

MANY MORE
BOOKS IN
STOCK

ACORN IEEE INTERFACE

A full implementation of the IEEE488 standard, providing computer control of compatible scientific & technical equipment, at a lower price than other systems. Typical applications are in experimental work in academic and industrial laboratories. Phone for details. £282.

TELETEXT

Converts your BBC into a fully fledged Teletext Terminal. In addition to normal reception of Teletext pages, it is able to 'download' software as well as saving standard pages on any of the four TV channels. £196.

ULTRACALC

With advanced features, such as: *Handling of labels as well as numbers, as values, allowing the search of a list by a meaningful name, instead of just a number. *Efficient memory usage allowing large spreadsheets to be constructed. *Variable width columns.

It helps you to create and manipulate *Budgets *Cash-Flow forecasts *Price Lists *Balance Sheets *Time Sheets *Order Entry *Small Databases *Scientific Calculations etc. £65.

MICROTEXT

Developed by the National Physical Laboratory, is a programming system designed to simplify the production of a wide range of man-computer dialogues. Using MICROTEXT, an expert in any field can construct their own complete courses of computer-based instructional material. Applications include interviewing systems, teaching packages, training courses and interactive demonstrations and simulation. £43.35p

RH LIGHTPEN:

The Acorn-approved superior design, with a programmable 'push tip' switch, status indicator LED and an interface box. Supplied complete with manual, full software and basic demo programs. Colour graphics programs will be available separately.

INSTITUTIONS & EDUCATIONAL ESTABLISHMENTS

Our bulk purchasing power enables us to provide very competitive quotations, as well as being able to supply in quantity, a very wide range of equipment, accessories and spare parts from stock.

GRAFPAD

A low cost graphic-tablet offering the performance and durability required for the business, industrial and educational user. It is small, accurate & reliable.
Working area: 240 x 192mm
+ Menu area. £125.

SEE OUR OTHER ADVERTISEMENT ON PAGE 9

TECHNOMATIC LTD.

All prices exclude carriage & VAT. Please add carriage as indicated and add 15% VAT to the total order value. For fast delivery telephone your order quoting VISA or Access card or official order number.
(Minimum telephone order £5).

PROGRAM POWER

MARTIAN ATTACK


A SUPERB
NEW B.B.C.
PROGRAM
FROM BRITAIN'S
LEADING SOFTWARE
HOUSE!

(B.B.C. MODEL B or 32k MODEL A with VIA) 1.2 OS only.

ONLY £7.95

Command the solitary laser post to defend the domed city against the onslaught of the Zargon fleet. Sweep the skies above the Red Planet, line the alien craft in the centre of the sights and unleash the devastating power of the neutron cannons. Switch on the city's forcefield as a last resort to deflect the barrage of enemy shells.

Smooth-scrolling graphics and devastating sound effects feature in an excellent arcade quality machine-code game.



WE STOCK THE BBC MICRO, ELECTRON, DRAGON 32,
COMMODORE 64, ORIC AND SPECTRUM.

SPECIAL OFFER

Deduct £1 per cassette
when ordering
two or more

All cassettes are fully guaranteed and
contain two recordings.

All prices inclusive of VAT.

Mail Order: Please add 55p per order
to cover P & P.

WE'RE EXPANDING!

Showroom:
Northwood House
North Street
Sheepscar
Leeds LS7 2AA
Tel: (0532) 458800

Mail order:
Dept.
8/8a Regent Street
Chapel Allerton
Leeds LS7 4PE
Tel: (0532) 683186/696343

WRITTEN ANY
PROGRAMS? WE
PAY 20% ROYALTIES



WE
Guarantee
THAT ALL OUR ADVERTISED
PROGRAMS HAVE BEEN
COMPLETED AND ARE
READILY AVAILABLE

The following titles are available for both the
BBC Micro and Electron: Killer Gorilla £7.95/
Moonraider £7.95/Bandits at 3 o'Clock £8.95/
Croaker £7.95/Felix in the Factory £7.95/
Felix and the Fruit Monsters £7.95/Chess £7.95/
Escape from Moonbase Alpha £7.95/Draw £9.95/
Swoop £7.95/Cybertron Mission £7.95.

BBC only (at present): Demon Decorator £8.95/
Galactic Commander £7.95/Tim Trek £7.95/
Asteroid Storm £7.95/Laser Command £7.95/
Alien Swirl £6.95/Labyrinths of LaCoshe £7.95/
Filer £9.95/Cowboy Shootout £6.95/Wall £5.95/
Chemistry £6.95/Beebmon £7.95/Barrage £7.95/
Adventure £7.95/Caveman Adventure £6.95/
Danger! UXB £7.95/World Geography £6.95/
Where? £6.95/Junior Maths Pack £6.95/
Constellation £6.95/Physics £6.95.

BBC MICRO AND ELECTRON PROGRAMS
CAN BE OBTAINED FROM SELECTED
JOHN MENZIES, HARRODS, W.H.SMITH,
DEALERS, OR DIRECT
FROM MICRO POWER.

Software revolution

THE War of the Worlds should soon be appearing on your micro – and it's just the start of a string of well-known books which could bring about a revolution in software marketing.

Many of the projects are still under wraps, as publishers try to keep their plans away from the prying eyes of competitors, but other targets we can reveal include *The Snowman* and *Fungus the Boogeyman* by Raymond Briggs and a deal with Desmond Morris.

One publisher refused to talk about the contracts he was negotiating, but said they would have a 'shattering' effect on the industry.


And it's not only the best-seller league which is snatched up: some publishers are packaging software with lesser-known titles, or with books yet to be released. The combination of cassette or disc with a book has spawned the name 'bookware'.

Two pieces of bookware for the BBC micro which are already selling at £9.95 include *The Pen and the Dark* and *My Secret File*. The first is a science fiction story by Colin Kapp sold with a text adventure game, and the second is a popular Puffin paperback packaged with a personal database. Children can fill in the program and book with secrets about themselves and other people, and the software includes a secret code known only to the owner.

Vicky Kahn, one of the brains behind Mosaic, who publish these two titles, said demand had been much higher than expected from the book trade and that another print run had to be ordered.

She is now working on a bookware scheme for young children based on books by Desmond Morris.

And Century are about to release *Legend*, a piece of Tolkein-like fantasy fiction, in April. This will be followed later in the year by a ver-



sion of the book with cassette and full-colour map of the kingdom in which the tale takes place.

A spokesman explained that the book was probably not vital to play the game, but that it established the setting and characters as well as their relationships.

The same is true for the Mosaic titles.

Century took their book to a professional games designer, and then took the game to a programmer; in fact several programmers for the different micros.

'This entailed a heavy investment,' said the Century man. 'It's painful but necessary. We've got a good game—not just a quick way of collecting money for Christmas.'

'We plan to recoup our outlay by putting the game onto several machines, and each new one as it comes along.' So far versions are planned for the BBC, Commodore 64 and Sinclair's QL.

The H. G. Wells software is being developed by Jeff Wayne—former producer of pop star David Essex who did the *War of the Worlds* album six years ago—and software-house CRL. It will be the first piece of software CRL have put out for the Beeb, but Clement Chambers, the man behind the company, is determined the project will succeed.

'It's going to be something special, based on the record rather than directly on the book,' he explained. 'This story has been a smash hit in all the media—as a book, radio, film and record—and I'm not going to go down in history as the man who messed it up.'

Meanwhile, Quicksilva should have already released the *Snowman* package, which takes elements from the Raymond Briggs book to use as an arcade game, (although for the moment it's only on the Spectrum).

Mark Eyles of Quicksilva de-

War of the Worlds, science fiction, The Snowman – all sources of software ideas

scribed the program as 'enchanting.' He added: 'It had to be carefully done and fits in with the flavour of the book. We didn't want to detract from the original, so it's a non-violent game.'

'The idea is to build up and then dress the snowman, and then get objects for him to play with.'

'We've tried to make the screen characters as near to the originals as possible, within the limitations of the machine.'

The advent of bookware is creating work for literary agents who traditionally handle writers. Jacqui Lyons now has games designers and machine code programmers on her books, and is negotiating software rights for books and TV programmes.

'It's incredibly refreshing, because we're opening up a whole new area and there's a lot of material lying around. The major problem seems to be the "generation gap." The people who make the decisions and have the power in the media have no concept of the computer explosion—and some feel frightened by it.'

So how much do the computer rights for a bestseller cost? Well, nobody's saying. They are obviously much cheaper than film rights, although few will take any bets as to how long this will last.

As one publisher said: 'At the moment the cost of computer rights bears no resemblance to film rights, but this time next year I could be eating my words.'

Way to beat the tape pirates

SO WHY the sudden interest in books combined with software? It seems to be explained by a combination of factors. One is that the books provide a wealth of ideas which just need to be dusted off. One of the problems with the software industry is its lack of imagination: most programs are just rehashes of pub games or old favourites.

Next, publishers themselves want to get in on an expanding market. Their expertise is in books; the books have the ideas and then it's a matter of translat-

ing the idea into a program—and enough competent software writers and computer whizz-kids are now available to do the work.

Most programmers are still paid by royalties for that work, but they are more likely to be brought on to the staff or paid as normal freelances.

Third is the old chestnut of tape copying. It's virtually impossible to prevent this, but if there's a book, map, board or other printed material which has to be photocopied, it makes piracy less worthwhile. If this trend

continues, the tendency towards fancy protection systems should fall off, ending the problem of upgrading to discs.

Fourth is the obvious publicity and promotion factor. Software has already become just another spin-off from the movie industry in the US, in the same way as t-shirts, or Star Wars model kits. People are creatures of habit, and if their children already have Mr Men colouring books, why not Mr Men software? Or for that matter, Minder, James Bond, Noddy and The Far Pavilions!

Atom software from Pickles

ATOM users will need no reminding that software support is fast diminishing – even Acornsoft packs being difficult to obtain.

However, the cavalry is riding to the rescue, in the form of Software Classics, launching on February 29(!) with a catalogue of over 60 titles, some old, some new.

Software Classics has acquired the acclaimed Program Power range and negotiations are in progress with Acornsoft. Titles include games, educational and small business programs at low prices.

All cassettes will be supplied on Sony C60 tapes, for reliability, and will carry a lifetime replacement guarantee. In addition, software will be available on disc. ROM-based items include a new monitor and the Atom Screen chip.

The company is run by Barry Pickles (who needs no introduction to *Acorn User* readers), and it seeks to become the main source for Atom users. Would-be authors are welcome to submit new programs for marketing.

A catalogue is available by sending a large sae to: Software Classics, 2 Connie St, Openshaw, Manchester M11 2JD.

PCW Show move

THE PCW Show, taking place this year from September 19-24, will be held at Olympia 2 in London.

The new venue opens just a few weeks before Show and the organisers reckon the move means an end to overcrowding at the Barbican.

The PCW Show is organised by Montbuild Ltd, 11 Manchester Square, London W1.

Lost authors

IN THE chaos of Christmas, we've lost two addresses. This is a plea for Stuart Menges and Andy Mitchell to get in touch!

PUBLISHER'S ANNOUNCEMENT

THE publishing rights of *Acorn User* will be handed over from Addison-Wesley Publishers Ltd to the Redwood Publishing Company after the April issue.

The new owners intend to continue to expand both the size and the editorial coverage of *Acorn User*. The magazine will be available as usual and all subscriptions will be serviced as normal. All advertising commitments will be honoured.

So, it's business as usual, except for a new editorial address: *Acorn User*, Redwood Publishing Company Limited, 68 Longacre, London

Edword for the Welsh

COMPUTER languages have long been a bone of contention: Basic, Pascal, Comal and the rest. But now the spoken language is at issue, with pressure coming from the Welsh (although the Gaelic, pronounced 'garlic', Scots are, as yet, keeping quiet).

In some parts of the Principality, English is learned as a second language, something to be acquired when the children first start school.

It's definitely a case of Welsh first and English second. And this is why there are growing moves to get some of the primary school software translated into Welsh so children can understand exactly what is appearing on their classroom monitors.

The problem was raised recently in the House of Commons by Welsh nationalist leader, Dafydd Wigley, Plaid Cymru MP for Caernarfon.

He wanted to know just what is being done to meet the requirements of Welsh speakers through the present Microelectronics Education Programme.

The answer, it appears, is a bit... but not much.

Welsh education minister John Stradling Thomas was left to fend off most of the parliamentary probes from Mr Wigley.

The question of developing Welsh language software, he explained, was being considered by MEP staff in Wales.

Mr Wigley, who admits to being a home computer buff himself, believes it is important that software is readily available where the screen instructions and responses are in Welsh.

'We are still just at the beginning of using computers in education and it is really a matter of getting it right, right from the start,' claims the MP.

He became aware of the scarcity of suitable software for Welsh speaking schoolchildren while watching a Beeb recently installed at a primary school in his own North Wales constituency.

'It was actually an English-speak-

ing constituent who pointed out how all the programs were in English while in my own village of Bontnewydd over 90 per cent of the families are Welsh-speaking,' he explained.

However, a start has been made to begin translating software. The Welsh Office has provided funds for translating and developing Welsh language computer material, most of it for the BBC micro. This includes translating part of the Edword educational word processor package.

In addition, some local education authorities in North Wales have made a start in writing their own Welsh language software for schools.

Maybe up in Cambridge they should consider a special strip for the front of the micros – the BBC Mesen Cyrrifiadur – in place of the more familiar BBC Acorn Computer.


That at least should ensure they keep a Welcome Tape – sorry, Tâp Creso – on the hillside.

6809 board will run Flex DOS

ENGINEERS developing hardware now have the option of using a 6809 second processor which connects to the BBC micro's Tube interface. It can sit inside the computer's casing, or outside in a Eurocard system if any expansion is needed.

The board, made by Cambridge Microprocessor Systems, uses Flex, an 8k disc operating system, with the BBC. This supports a range of languages such as PL9, C, BCPL, Pascal, Fortran, Forth and Cobol.

CMS sees the second processor being used for professional hard-



6809 second processor from CMS uses Tube interface

ware development, and in colleges and universities for its ability to develop software for other eight-bit microprocessors (eg Z80, 6502, 8080, etc) when used with cross-assemblers.

A compatible 6809 single board

controller is available for linking to applications hardware.

The processor with Tube interface costs £249 (+VAT) with cables and software extra. CMS, 11 St Margarets Rd, Girton, Cambridge CB3 0LT.

WC2. Tel: 01 836 2441. Articles, products for review and any enquiries should be sent to this address.

Any enquiries concerning advertising should be sent to the advertising agents: Computer Marketplace Ltd, 20 Orange St, London WC2H 7ED. Tel: 01 930 1612.


Addison-Wesley would like to thank readers for their support over the past 20 months in helping to make *Acorn User* the successful magazine it is, and Redwood looks forward to continuing the relationship.

TECHNOMATIC

BBC Computer & Econet Referral Centre
01-452 1500 01-450 9764 01-450 6597 Telex 922800

EPROM PROGRAMMER:

A fully self-contained mains-powered eprom programmer housed in an attractive finished case. It is able to program 2716, 2732/32A, 2764 & 27128's in a single pass. It is supplied with vastly superior software when compared to any currently available similar programmer. In addition to normal eprom programming, you are now able to load your favourite basic programs onto eprom.



- * Menu Driven Software provides user friendly options for programming the eprom with:
 - a) Basic programs.
 - b) Ram resident programs.
 - c) Any other program.
- * Programmer can read, blank-check, program & verify at any address/addresses on the Eprom.
- * Personality selection is simplified by a single rotary switch.
- * Programming voltage selector switch.
- * Full Editor with ASCII Disassembler, allowing direct modification of memory data in HEX or ASCII.
- * Continuous display of time left for completion of programming.
- * Continuous display of current addresses as they are being programmed.

The programmer comes complete with cables, software & operating manual.

£89 + £2.50 carriage. Software on disc £2 extra.

EPROM ERASERS



UV1T Eraser with built-in timer and mains indicator. Built-in safety interlock to avoid accidental exposure to the harmful UV rays. It can handle up to 5 eproms at a time with an average erasing time of about 20 mins. £59 + £2 p&p. UV1 as above but without the timer. £47 + £2 p&p.

BEEBUGSOFT

A professional range of Firmware/Software to suit both the advanced programmer and the user. From the well known 'EXMON' and 'TOOLKIT' to the WORDWISE SPELLCHECK.

MAIL ORDERS TO: 17 Burnley Road, London NW10 1ED
(Tel: 01-452 1500, 01-450 6597 Telex 922800)

SHOPS AT: NW London: 15 Burnley Road, London NW10 1ED
(Dollis Hill \ominus 2 mins walk, ample car parking space)
West London: 305 Edgware Road, London W2. Tel: 01-723 0233
(Near Edgware Road \ominus)

SMARTMOUTH:

WITH AN INFINITE VOCABULARY—A ready built speech synthesiser unit, allowing the creation of any English word, with both ease and simplicity, while, at the same time being very economical in memory usage. You can easily add speech to most existing programs. Due to its remarkable infinite vocabulary, its uses spread throughout the whole spectrum of computer applications—these include industrial, commercial, educational, scientific, recreational etc. No specialist installation—simply plugs into the user port—and due to the simple software, no ROMS are needed. SMARTMOUTH is supplied with demo and development programs on cassette, and full software instructions. £37+ £2.50 carriage.




'TIME-WARP' REAL-TIME-CLOCK/CALENDAR

A low cost unit that opens up the total range of Real-Time applications. With its full battery backup, possibilities include an Electronic Diary, continuous display of 'on-screen' time and date information, automatic document dating, precise timing & control in scientific applications, recreational use in games etc—its uses are endless and are simply limited by one's imagination. Simply plugs into the user port—no specialist installation required—No ROMS. Supplied with extensive applications software. Please phone for details. £29.00 + £2.50 carriage.

**SPECIAL
OFFER
EPSON FX 80
PRINTER
ONLY £325**

including BBC printer lead
Twelve Months full warranty.
Valid on orders placed
before 31st March.



TECHNOMATIC IS AN OFFICIAL BBC DEALER




In addition to the items mentioned in our advertisements, we carry extensive stocks of: connectors, connector assemblies, components including TTLs, CMOS, RAMs, EPROMs and CPUs. Spares for the BBC computers are normally available from stock. Orders from government departments, public bodies, hospitals, schools, colleges, universities and recognised PLCs welcome.

See our double page
spread advertisement
on pages 4 and 5

TECHNOMATIC LTD.

All prices exclude carriage & VAT. Please add carriage as indicated and add 15% VAT to the total order value. For fast delivery telephone your order quoting VISA or Access card or official order number.
(Minimum telephone order £5).

3 from POSTERN for £4



DINKY DIGGER

It's super-fast, furious and as mean as they come.
(Spectrum 48K)

XANAGRAMS

Over 5,000 permutations in this game of skill for all ages.

(Spectrum 16K/48K BBC 'B'
Electron CBM 64)

PENGWYN

As the temperature rises, strange happenings begin in Pengwyn's frozen world.
(BBC 'B' Electron)

POSTERN

Available nationally from specialist retailers and all good multiples.

Please write quantities required in boxes provided and state computer type.

Name _____

Address _____

POST TO: Postern Ltd., P.O. Box 2, Andoversford, Cheltenham, Glos GL54 5SW. Postern is always on the look out for any new games you might have developed.

Please Postern
People post me:

1	Xanagrams
2	Dinky Digger
3	Pengwyn


Price £6.95 each

(£7.95 for overseas mail order)



POSTERN

Total £ _____ or Access No. _____



Topo: domestic gimmick

Robots meet micros

ROBOTS are about to start taking over, judging by the numbers now appearing.

First, there were simple turtles for schools, then along came the more sophisticated BBC Buggy. Now we have the 'Androbots' - FRED and Topo.


FRED, who boasts the full title Friendly Robotic Educational Device, is really a glorified turtle with infra-red control.

Topo is claimed to be the first personal robot and the 'ultimate peripheral to a personal computer' by its distributors Prism.

Both robots are made in the US and controlled by joystick or micro. They can 'walk' and 'talk'.

Prism sees these as the first in a family of Androbots whose future tasks include mowing the lawn, vacuuming, fetching and carrying - and even detecting intruders.

FRED will set you back about



Beasty links Beeb to servo devices on crane

£200 and Topo about £1500.

But competition is around in the shape of Hero, which Maplin claims is the world's best-selling training robot.

Again, Hero will interface to the BBC micro by wire, infra-red or

radio link. Although not as flashy-looking as Topo, Hero has become something of a star with appearances on BBC and ITV.

Maplin, who distribute Hero in the UK, hope to launch a comprehensive course to introduce their robot to schools.

Further plans include speech recognition capability, as well as improved voice quality.

Hero comes in kit form at £1599, and assembled for £2500.

The Beasty is more down to earth compared to the Prism and Maplin offerings.

It's a miniature interface box which can control up to four servo mechanisms on models, industrial equipment and toys through software or directly by commands issued from the Beeb's keyboard.

Our picture above shows the Beasty controlling a crane kit from the micro. The Beasty is the little black box in the middle, not the crane itself.

Comotion, who distribute the Beasty, even market a computerised cat door! The device links to the Beeb's user port.

If you want to splash out on Topo or FRED, Prism are at 18 Mora St, City Rd, London EC1V 8BT.

Hero, the rival for position as man's best electronic friend, comes from PO Box 3, Rayleigh, Essex SS6 8LR.

Comotion's standard Beasty module costs £49.95. Details of this, and its various accessories, from 241 Green St, Enfield EN3 7SJ.



Acornsoft launch disc swap

ACORN SOFTWARE will now exchange cassette software for discs at half the price of the disc version.

For example *Starship Command* costs £9.95 on cassette and £11.50 on disc. In exchange for the cassette, the disc may be purchased for £5.75.

The service applies only to Acornsoft products, and customers should return the cassette (without the outer box), enclosing the relevant remittance, to: Disc Replacement Service, Acornsoft Ltd, c/o Vector Marketing, Denington Industrial Estate, Wellingborough, Northants NN8 2RL. Consult the latest Acornsoft catalogue to check availability of programs in 40 or 80 track versions. Acornsoft Limited, 4a Market Hill, Cambridge CB2 3NJ.

IF YOU don't know what this is, we're not going to tell you - yet. If, by some chance, anyone can decode it, there's a piece of software awaiting the first correct answer to reach us by post.

Paper round boon

NEWSPAPER deliveries are the target of Huggler - a BBC micro-based system which takes care of accounting and VAT. So a Beeb could soon be adding up your *Acorn User* bill!

The software is designed to cope with 600 customers, served by a maximum of 20 round with up to 100 customers per round.


Details are held in disc files of customers publications, accounts and standing orders, holidays can automatically be dealt with and round lists printed out at any time.

Twin disc drives, printer, monitor, micro and software cost £1,750, which includes installation and training for the newsagent at his own premises.

The database allows information to be accessed for a particular list, customer or magazine title.

All this can be edited from the micro to ensure prices, addresses and orders are kept up to date.

Huggler is produced by Newsbox, who also run a leasing scheme. The address for details is: 9 Walcot St, Bath BA1 5BN.



A CAREER AWAITS YOU IN
INTERGALACTIC GEOLOGY!!



Here's YOUR opportunity to meet new and different alien things, explore, dig up and analyse brave new worlds, to boldly survey where none have surveyed before. You too can make truckloads of money, and the mortality rate is UNDER 96%! It's a man's life in Intergalactic Geology!

EAGLE is a new and different arcade game for the BBC Model B or expanded Model A microcomputers. You must pilot your Eagle Survey Ship through the Moons of Thrug, collecting energy pods, avoiding asteroid belts, negotiating narrow mine shafts, slipping through the ancient laser defences, resisting the attraction of the magnetic anomaly and braving the carnage of live volcanoes.

A real find at £7.95.

Please add 50p p&p to all orders. Send A5 SAE for full catalogue
Cheques or postal orders payable to



Salamander

SOFTWARE


17 Norfolk Road, Brighton, BN1 3AA
Telephone: Brighton (0273) 771942

Tape duplication by DATACLONE

Also available -

TURBO COMPILER £9.95. A compact machine-coded BASIC compiler for generating machine code sub-routines and entire machine code programs. Compiles in under 1 second. Supports sub-set of BASIC commands. Comprehensive manual details how to implement 65 BASIC keywords.

737 FLIGHT SIMULATOR £9.95. BBC Disc and ACORN ELECTRON versions are now available.



Acorn's IEEE interface sitting between Beeb and Philips equipment

IEEE is out now!

THE Acorn IEEE interface was launched last month, and Acorn seemed as surprised as any potential users to admit that supplies were available immediately.

The device, says Acorn marketing manager Tom Hohenberg, broadens the appeal of the BBC micro to scientific and educational establishments and offers a low-cost means of monitoring scientific instruments, making it a powerful laboratory tool.

The hardware consists of a box designed to match the BBC micro, self-powered via its own mains cable. The software is supplied in a chip that fits in one of the Beeb's sideways ROM sockets to provide the IEEE operating/filing system. It has its own 1MHz bus connection, enabling it to be linked to other Acorn interfaces, such as Econet and Acorn's teletext adapter.

In effect, the interface acts as a local area network, allowing the model B (1.0 OS) to support up to 14 IEEE 488-compatible devices, which can be connected in a star or linear configuration, with a cable-length limitation of up to 20 metres.

Typical equipment in the network would include oscilloscopes, voltmeters, logic analysers, spectrum analysers, function generators, frequency meters and counter/timers. Data can be sent and received in strings of up to 255 ASCII characters, and longer strings can be transmitted in binary coded form. The interface can instruct two devices to transfer data from one to the other without involving the Beeb's memory, so freeing the micro for other tasks.

Measurements can be handled in a number of ways, for example, readings from a multimeter can be monitored overnight on disc or mainframe, using the micro, say, to log exceptions; the Beeb could control the frequencies on a generator, or store waveforms digitally or manipulate them on an oscilloscope.

The Beeb's eight-mode colour graphics allows data to be displayed in a highly readable form –

for example, good results in green, failed results in red and borderline in mauve.

Access to the filing system's commands is provided by the command *IEEE and the system can be used with Basic or assembler programs. PROCINIT can be defined to initialise the interface, PROCOUPUT to send information across the bus and PROCINPUT to receive data. The user can quickly build a library of bus procedures.

The interface, complete with 70-page user guide, costs £325 (inc VAT), and is available from Acorn dealers or from Vector Marketing.

Further information on the interface is available in Philips Systems Instrumentation Reference Manual and Philips Digital Instruments Course Book Part IV, from Philips Test and Measurement, tel: 0223 358866. Philips can also supply example programs.

Micro modem

SCICON has launched a modem aimed at the micro market. It's called Buzzbox and costs £70.


The pocket-sized device gives micros access to databases through the telephone system and means programs can be exchanged over the phone.

Buzzbox gives full 300bps duplex data transmission, and is BT approved.


Scicon is traditionally a 'big computer' company and also supplies more sophisticated intelligent modems. The Buzzbox is the first modem to compete with acoustic couplers on price.

TV adventure

REMEMBER the *Adventure Game* featured in last October's issue? Well, Auntie Beeb has finally started the series. The first episode went out on Thursday February 2 on BBC2 at 5.40pm. The others follow at the same time each week. (Watch out for the special effects produced by BBC micros.)



£7.95 inclusive
for 32k BBC micro
or Electron
(joystick or keyboard)
Two-player game



£7.95 inclusive
for Electron
or
32k BBC micro
(joystick or keyboard)
Uses voice synthesis

**Acorn User presents two high-quality games on cassette for your micro which put you at opposite ends of time.
Developed, produced and tested by Micrograf.**

Sword Master by Ken Worrall is based on the fencing rules written in 1190 by Herman von Salza for the Deutscher Orden of Teutonic Knights. It features full colour, machine code animation of a sword duel between the players shown on screen as knights.

Full instructions, music, sound effects, player rankings (from greenhorn to Swordmaster) and a roll of honour (which can be saved) and all included. The game also closely reflects the rules, style and dress of the Deutscher Orden.

Versions have been written for BBC micro and Electron to use both machines to their full. The BBC tape uses voice synthesis (if the chips are fitted).

The game has been extensively developed from Tim Heaton's *Trek III*. It now barely fits into 32k – and the graphics are in mode 7.

More tapes will soon be released.

To: Acorn User Software, 53 Bedford Square, London WC1B 3DZ.

Please send me:

..... copies of Sword Master at £7.95 each for BBC (32k Series 1 OS)	£
..... for Electron	£
..... copies of Trek at £7.95 each for BBC (32k Series 1 OS)	£
..... for Electron	£

I enclose a cheque for £ made payable to Addison-Wesley Publishers Ltd.

Name

Address

Post code

ACORN USER &
CENTURY COMMUNICATIONS
PRESENT THE GREAT
PUZZLE CHALLENGE

£1000
TO BE WON!



CENTURY
COMMUNICATIONS

In the Century/Acorn User prize puzzle competition it's your turn to set the puzzles! Here's what you do:

Write your puzzle in a clear and unambiguous way – and then write a Basic program to solve it. The best puzzle submitted in the opinion of the editor of *Acorn User* and Century Communications Ltd will win £500. Each runner up will receive £5.

Your puzzle may be an old chestnut or it may be completely of your own devising but you must include a Basic program to solve it – preferably on cassette or disc. Try to make it as concise as possible.



Send your puzzles to:

Century/Acorn User
Prize Puzzle Competition,
Century Communications Ltd,
12-13 Greek Street, London W1V 5LE.

Rules of entry

1. Any number of entries may be submitted. The closing date of the competition is Tuesday, May 2, 1984.
2. Winners will be informed by post and announced in the pages of *Acorn User*.
3. Copyright in all winning puzzles and Basic programs submitted will belong to Century Communications Ltd and *Acorn User* and may be published both in the magazine and in a book.
4. The decision of the editor of *Acorn User* and Century Communications Ltd is final and no correspondence will be entered into.

A SLIMLINE TONIC FOR THE BBC MICRO



The best name in memory

Cumana Limited, Pines Trading Estate,
Broad Street, Guildford, Surrey, GU3 3BH.
Telephone: Guildford (0483) 503121 Telex: 859380

Cumana 5 1/4 inch slimline dual disk drives for the BBC Micro are now available from well known high street outlets, including W. H. Smith, John Lewis and Spectrum UK, as well as from Cumana's national dealer network.

The dual drives are available in two versions, as shown, including a 'switchable'. This version enables either drive to be switched independently between 40 and 80 track modes.

Each unit has an independent power supply, 12 months warranty, and is fully assembled and tested before packaging. A drive connecting cable, user manual, formatting diskette, power supply lead and plug are all supplied complete with the disk drives.

Look out for the distinctive Cumana packaging in your high street, today!

For further information about Cumana dual disk drives for the BBC Micro, please complete and return this coupon.

Interests:

Home Use

Education

Dealer

Business

Name

Address

.....

.....

.....


.....

.....

AU3/84

Note: If dealer, please attach this form to your letterheading.

SOFTWARE CHART



WELL, no one can say this software chart is boring – no less than nine new entries, with one having the nerve to come in at number two, and none ever having sat under the 'bubbling under' banner.

Christmas must have a lot to answer for, including the appearance of the dreadful *Doctor Who* at number one. It replaces *3D Bomb Alley*, which has had a two-month reign, but we can't help feeling that this offering from BBC Soft itself was bought for computer freaks, rather than by them. Or could it be people have bought *Dr Who* thinking it really is an adventure game?

Now where *Dare Devil Dennis* came from is a real mystery. It was only released just before Christmas, and Visions isn't exactly the biggest name in games. We haven't even seen a review copy, so it must have been the picture we carried of Roz and Digger (the brains and the beauty behind Visions) that did it in our January games issue.

The old-timers among us might well have the cockles of our hearts warmed by the sight of *Snapper* making a bit of running. The Acornsoft favourites are always hanging around, but this might be a sign of Electron sales making an

TITLE	PUBLISHER	TAPE	DISC
1 (11) DR WHO	BBC Soft	£10.00	
2 (-) DARE DEVIL DENNIS	Visions	£ 7.95	
3 (1) 3D BOMB ALLEY	Software Invasion	£ 7.95	£11.95
4 (6) TWIN KINGDOM VALLEY	Bug Byte	£ 9.50	
5 (7) KILLER GORILLA*	Program Power	£ 7.95	
6 (20) HUNCHBACK	Superior	£ 7.95	£11.95
7 (-) MISSILE CONTROL	Gemini	£ 9.95	
8 (-) OBLIVION	Bug Byte	£ 9.50	
9 (-) WHITE KNIGHT	BBC Soft	£10.00	
10 (3) THE HOBBIT	Melbourne	£14.95	
11 (10) PLANETOID	Acornsoft	£ 9.95	
12 (19) VORTEX	Software Invasion	£ 7.95	
13 (-) GALAXY WAR	Bug Byte	£ 9.50	
14 (-) FELIX & FRUIT MONSTERS	Program Power	£ 7.95	
15 (4) CHUKKIE EGG	A&F	£ 7.50	
16 (2) 3D DEEP SPACE	Postern	£ 7.95	
17 (-) DANGER! UXB	Program Power	£10.00	
18 (-) 737 FLIGHT	Salamander	£ 9.95	
19 (-) SNAPPER*	Acornsoft	£ 9.95	
20 (5) 747 FLIGHT	Dr Soft	£ 8.95	£11.95

*AVAILABLE ON THE ELECTRON

This chart was compiled from a panel of specialist computer outlets (referenced against both multiple retail and major wholesale data), by RAM/C. It is based on returns from mid-December to mid-January.

appearance. In the long run, Electron games sales should swamp the chart, at least if the machine is the great success Acorn says it will be, as it will have younger users.

One noticeable absence from the chart is still Virgin. The Virgin Gang now has about 10 titles to play with, but only *Space Adventure*, one of the earliest releases, has even

reached the 'bubbling under' stable. Looks like the Fun Bus has a lot more miles to cover.

Another surprising factor after three months is the non-appearance of adventure games. Only *The Hobbit* has raised its head from the bubbles, and advance orders from the big chains no doubt explain that. When are the bomb-dropping, alien zapping, trigger-

happy vidiots going to catch on to lamp-rubbing, dragon-slaying and dwarf-bopping?

BUBBLING UNDER: *City Defence* (Bug Byte); *Arcadians* (Acornsoft); *Hopper* (Acornsoft); *Rocket Raid* (Acornsoft); *Bandits at Three O'Clock* (Program Power); *Felix in the Factory* (Program Power); *Chess* (Acornsoft).

Is software good value for money? Why do you copy tapes? See letters pages


Computerama

GRUNDIG 14" TV/MONITOR

RGB input for a super clear display. The picture must be seen to be believed. We have not seen better colour on any dedicated monitor. ORDER TODAY, we guarantee that you will not be disappointed. And remember, when you finish computing, just flick the switch and you have a super quality 14" colour TV - what better way to justify the expense to your wife or girlfriend!

Complete with lead for BBC for only

£289 inc VAT



Turn your BBC into a powerful business system with the NEW TORCH Z80 Processor Board plus 64K memory plus FREE software valued at over £1,100.

- ONLY £429 inc. VAT

Software includes:


- Perfect Writer
- Perfect Speller
- Perfect Calc
- Perfect Filer
- Torch Net
- Commanex Business Games

ORDER NOW - And receive our Enhanced Utilities Disc. Many Additional and useful Programmes included.

HURRY: Limited Numbers Available.



SIDEWISE Rom Expansion Board



- Full sidewise Rom Expansion to 16 Roms
- 16K Battery backed CMOS Ram option
- No soldering required to fit sidewise
- Plug-in-and-go construction - Mounts neatly inside the BBC machine.
- Full buffering of address and data busses - prevents data bus loading problems associated with unbuffered boards.
- Pin 1 of on board sockets are connected properly - No spurious crashes due to this known fault on BBC
- Existing sockets on BBC are usable. All eprom sockets are accessible without removing sidewise.

ONLY £43.70
+ £1.00 carriage

TORCH Z80 DISC PACK
with over £1,100 of software FREE



NOW ONLY £835 inc. vat

Free carriage UK only

Software includes:
 • PERFECT WRITER • PERFECT SPELLER • PERFECT CALC
 • PERFECT FILER • TORCH NET • Commanex - The Interactive Management Game. Approved and used by leading management consultants. The TORCH Z80 DISC PACK is the most powerful BBC Disc upgrade available, it provides 800K of storage plus a Z80 Second Processor running Torches own CP/M compatible operating system - over 200 packages now available - discs can also be used for storage under Acorn D.F.S. system.

Clip this ad to your order to receive free 40/80 T converter program.

	INC VAT	INC VAT	INC VAT	INC VAT
Acorn Electron	199.00	7.95	GraphKey	7.95
BBC Model B	399.00	7.95	Replica (Disc Only)	9.95
BBC Model B+ DOS	469.00	7.95	Graph Disc	12.95
BBC Disc Upgrade	87.00	7.95	The Key (Disc Only)	12.95
BBC A-B Full Upgrade	95.00	7.95	Single Key Entry	4.95
BBC Teletext Receiver	225.00	7.95	Shadow/Inspector	4.95
BBC Z80 2nd Processor	T.B.A	7.95	State 40/80T for Discs	7.95
BBC 6502 2nd Processor	T.B.A	7.95	DR SOFT	INC VAT
LVL Single x 100K Drive	265.00	7.95	747 Flight Simulator II	8.95
LVL Expansion Drive	149.00	7.95	AMCOM	INC VAT
LVL Dual x 100K Drive	389.00	7.95	Space Highway	6.95
Pace Single 100K	212.25	6.85	GEMINI GAMES	INC VAT
Pace Single 40/80T D-Sided	349.95	6.85	Missile Control	9.95
Pace Dual 100K	379.95	6.85	Liberator	9.95
Pace Dual 40/80T D-Sided	664.95	6.85	Caterpillar	9.95
Pace 200K 40T D-Sided	270.00	7.95	GEMINI	INC VAT
Torch Dual 400K Z80 Disc Pack	835.00	7.95	Cash Book Acc	95.00
Opus Single 100K	179.95	7.95	Inn & Statements	19.95

ORDER A COMPLETE SYSTEM - GET ALL LEADS FREE

	INC VAT	INC VAT	INC VAT	INC VAT
MONITORS				
Microvitec 14" Colour	247.00	7.95	Galaxians	7.95
Sanyo 14" colour	287.00	7.95	Road Runner	7.95
Fidelity 14" Colour Monitor	229.00	7.95	Hunchback	7.95
Grundig 14" Colour TV/Monitor	289.00	7.95	Pontoon	7.95
Sanyo 12" Green Screen	89.00	7.95	Gideons Gamble	7.95
Phoenix 12" Hi-Res Amber	129.00	7.95	Lunar Mission	7.95
Lost City	7.95	7.95	Twin Kingdom Valley	7.95
DYNA-BYTE	INC VAT	INC VAT	INC VAT	INC VAT
Pool	7.95	7.95	INC VAT	
COMPUTER CONCEPTS				
Logo-2	11.50			
OPUS				
Dogfight	9.95			
BUG-BYTE	INC VAT			
Sea Lord	7.50			
Twin Kingdom Valley	7.95			

RING FOR LATEST PRICES,
MANY REDUCTIONS EXPECTED

BBC/ACORN SOFTWARE (A Selection)

INC VAT

Algebraic Manipulation

Arcadians

Business Games

Castle of Riddles

Creative Graphics

Countdown to Doom

Forth

Graphs and Charts

Hopper

Lisp

BCPL (Rom + Disc)

Missile Base

Meteors

Mysters

Peek-a-Computer

Planetoid

Rocket Raid

Snooker

Sphinx Adventure

Starship Command

Tree of Knowledge

Snapper

View

Speech Kit

Personal Money Management

Draughts and Reversi

Wordhunt

White Knight II

Vutype

Tax Calc

Beyond Basic

Toolbox

Canyon

Record Keeper

Doctor Who

SOFTWARE INVASION

INC VAT

30 Bomb Alley

Gunsmoke

Attack on Alpha Centauri

Vortex

VISION

INC VAT

Snooker

Daredevil Dennis

PSION

INC VAT

Saloon Sally

VuCalc

VuFile

MELBOURNE HOUSE

INC VAT

The Hobbit

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

14.95

WATFORD ELECTRONICS



Dept. BBC, CARDIFF ROAD, WATFORD, HERTS. ENGLAND.

Tel: Watford (0923) 40588/37774 Telex: 8956095 WAELEC



BBC MICROCOMPUTER

Model A—£260; Model B—£346

Upgrade your Model A with our Upgrade Kits and save yourself £ s s s

● BBC1 16K Memory (8 x 4816AP-3 100nS)	£24.00
● BBC2 Printer User I/O Port	£8.10
● BBC3 Disc Interface Kit	£95.00
● BBC4 Analogue I/O Kit	£8.25
● BBC5 Serial I/O Kit	£8.50
● BBC6 Expansion Bus Kit	£7.75
● Complete Mod. A to B Upgrade Kit	£55.00

Dust Cover for BBC Micro

Protects your expensive Micro from foreign bodies. £3.95

BBC PRINTER

GP100A



10" Tractor Feed,
80 columns, 30CPS
Normal & Double width Char.
Dot res graphics. Parallel Interface standard.

ONLY £155 (£7 carr.)

INTERFACE CABLE

BBC to Seikosha Cable £8.00


DUST COVER for GP100 £3.95

FRiction FEED

Attachment for GP100A or 250X Printers £26

● Spare RIBBON for GP80	£4.50
● Spare RIBBON for GP100	£4.95
● Spare RIBBON for GP250	£5.95

GP-700 Colour Printer Screen-dump routine in ROM FOR BBC Micro £12



Epson RX80

100 CPS, 9 x 9 matrix, dot addressable graphics, condensed and double width printing. Normal, Italic and Elite Graphics. Tractor feed, 10" max width, bi-directional, logic seeking. Centronics Interface standard.

ONLY £235 (£7 carr.)

RX80 F/T PRINTER

As above but has both Friction and Tractor Feed.

£259

Epson FX80 Printer

160 CPS, 11 x 9 matrix, proportional spacing, superscripts, subscripts, dot addressable graphics. Normal, Italic and Elite characters. Up to 256 user definable characters. Down loadable character set. Condensed and double width printing. Full proportional spacing. Four user defined margin positions. Tractor and Friction feed. 10" maximum width Bi-directional, logic seeking Centronics interface standard.

ONLY £345 (£7 carr.)

Epson FX100 Printer

Same as FX80 but has a 15" wide Carriage

£495

Ribbons	Dust Covers
MX80FT	£4.75
MX100	£10.00
FX80	£4.75
RX80	£4.75
	£4.50
	£5.25
	£4.95
	£4.50

PRINTER INTERFACE BUFFER

Neatly packaged self contained box, supplied complete with all leads, manual and detachable power supply.

Price: 16K Unit £99
Price: 48K Unit £135

BROTHER HR-15 DAISY-WHEEL PRINTER

An exceptionally high quality daisy wheel printer at the price of a dot matrix printer. 18CPS, bi-directional, 3K of buffer; has clear buffer facility, carriage skip movement, proportional spacing; underlining; bold print and shadow print. Prints in two colours; super and subscript facility. Impact control facility to vary pressure on paper for making carbon copies. Has Centronics parallel or RS-232 interface. Connects directly to BBC Micro. A ribbon cassette plus a separate red ribbon. Optional extras: single sheet feeder takes up to 150 A4 sheets; a keyboard that transforms HR15 into a sophisticated electronics typewriter. Attractively finished in beige.

Special Introductory Offer
ONLY £375

Single Sheet Feeder	£199
Keyboard	£150
Ribbon	£3
Daisy Wheel	£18

LISTING PAPER

8½" or 9½" Fanfold paper plain or ruled (1000 sheets) £7 (£1.50p carr.)

15" Fanfold paper (1000 sheets) £9 (£1.50p carr.)

Teleprinter Roll (econo paper) £4 (£1.50p carr.)

PRINTER LEAD 36"

Ready made printer lead to interface BBC Micro to EPSON, SEIKOSHA, NEC, etc., Printers.

**ONLY £8
£12**

Special Extra long (60") Cable

DATA RECORDER & ACCESSORIES

Top quality Slimline, portable Data Recorder for computer use. Mains/Battery, operated with counter

£24.00

DATA RECORDER CABLE

For our Data Recorder to BBC Micro


£2.50

DATA CASSETTES Top grade C12 Data Cassettes in library cases.

36p


STAK-PAK

The unique computer program filing and storage system. Made of tough black plastic these compact drawer sections hold two cassettes each and lock together vertically to form miniature cabinets of any height. Each drawer section has two Agfa C12 Cassettes with labels plus external index card. Five twin Pak (10 Cassettes) (Postage £1.00) £6



DISC DRIVES (CUMANA)

(All Drives new slimline 5½" type)



DRIVES WITHOUT POWER SUPPLY

● TEC Slimline, Uncased, Single Sided 40 track, 5½", 100K	£125
● TEC Cased, Single Sided 40 track, 100K incl. Cables	£139
● LCS400 MITSUBISHI, cased, Single, 80 track, Double sided, 400K plus Cables	£199
● LCS400S MITSUBISHI, cased, Single, 80 track, 40/80 track switchable, Double sided, 400K with cables	£215
● LCD800 MITSUBISHI, cased, Twin, 80 track, Double sided, 800K plus Cables	£375
● LCD800S MITSUBISHI cased, Twin, 80 track/40/80 switchable, Double sided, 800K with cables	£425

CASED DRIVES with POWER SUPPLY

● CS100 TEC Single, 40 track, single sided, 40 track, 100K	£165
● CD200 TEC Twin, 40 track, single sided, 200K	£325
● CS200 TEC Single, 80 track, single sided, 200K	£230
● CD400 TEC Twin, 80 track, Single sided, 400K	£430
● CS400 MITSUBISHI Single, 80 track, Double sided, 400K	£299
● CS400S MITSUBISHI Single, 80 track, Double sided, 40/80 switchable, 400K	£340
● CD800 MITSUBISHI Twin, 80 track, Double sided, 800K	£499
● CD800S MITSUBISHI Twin, 80 track, Double sided, 40/80 switchable, 800K	£550
● Carriage on Drives	£7 (Securicor)

5½" DISKETTES

● 10 WABASH Diskettes S/S (2 years warranty)	£15
● 10 WABASH Diskettes D/S (Lifetime warranty)	£25
● 10 Verbatim or 3M Diskettes S/S	£17
● 10 Verbatim or 3M Diskettes D/S	£27

DISC ALBUMS

Attractively finished in beige leatherlook vinyl. Stores, protects and displays 20 discs in double-sided clear view pockets. **ONLY £4.95**

PLASTIC LIBRARY CASES

for Disc Storage 5½" (holds 10) £2

LOCKABLE STORAGE UNITS

Attractively finished, strong beige plastic base fitted with dividers. Smoke acrylic top. Supplied with adhesive title strips for ease of filing.

- M-35 Holds upto 35 mini discs £14
- M-85 Holds upto 85 mini discs £18

FLOPPY HEAD CLEANERS

Unless your office/home is dust free, you should clean heads at least once a week to avoid the risk of cross contamination.

Simply apply the cleaner to one of the specially formulated cleaning discs, insert into the drive and initialise. If your system has no initialisation program then insert the disc and open and close the door 5 times.

£16.00

BBC Micro WORD-PROCESSING PACKAGE


A complete word processing package consisting of: BBC Model B, Zenith 12" Green or Amber Monitor, Twin 200K highly reliable (1 year warranty) Twin Cased Cumana Disc with own power supply, the popular WORDWISE word processor, Watford's own highly sophisticated 62 File DFS interface fitted, the world renowned Brother HR15 Daisy Wheel Printer, Gemini's Beebplot & Beebcalc Spreadsheet Analysis Software discs, 10 blank diskettes, 500 sheets of fan-fold paper. Manuals and all the leads.

All you require is a mains power point to have it up and running (we even supply the 4 way mains trailing socket).

ONLY £1,350 (carr. £15)

(P.S. We will alter the package to suit your particular requirement. Call in for a demonstration.)

MONITORS



MICROVITEC 1431

14" Colour Monitor, RGB Input. (as used in BBC programmes) FREE Interface Lead. £205

MICROVITEC 1451

Hi-res 14" Monitor incl. lead
ONLY £319

£249

NEW MICROVITEC 14" Colour Monitor/Composite Video

£249

KAGA RGB 12"

Medium Resolution Colour £210

£259

KAGA RGB 12" High Resolution Colour

MONITOR/COMPOSITE VIDEO ONLY £219

£3

BNC Connecting Lead

£5

RGB Connecting Lead

£5

ZENITH 12" Green or Amber Monitor

Hi-resolution £75

Carriage on Monitors £7 (Securicor)

READY-MADE LEADS

CASSETTE LEADS 7 pin DIN Plug to 5 pin DIN Plug + 1 Jack Plug	£2.00
to 3 pin DIN Plug + 1 Jack Plug	£2.00
to 7 pin DIN Plug	£2.50
to 3 Jack Plugs	£2.00
6 pin DIN to 6 pin DIN Plug (RGB)	£2.50
Monitor Lead, BNC to PHONO	£3.00
Disc Drive to BBC Micro Power Lead	£3.00
Single: £3.00 Dual £3.75	

NEW Mk II 13 ROM SOCKET BOARD

Now all lines fully buffered – On board battery back-up facility – will accept 2716, 2532, 2764 and 27128 ROMs.

Simply plugs into one of the four ROM sockets currently available in BBC Micro. There are only 5 solder connections to be made. Full instructions are supplied.

Our 13 ROM SOCKETS BOARD enables the User to increase the Sideways ROM capacity the basic four sockets on the main board upto the full SIXTEEN capable of being supported by current operating systems. In addition the board is designed with the facility to hold upto 16K RAM, which when switched into operation is automatically selected by any WRITE signal to the Sideways ROM area. This gives the User the ability to write a utility or language and upon pressing break have the utility or language up and running (new ROM software can be developed and tested in situ).

The Board gives the User, plenty of freedom to explore the possibilities of the new paged ROMs due in the coming months and offers them the chance to develop their own.

All lines are fully buffered and the Board meets or exceeds all timings for operation in the BBC Microcomputer. When fully populated, the ROM Board consumes less than half the recommended maximum current limit.

Supplied ready-built and tested complete with fitting instructions.

ONLY £29.95 (carr. £1)

EPROMS & CMOS RAMs for BBC

2764-250nS (8K ROM)	£5.95
27128-250nS (16K ROM)	£18.00
6116-150nS (2K RAM)	£4.75
6264-150nS (8K RAM)	£26.00

Z80A 2nd PROCESSOR BOARD for BBC Micro

Although intended as a BBC add-on, it is totally stand alone (i.e. Can be used with any RS232 Terminal/Computer).

● Z80A Processor running at 4MHZ (No. wait states) 64K Dynamic Memory, 16K ROM space. Disc interface with single/double density, 40/80 track, single/double sided. Two serial channels at independent BAUD rates. Parallel printer interface.

● No additional drives are needed other than those already being used on the BBC as the disk drives can be shared or can be run on the Z80A Processor alone. (This unit can be operated without the disc interface inside the BBC.)

● EXPANSION – OPTIONS

IEEE-488 GPIB Interface with Control, Talk and Listen
Ram in 64K and 192K increments
Hard DISC INTERFACE (to controller)
Dual Parallel Interface
8" Floppy Disc Controller
Dual Serial Interface
Real Time Clock
Prototypeboard
(Also another 64K Ram card can be plugged inside the unit)

● CP/M 2.2 – Not a lookalike, making the CP/M Users Group available to you.


● All BBC screen, sound and OSBYTE facilities available to the CP/M user.

● Uses a full intelligent terminal emulator to enable the user to run 99% of all commercially produced CP/M software with no modifications whatsoever.

● Supplied in a standard half height drive case with integral PSU and finished in the standard BBC colour.

All this and more for ONLY £350 plus VAT.

EPROM PROGRAMMER for BBC MICRO



At last! – the EPROM Programmer for BBC Micro Computer from WATFORD ELECTRONICS that will suit both your pocket and all your requirements. Programs all popular types of EPROMS from 2K bytes up to 16K bytes – 2716 — 2516 — 2532 — 2564 — 2764 — 27128.

This extremely powerful system is designed for your needs of TODAY & TOMORROW! – BBC Basic programs can be copied into EPROM and subsequently re-loaded faster than from a disc! Suitable for both hobbyist and professional users!

Just look at these features:

● COMPLETELY SELF CONTAINED –

Housed in its own sturdy case – Uses its own power supply – connects directly to the 1MHz Bus – Simple and Safe!

● FULL SOFTWARE SUPPORT –

– Comes complete with simple to use fully machine code ROM based software and easy to understand manual. Facilities include Verification, Reading, Virgin Testing, Writing, Editing, Saving, Loading and more! NOTE!! – This software does not simply comprise hastily prepared routines to get you going, but is a professional, purpose designed applications package.

● ACORN BUS COMPATIBLE –

Use of the 1MHz connection complies with all Acorn addressing recommendations – That means you can still add-on such things as the TELETEXT, IEEE 488 TUBE and PRESTEL

● Allows more than one program to reside in an EPROM using the ROM Filing System.

ONLY £89 incl. Manual (£3 carr)

BEEB SPEECH SYNTHESISER

VERSATILE SPEECH SYNTHESISER UNIT FOR THE BBC MICROCOMPUTER

Watford Electronic's very own Speech System. Specially designed so that even a novice can make his BBC talk:-

SIMPLY the best! – An unlimited speech synthesis system. Complete with easy-to-follow manual. Controlling software is in ROM so no Cassette Loading problems!

PHONEMES for word synthesis – That means unlimited vocabulary! No extra speech dictionary chips to buy!

BUILT-in Library of approximately 500 words to get you started.

ENGLISH accent – Utilises inflexion techniques to produce highly comprehensible speech.

EASY to use system – Just plug the software ROM into a socket, the Speech unit into the User Port, and away you go! No specialised 'dealer upgrade' required!

COMPACT unit – The whole system is built into a small case – easily tucked behind the computer. Auxiliary output socket provided for direct connection to an external amplifier.

HOURS of fun! – Suitable for any application – Games, Educational Programs, Specialised Packages.

We know this all seems to good to be true but DON'T BE LEFT SPEECHLESS! Order your Versatile Speech Unit now!

Only £39

Continued →

★ THE ULTIMATE ★ BBC MICRO DFS

by Watford Electronics

High acclaimed at the Acorn User Show.
What do the independent press say?

Good value for money - Beebug Aug. '83
A very worthwhile package - *The Micro User*
You'll be buying a very powerful package -
Personal Computer News
Superior DFS; Excellent disc sector editor -
Computer Answers

Without a doubt, the most sophisticated DFS Software yet written for BBC Micro Computer. This powerful new DFS is fully compatible with ACORN DFS yet has much increased power due to additions, carefully designed to make life easier in normal use. It consists of over 14K of efficiently written machine code. It is entirely self contained and so does not require a utilities disc to function.

- The system can either use the ACORN standard 31 files per disc side or DOUBLE THE CAPACITY to 62 files. The size is selected at formatting time. Copying between discs with different catalogue sizes works perfectly normally.
- A FORMATTING PROGRAM is built in, permitting formatting to 35,40,80 track formats with either 31 or 62 files. Since the formatter is built in to the DFS it can be used without affecting whatever program you are using.
- A DISC VERIFIER is also built in. This checks the internal checksums on each sector to identify any corrupted data. This is extremely useful when saving valuable data as it shows faulty discs quickly and easily. Again it does not affect the program you are using.
- A built in DISC SECTOR EDITOR gives a screen window onto the disc enabling detailed editing of any byte on the disc. This is very useful for recovering accidentally deleted files and can save weeks of work.
- A double step mode allows the user of 80 TRACK DRIVES TO READ 40 TRACK DISCS. This mode is software selected for each drive individually, thus allowing a 40 track disc to be copied onto an 80 track one very easily. THIS ELIMINATES THE NEED FOR EXPENSIVE SWITCHABLE DRIVES.
- A WORKFILE function sets the name to be used when the null filename is issued. This allows a program to be edited and repeatedly saved having only typed its name once.
- When using LOAD, CHAIN, etc. it is possible to specify an ambiguous filename. This will result in the first file whose name matches the specification being used. This saves typing the end of a filename that you know is uniquely identified by its first few characters.
- Two commands exist to simplify the transfer of programs from TAPE TO DISC. These load the file to &1100, switch off the disc system and then move the file to its correct load address; thus saving a lot of complicated programming. This command can be used to load files up to 27K75 long.
- An advanced COPY command is included which will prompt the user, requesting whether to copy each file.
- RENAME has been extended to allow the use of ambiguous filenames. This allows you to change BERT1, BERT2, BERT3 to FRED1, FRED2, FRED3 with only one command.
- OPENOUT has been improved to give you fewer annoying 'Can't extend' errors, as it automatically picks the biggest space on the disc in which to put a file. A SPACE command lets you know how much space *COMPACT could create before you waste time doing it.
- 2K of RAM can be reclaimed from the DFS by setting "PAGE" to & 1100.

Now with extra features:

- The powerful library system has been extended so that libraries now work on all accesses not only *RUN. This allows you to have a utility directory with all your commonly used programs without muddling in your current workfiles. Very useful for BCPL User.
- Programs can now reside lower in memory by reclaiming some of the DFS' workspaces, indeed PAGE can be taken as low as £1100 under most circumstances.
- To make DFS easy to use, wild cards ("*") have been made vastly powerful, e.g. *INFO

Continued:

BEEBFONT ROM

BEEBFONT is a remarkable new concept in BBC software, exclusively available from Watford. Once fitted, the 16K ROM will enable you to produce attractive text displays in following different styles:

ABCDEFJGHijklmnop
abcdefghijklmnop
ABCDEFJGHijklmnop
ABCDEFJGHijklmnop
abcdefghijklmnop
ABCDEFJGHijklmnop
ABCDEFJGHijklmnop
abcdefghijklmnop
ABCDEFJGHijklmnop
ABCDEFJGHijklmnop

★ It works in modes 0, 1, 2, 4, using full colour.

- ★ Simply use Ctrl-V to select the font and all further screen output will be in a new style.
- ★ Even the ordinary Beeb character set can be enhanced by doubling height or width and emphasising to give bold print.
- ★ A comprehensive editor is included which enables the user to design his own characters.
- ★ A spooling program is provided which enables pre-formatted text files to be displayed on an Epson printer using the full range of character styles.
- ★ This really must be one of the most original and exciting products of the year.
- ★ A twenty page manual is provided and the demo/editor software comes on disc or cassette (please specify when ordering). ONLY £39

DISC DOCTOR £26

A sophisticated Disc Utility ROM with many useful commands. (For detail description please refer to Computer Concept's advert in this magazine.)

Wordwise

Without doubt a very sophisticated piece of software for the BBC Micro. It has all the features of a professional word processor yet is easy to use.

only £33

DFS continued:

- *A* gives information on all files in the current directory which have an "A" anywhere at all in their filename.
- * Comprehensive and clearly written Manual (available separately) gives the user a complete package deal.
- * Fully compatible with BBC TELETEX and TORCH Systems

DFS ROM ONLY £29
Complete Disc Interface Kit including DFS ROM and fitting instructions ONLY £95

Comprehensive and clearly written DFS Manual ONLY £7.50

(P.S. This manual will only be sold to those who purchase our DFS).

P.S. We will exchange your existing ACORN DFS or PACE (AMCOM) DFS for the highly sophisticated Watford's DFS ROM for ONLY £25

BEEBMON

The most powerful and versatile machine code monitor ROM yet written for BBC Micro. It has all the normal memory editing, moving and relocating facilities, plus all editing is with a full screen editor allowing scrolling up and down memory, entering in Hex, ASCII or standard assembler mnemonics.

In use as a debugging tool, you run code under a total emulation system. Everfelt a desperate urge to set a break point in ROM? No problem - you can even have breakpoint on reading or writing locations in memory and on register contents. The system fully supports debugging of sideways ROMs e.g. BASIC can fully and easily be run from within Beebmon and from there DFS and other sideways ROMs can be used in total emulation mode.

Beebmon can even run itself. In so doing you can nest Beebmon up to a level limited only by the memory size. Beebmon uses 256 bytes of workspace, located anywhere in memory, even on the 1MHz Bus. Beebmon effectively uses no zero page workspace, so your program (e.g. BASIC) can use any or all of the base page. How does it achieve this? By providing a 6502 interpreter all programs running under it exist in a virtual BBC, so special memory locations like the ROM latch are not actually accessed by your programs, instead they alter a location in Beebmon's workspace. Emulation also allows immediate return to Beebmon command level by ctrl-escape no matter what code is being executed at the time. All this exceptional power and flexibility is complemented by a clear and detailed manual included in a value for money price of:

ONLY £25

NEW LAUNCH

★★ NEW NEW NEW ★★

IT'S HERE!!! WATFORD'S LATEST ROM BASED SOFTWARE

DISASSEMBLER ROM

Discover the hidden secrets of BASIC and the OPERATING SYSTEM with this easy to use programmers tool.

A ROM based machine code Disassembler for the BBC micro. It enables machine code programs to be listed in BASIC/DUMP format and thus is the perfect complement to the built in assembler. It allows Sideways ROMs, files on disk or tape to be listed, and also has a comprehensive editor, allowing mnemonics to be altered directly, as well as HEX, DECIMAL, ASCII and BINARY memory editing. There is also a full set of labelling facilities available (up to 3,200 labels), with the major locations and routines already labelled.

Thus DIS-ASM enables any monitor program, such as BEEBMON to be used to much greater effect as it is not necessary to disassemble memory each time the display is altered. All these and other facilities for ONLY £16 (Price includes a comprehensive manual and fitting instructions.)

FORTH ROM for BBC

This superb (FIG FORTH) compiling language now available in ROM. Simply plugs into one of the ROM Sockets. Manual included.

£36

TINY PASCAL (in 16K ROM)

PASCAL-T is capable of compiling source PASCAL into a compact very fast threaded-interpreters-code. Full editor and disc support are included. Comprehensive documentation supplied

£59

VIEW

Acorn soft's Wordprocessor ROM.

£52

ONLY THE BEST AT
WATFORD

ACCESS ORDERS BY TELEPHONE

Simply phone your order through. We do the rest

(0923) 50234/40588

NEW BEEB PRINTER ROM



"Makes Printing Childs Play"

Are you fed up with not being able to unravel your printer manual and use all those features you paid for? Need sensible paging for use in the creation of booklets? Then you certainly need our Beeb Printer ROM.

A machine code printer utility in ROM.

★ 'Single' key operations replace control code sequences for underline, front and size selection, paper movement, etc. Up to 30 come pre-defined, without effecting normal fn key usage.

★ Automatic fanfold page margins. Puts gaps in listings. PRINTED text etc to skip the folds. The gap size alternates to minimise paper wastage when using binders.

* Form feed and related commands, made available on ALL printers. Can also provide a left margin.

* User defined characters embedded within text are printed as on VDU.

★★ Commands select option for GP100, STAR, NEC, MX/FX, LP VII/DMP100, DMP200. Operates with parallel interface printers and is turned on by *FX5,3.

Supplied complete with Manual.

Price: £24

(When ordering, please specify the make of printer you have.)

TWO NEW GRAPHICS SCREEN DUMP ROMS from WATFORD

NEW

DUMP OUT 2

A versatile machine code hi-res Screen Dump ROM.

- You can now have small or large 2 tone dumps and multi-tone 'colour' pattern dumps (8 distinct mode 2 shades) on every printer.
- *Commands initiate the required dump optional parameters may be included for colour masking and selecting the part of the screen to be dumped.
- Clever use of the processor stack means that no workspace is required! (Multitone dumps also use 2 zero page locations.)
- For GP80/100/250, STAR, NEC, EPSON MX/RX/FX, LPVII, DMP100/120/200/400.
- Screen modes 0, 1, 2, 4, & 5.
- Instruction Manual

All this for

ONLY £15

NEW EPSON DUMP ROM

Will accurately DUMP all Screen modes including TELETEXT, GRAPHICS and DOUBLE HEIGHT. MULTITONE DUMPS are also supported.

ONLY £16

DISC EXECUTOR

Disc Executor is a sophisticated disc utility, designed for the BBC Micro, which allows you to transfer almost all of your tape software to disc. It will handle 'Locked' programs and allows you to load full length adventure type programs (i.e. up to 86E blocks) from disc in seconds rather than minutes.

Price: £12

WONDERFUL WATFORD

SURGE PROTECTOR Plug

Safely eliminates dangerous voltage surges. During a thunderstorm, a nearby lightning strike can induce high voltage spikes in the voltage supply or fluctuating loads can also result in transient overvoltages which if unchecked, lead to expensive data corruption/loss. Our surge protection plug will provide the necessary surge protection. Simply replace your standard 13Amp mains plug with the surge protection plug (which is almost the same size). Ideal for computers, Hi-Fi systems, precision instruments, fridge freezers, etc. Max. surge current 2KAmp; Max. Voltage 250 Volts.

Price: £8

BBC JOYSTICKS

Two versions available:

SINGLE: Player type	£7.00 each
TWO Players type	£11.50 per pair

EDUCATION Software

JUNIOR MATHS PACK (32K)

Makes learning fun for 5-11 year olds. This package consists of 3 programs (menu driven) that increase in difficulty as your child becomes competent. A very good supplement to standard educational methods.

CHEMISTRY

£6.00
Make learning fun with this graded program which teaches the Atomic table including Atomic Symbols, Atomic Number and normal form using a fruit machine type display. 5 levels.

WORLD GEOGRAPHY (32K)

£7.00
Beautifully drawn Hi-Res colour map of the world illustrates and aids this graded series of tests on capital cities and populations of the world.

WORDHANG

£7.80
(Age 7-13). A word guessing program based on the well known Hangman game. Uses full colour graphics. Complete with 260 words and the facility save your own list of words.

WORLDWISE

£7.80
(Age 7-15). Two constructive geography programs allowing children to build detailed data bases covering both the UK and the world. Encourages children to refer to atlas and reference books. Save the database anytime.

PHYSICS

£6.00
Displays measurements of mass, work, temperature, etc., their associated units and formulas for calculating these units. For 4th and 6th formers.

WHICH SALT

£6.00
Identify a compound from the result of a series of tests. Superb graphical animation shows what would otherwise be observed in a laboratory. For 4th and 6th formers.

HAPPY NUMBERS

£7.80
(Age 4-6). No reading skills are required to use this colour graphics number recognition and counting program. Children build patterns of flowers corresponding to figures, quickly learning their significance.

INTRO TO ARITHMETIC

£10.45
4 programs – Additions, subtractions, multiplications and divisions. Help stage, moving graphics and colours. Worksheet produced at the end of program. (5-7 years old).

PLINTH FOR BBC MICRO

Protect your micro from the weight of the heavy TV/Monitor. This sturdy plinth is attractively finished in BBC colour. It can be used to support a monitor or a printer. The micro slides underneath comfortably. A must for every BBC Micro owner, specially for those who have to move/open their computer frequently.

Price: £10 (carr. £1.50)

PLINTH FOR PRINTERS

Keeps your desk tidy. Place the printer on the plinth and the paper underneath. Finished in BBC colour.

£10 (carr. £1.50)

VOLTMACE'S DELTA 14 Hand-set

(Highly acclaimed at the Acorn User Exhibition) Save your BBC Keyboard from a games bashing with our precision, smooth, sprung return 'Delta 14' Joysticks which has a built-in 14 Button Keypad. The hand set is Acorn Soft compatible and will work as a Joystick and two Fire buttons. Adding the ADAPTOR BOX will enable the use of all twelve Buttons (plus two repeated).

A user friendly, Keyboard to Keypad transfer program allows you to assign any Keyboard Key to either Keypad button or Joystick direction. The program also allows you to adjust sensitivity on the Joystick and conversions can be saved in a library which already contains some Acorn-Soft conversions.

Price: 'Delta 14' Hand set
ADAPTOR MODULE £12.50
TRANSFER PROGRAM £11.95
Tape £5.15
Disc £7.75

**ONE STOP
SHOP**

ATTACHE CARRYING CASE for BBC Micro

These Attache Carrying cases are attractively finished in mottled antique brown leatherette. An ideal and very safe way to carry your BBC Microcomputer.

Price: £10 (£2 carr.)

RESERVED

This space is reserved for the launch of yet another ROM based Software for BBC Micro.
For details please read our advert next month.

EPROM Programming Service

New from Watford, a service to the writer of Sideways ROMs for the BBC Micro or any other ROMs. Send us your ROM dump on BBC format disc, 40 or 80 track stating the type of EPROM required. We will program for you 2516, 2716 (single rail), 2532, 2564, 2764 or 27128. (You may send your own blank EPROMs or purchase them from us).

Programming service charge £8

WATFORD ELECTRONICS

Continued →

GEMINI'S BUSINESS SOFTWARE

Cashbook Accounts	£52
Final Accounts	£52
Invoices & Statements	£17.25
Commercial Accounts	£17.25
Mailing List	£17.25
Database	£17.25
Stock Control	£17.25
Home Accounts	£17.25
Beebcalc Spreadsheet Analysis	£17.25
Beepplot	£17.25
Payroll	£39

N.B. All the above Gemini software is on tape.
For Disc Based (40/80 track) please add £3.

BOOKS (No VAT on Books)

30 Programs - BBC Micro	£4.95
30 Hour BASIC (BBC Micro)	£6.00
35 Educational Programs for BBC	£6.95
36 Challenging Games for BBC	£5.95
100 Programs for BBC Micro	£6.95

Cassette version of above	£10
6502 Application Book	£10.25
6502 Assembly Lang Prog	£12.50
6502 Assembly Lang.	
Subroutines	£11.80

6502 Software Design	£10.50
A young persons guide to BBC Basic	£4.50
ACORN ATOM Magic Book	£5.50

Advanced User Guide for BBC Micro

BBC Micro	£12.85
Advanced 6502 Interfacing	£10.95
Advanced 6502 Programming	£10.50
Assembly Lang. Programming for BBC	£8.95

Advanced Programming Techniques for the BBC Micro	£7.95
BBC Basic	£7.95
Assembly Lang. Prog. on BBC	£7.40
BBC Forth	£7.50
BBC Lisp	£7.50

BBC Micro An Expert Guide	£6.95
Easyprogramming for BBC Micro	£5.95
BBC Micro Graphics and Sound	£6.95
BBC Micro ROM PAGING System Explained	£2.95

BBC Micro Revealed	£7.95
BBC Micro Instant Machine Code including Software Cassette	£34.00
BBC Micro Assembly Lang. Prog.	£7.95
BBC Micro Disc Companion	£7.95
BBC Micro in Education	£6.50

Basic Programming on BBC Micro	£5.95
Creating Adventure Programs on BBC Micros	£6.95
Creative Graphics Cassette (Acornsoft). Has 36 graphics programs	£8.95
Creative Graphics on BBC Micro	£7.50

Complete Programmer for BBC	£5.95
Discover BBC Machine Code	£6.95
Discover FORTH - Osborne	£11.25
Easy Prog. for BBC Micro	£6.50

Further Prog. for BBC Micro	£6.90
FORTH Programming (Sams)	£12.50
Functional Forth for the BBC Micro	£5.95
Games on your BBC Micro	£2.95

Games BBC Computer can Play	£6.95
Getting Acquainted/Acorn ATOM	£7.95
Graphs & Charts on BBC Micro	£7.50
Intro to Micro Beginners Book (3 Ed.)	£9.90

Graphic Art for BBC Computer	£5.95
Graphs and Charts (Cassette)	£8.95
Graphics on BBC Micro	£6.95
Introducing the BBC Micro	£5.95

LISP	£9.25
Logo Programming	£8.95
Mastering VISICALC (Sybex)	£11.95
Micros in the Classroom	£4.90

Practical Prog. for BBC & ATOM	£5.95
Programming the 6502	£10.75
Programming the BBC Micro	£6.95
PASCAL	£9.25

Programing for Education on BBC	£5.95
Structured Prog. with BBC BASIC	£9.50
The BBC Micro Book, BASIC, SOUND & GRAPHICS	£7.40
Using Floppy Discs with BBC Micro	£5.95

CHESS	£6.95
CROACKER	£6.95
Escape from MOONBASE ALPHA	£6.95
FELIX in the FACTORY	£6.95
GALACTIC COMMANDER	£6.95
KILLER GORILLA	£6.95
MUNCHYMAN	£5.95
MOONRAIDER	£6.95
PENGOL (Watford)	£7.75
SWOOP	£6.95
747 FLIGHT SIMULATOR	£7.75

LEVEL 9 ADVENTURE GAMES

COLOSSAL ADVENTURE. The classical mainframe game "Adventure" with all the original puzzles plus 70 extra rooms.

£8.65

ADVENTURE QUEST. Through forest, mountains, desert, caves, water, fire, moorland and swamp on an epic quest vs tyranny.

£8.50

DUNGEON ADVENTURE. Over 100 puzzles in the Demon Lord's dungeons.

£8.50

SNOWBALL. Save a 7000 location colony starship in 2302 AD.

£8.50

SEIKOSHA GP250X:

10" Tractor Feed, 80 columns, 60 CPS, normal and double - width/height characters, 128 characters with true descenders in ROM, 64 user definable characters in RAM (384 bytes) Programmed printing (80 bytes of memory) for storing your own print sequences, dot addressable graphics with repetitive graphics data printing, RS232 and Centronics parallel interfaces standard, paper empty function and buzzer, self test routine. All this for

ONLY £199 (£7 carr.)

ACCESS ORDERS

Simply phone your order through

and we will do the rest.

Tel: (0923) 50234

WATFORD - Always a step ahead

SPECIAL 'DISC DRIVE ISSUE' OFFER

MITSUBISHI DISC DRIVES

Cased, including Power Cable and Interface Cable. Plugs directly to BBC's Power Supply socket.

- LCS400 Single 400K Drive £188
- LCD800 Twin 800K Drives £369

BBC FORTH on Cassette
Follows FORTH-79 standard and has fig-Forth facilities - Provides 260 FORTH words - infinitely extensible - Full screen editor - Allows full use of MOS - Permits use of all graphic modes, even 0-2 (just) - Easy recursion - Runs faster than BBC BASIC. ONLY £15 FREE 70 page manual and a Summary card.

BBC FORTH TOOLKIT

Adds following facilities to FORTH-6502 Assembler, providing machine-code within FORTH - Turtle graphics enables easy to use colour graphics - Decompiler routines enables versatile examination of your compiled FORTH programs - Full double number set - An example FORTH program and graphics demonstration - Other useful routines - 64 page manual included FREE. ONLY £13

£9.95

TEX EPROM ERASERS

- New Broom for EPROMS *

EPROMs need careful treatment to survive their expected lifetime. Rushing it could burn their brains out. So cop-out of this helter-skelter world; take it easy the TEX way and give your chips a well earned break. Cool, gentle and affordable. EPROMPT does it properly. Two versions available:

- EPROMPT EB - The standard version. Erases up to 16 chips. £30.00
- EPROMPT GT - Erases up to 32 chips. Has an incorporated safety switch which automatically switches off the UV lamp when the Eraser is opened. £35.00.

We stock a wide selection of games software and peripherals for BBC Micro. Why not call in at our shop for a demonstration. Be satisfied before you buy.

Prices subject to change without notice.

MAIL ORDER AND RETAIL SHOP, TRADE AND EXPORT INQUIRIES WELCOME. GOVERNMENT AND EDUCATIONAL ESTABLISHMENTS OFFICIAL ORDERS ACCEPTED.

CARRIAGE: Unless stated otherwise, please add 60p to all cash orders.

VAT: UK customers please add 15% VAT to the total cost incl. carriage.

SHOP HOURS: 9.00am to 6.00pm. Monday to Saturday. (Ample Free Car Parking Spaces)

ACCESS ORDERS: Simply phone: Watford (0923) 50234. (24 Hours)

Watford Electronics
Dept. BBC, Cardiff Road, Watford, Herts, England.
Telephone: 0923 40588/37774. Telex: 8956095

CRITICAL TIMER

ASSEMBLY language is fast, but sometimes not fast enough. This utility won't speed anything up, but it will help you to weed out the parts of a program that are slowing you down, and perhaps find a quicker way of achieving the same aim.

It works out how many machine cycles any given piece of code takes to run, including unseen interrupts which the operating system might have to service during that code. It's particularly useful for timing operating system routines such as OSWRCH and OSBYTE, saving a long-winded process of disassembly, and helping you decide how to tackle a problem in the fastest manner. For example, take two different methods of testing to see if a key is being pressed: you could use an OSBYTE call with A=&79 (keyboard scan from key 16), or alternatively with A=&81, X=0, Y=0 (equivalent of INKEY(0)).

The former takes 1204 cycles, the latter 300. Quite a difference!

The program uses Timer 2 of the 6522 VIA chip. This can be organised to count down to zero at 1MHz (half the machine

Jonathan Gibbs'
timing routine
finds the number of
cycles in a given piece
of machine code

clock speed) from a given start time, and then generate an interrupt. The program starts this timer counting from a given value, and then executes the piece of machine code under test.

As soon as the timer reaches zero – which may happen while the test code is running or after it has finished, depending on the start time specified – the interrupt is generated, and the operating system passes control via the IRQ2 vector at &206-7 to a service routine, 'rupt', which simply sets a flag.

Once the code being tested has ended, the program looks at the flag to see if the

interrupt happened while the test code was running. If it did, the countdown length was too short, so the flag is reset and the start time for Timer 2 is increased. This process is repeated until the interrupt happens just after the test code has gone through, so that the flag when read still shows zero. The number of cycles in the test code can then be calculated from the last start time.

Lines 10 to 60 organise some space into which the machine code can be assembled, and also set up the memory locations it uses, within that space. Zero page locations could have been used here, but you may wish to use the available zero page addresses (&70 to &8F) in the code you want to time.

Lines 110 to 210 store the OS IRQ2 vector address for safe keeping and replace it with the address of 'rupt', the new routine.

Lines 220 to 270 set up the 6522 VIA. This is a complicated chip, capable of many modes of operation, but put simply lines 220 to 240 organise the Auxiliary Control Register (&FE6B) to do what we want it to do – count down on Timer 2 – without messing up anything else it might be required to do (such as control a printer); and lines 250 to 270 ensure that the interrupt request it will generate when it reaches zero is recognised by the CPU. If you want to earn a gold star from Acorn you could do all this using the proper OSBYTE 'write to Sheila' routines. Sheila, however, doesn't seem to mind being addressed directly.

Then follows the main loop. The start time for Timer 2 is stored in locations timelo and timehi (low byte, high byte), and to begin with this start time is incremented by 1. Timer 2 can only count down from a maximum number 65535 (&FFFF) – it only has two bytes to start from, and &FFFF is the biggest number you can put in two bytes – so if as a result of incrementing by 1 the carry flag is set at line 370, showing a number greater than &FFFF, the program gives up and exits (line 380). There shouldn't be any problem here. The longest routine I've found so far is a 'CLS' in Mode 0, which takes 109,454 machine cycles; this is 54,727 1MHz cycles, well within the limit.

Lines 390 to 440 reset the flag and start Timer 2 running by putting the two bytes of the start time into its registers (&FE68 and &FE69). The countdown starts as soon as the high byte is loaded.

Then follows the machine code you want to test. Lines 460 to 490 are only an example – they test the INKEY(0) function – but in practice you should delete these

```

10 DIM space 150
20 oldv=space
30 flag=space+2
40 timelo=space+3
50 timehi=space+4
60 timer=space+5
70
80 FOR I% = 0 TO 2 STEP 2
90 P% = timer
100
110      [OPT I%]
120      LDA&206
130      STAoldv
140      LDA&207
150      STAxoldv+1
160      SEI
170      LDA#rupt MOD 256 \set new one
180      STA&206
190      LDA#rupt DIV 256
200      STA&207
210      CLI
220      LDA##&DF
230      AND&FE6B
240      STA&FE6B
                                \store IRQ2V address
                                \set up 6522

```

UTILITY

lines and insert your own code. It can be as long as you like, but if it exceeds about 50 bytes, increase the DIM statement in line 10. The only restrictions are that it should not interfere with the 6522 nor use IRQ2V, and that it should be 'self-contained' – don't go jumping back into Basic with an RTS!

After the code you want to test has finished, lines 510 to 530 look to see if Timer 2 ran out and generated an interrupt, signalled by a 1 in 'flag'. If it didn't, the start time was longer than the time needed to run the test code, and the program goes to 'exit'. If it did, a JMP instruction goes back to the main loop to try again. JMP is used rather than the more elegant BNE in case the code you want to test is too long for the assembler to 'BNE' over.

Assuming success, lines 550 to 640 set everything back to rights by restoring the old address to IRQ2V and resetting the 6522 so that it doesn't try to generate any more interrupts.

Lines 660 to 690 are the new interrupt routine – this simply puts a 1 in 'flag', clears the 6522 Interrupt Request Flag at &FE68 by loading it into the accumulator (which resets it automatically), and JMPs back to the operating system to end the routine.

The Basic part first asks you to specify a start time for the program to begin its trials, within reasonable limits. For most tests you can start with, say, 100. This value is then divided by two (remember Timer 2 counts at half the machine clock speed), and after applying a 'correction factor' of -2, of which more later, it is passed to the machine code routine in timelo and timehi.

After 'timer' has been CALLED to do the test, the successful start time is retrieved in the variable 'Y'. This is checked to see if it equals zero: the only way it could do so is if the incrementing in 'loop' resulted in a start time greater than &FFFF and the machine code routine had accordingly given up. If this is the case the program will admit defeat.

Y is then checked against X, the original trial start time. If it has only incremented by 1 this means the loop has gone round only once, and could be giving a false result – Timer 2 could still be counting down! So the program prompts you to try again with a lower start time.

This facility is useful if you are timing awkward routines, such as those which generate a sound – it can get very boring listening to a constant beeping noise while the program generates a few hundred 'VDU's! Better to begin with a start time you know is too long and work downwards until the program accepts it.

If all is well, line 840 prints out the correct number of cycles, to the nearest highest even number. The correction factor of +2 has been included after field trials with test codes of known length. It appears that the 6522's interrupt isn't recognised until two 1MHz cycles after one would expect it. I can't explain this – perhaps someone else can.

```

250    LDA#&A0
260    STA&FE6D
270    STA&FE6E
280
290 .loop CLC
300    LDAtimelo      \increment start time
310    ADC#1
320    STAtimelo
330    BCCon
340    LDAtimehi
350    ADC#0
360    STAtimehi
370    BCCon
380    JMPexit        \if >65535 give up
390 .on  LDA#0        \clear flag
400    STAflag
410    LDAtimelo      \start countdown
420    STA&FE68
430    LDAtimehi
440    STA&FE69
450
460    LDA##81        \example
470    LDX#0          \only - put code
480    LDY#0          \to be timed
490    JSR&FFF4        \in here
500
510    LDAflag
520    BEQexit        \did interrupt happen?
530    JMPloop        \no - try again
540
550 .exit SEI         \clean up and go
560    LDAoldv
570    STA&206
580    LDAoldv+1
590    STA&207
600    LDA##20
610    STA&FE6D
620    STA&FE6E
630    CLI
640    RTS
650
660 .rupt LDA#1      \signal
670    STAflag
680    LDA&FE68      \clear 6522 IRQ flag
690    JMP(oldv)      \back to OS
700    ]
710
720 NEXT
730
740 REPEAT
750 INPUT "Guess to start",X
760 UNTIL X>4 AND X<131074
770 X=X DIV 2 - 2
780 ?timelo=X MOD 256
790 ?timehi=X DIV 256
800 CALL timer
810 Y=256*?timehi+?timelo
820 IF Y=0 PRINT "greater than 131074 cycles":END
830 IF Y=X+1 PRINT "try lower":GOTO 740
840 PRINT 2*(Y+2); " cycles"
850 END

```

SNOWFLAKES AND OTHER MONSTERS

IN THE October issue of *Acorn User* I introduced you to fractals, lines of infinite length that in theory can be drawn on an ordinary piece of paper. This seems so unlikely, if not impossible, that when fractals were first discovered mathematicians declared them to be 'monstrous curves'. The curves I described needed only a few lines of Basic to produce, but it was not really possible to predict from the start what they were going to look like. The program I am going to describe here, although somewhat longer, has the advantage of producing more predictable fractal curves (though some of them are only 'predictable' with hindsight).

One of the many curves it can draw is the famous (or infamous) 'snowflake'. The construction of a snowflake is simple. First draw an equilateral triangle (one with all the sides the same length and all the angles 60 degrees). Then in the middle of each of the three edges erect another equilateral triangle one-third the size. This gives a 'Star of David' shape, with 12 edges. In the middle of each of these edges erect a triangle a third as small

**Remember fractals?
Now Susan Stepney shows you how to
program your Beeb to draw these 'monstrous curves'**

again. And so on . . . The result after three steps is shown in figure 1a. As the number of replacements increases, the length of the curve increases without limit. The area of the 'final' snowflake, however, is only 8/5ths that of the original triangle.

If instead of erecting the smaller triangles on the outside, we make them point inwards, we get the result shown in figure 1b, an 'anti-snowflake' curve. Its area is only two-fifths that of the original triangle. You don't have to use only triangles, however. Figure 2a shows the result of using a square as the starting figure, and replacing each line by the curve shown in figure 2b. Although the edge of this figure gets longer at every step, its area doesn't change.

To describe these figures in general we

first need some jargon. The original shape is called the 'initiator'. In figure 1 it is a triangle, in figure 2 it is a square. It doesn't have to be a closed curve; it could just as easily be a straight line, or any other space that takes your fancy. The first step in the construction of the 'monster' is to replace each line in the initiator by the 'generator' (see figures 1c and 2b). Then each straight line in the resulting figure is replaced by another generator, and so on. In theory this replacement is done an infinite number of times, resulting in a curve of infinite length. In practice, of course, only a finite number of replacements can be made before the resulting detail is too fine for the pencil or VDU to cope with.

So how do we program the BBC micro to draw 'monsters'? Obviously we will use recursion, since each line in a generator is replaced by a smaller copy of that generator, which itself has each line replaced, and so on. The program also has a 'stack' which holds the co-ordinates of the points, and a 'pointer' to point to the current position. The resulting program is very simple. In fact, more than half the lines in




Figure 1a. A 'snowflake' after three levels of recursion

Figure 1b. An 'anti-snowflake' after four levels of recursion

LVL COMPUTERTOWN

PRINTERS



Seikosha GPI00A	238.05
Silver Reed EX500	343.85
Parallel	343.85
Silver Reed EX500	378.35
Serial	378.35
Silver Reed EX550	534.75
Parallel	534.75
Silver Reed EX550	569.25
Epson RX80	320.85
Epson FX80	503.70
Epson RX80 (F/T)	366.85
Epson MX100 (B2 Col)	546.25
Epson FX100	654.35

Whether it's your first computer or whether you're already an enthusiast, LVL COMPUTERTOWN offers you the quality of service you expect from experts. If you invest money, you go to a bank or a broker - a specialist who can guide and advise you on the best return for your capital. At LVL COMPUTERTOWN we're specialists too. We're there to help guide you through the micro maze, keep you up to date on innovations, help you get the best value for money, whether your computer is for you, your children or your business. Your computer can change your life - make sure you change it for the better. Come and talk to the experts and move into micros with LVL COMPUTERTOWN.


COLOUR LIGHTPEN



£ 45.95



The lightpen is compact, reliable and comes in a rugged metal case providing physical and electronic protection. Its sensitivity can be adjusted to match any make of TV screen, giving the highest levels of accuracy.

The lightpen package consists of the lightpen, an interface unit, introductory software on cassette and a user guide.



BBC MICROCOMPUTER

MODEL A	£299
MODEL B	£399
MODEL B with ECONET	£446
MODEL B with DOS	£469
Model B with DOS & ECONET	£516



£274.45

SABA 14" COLOUR MONITOR/ COLOUR TV.

MICROVITEC 14" Colour Monitor £247.25

DECCA COLOUR

14" Colour Monitor
£247.25

SANYO

12" Green Screen
£102.35

CASSETTE RECORDERS



£39.95

A REFLECTION OF SUPERIORITY

The Bell & Howell/LVL Computer Compatible Data Recorder

- Automatic Level Control
- Automatic Tape Stop
- Tape Counter
- Remote Motor Control

TRI-WRITER

- * IT'S A PORTABLE COMPUTER TERMINAL!
- * IT'S A LETTER QUALITY COMPUTER PRINTER
- * IT'S A FULL FEATURE ELECTRONIC TYPEWRITER



£734.85

SOFTWARE

DESIGNED FOR THE BBC MICROCOMPUTER

LANGUAGES

LISP £16.85
FORTH £16.85

GAMES

Monsters £9.95
Snapper £9.95
Planetoid £9.95
Arcade Action £11.90
Rocket Raid £9.95
Meteors £9.95
Arcadians £9.95
Sliding-Block Puzzle £9.95
Cube Master £9.95
Starship Command £9.95
Snooker £9.95
Super Invaders £9.95
Hopper £9.95
Colditz £9.95
Doctor Who £10.00
White Knight II £10.00
Missile Base £9.95
Draughts & Reversi £9.95

ADVENTURES

Philosophers Quest £9.95
Castle of Riddles £9.95
Countdown to Doom £9.95
Sphinx Adventure £9.95

GENERAL

Desk Diary £9.95
Creative Graphics £9.95
Graphs & Charts £9.95

EDUCATIONAL

Tool Box £21.00
Record Keeper £13.80
Magic Garden £9.95
Map References £7.50
Lasermaths £7.50
Classmaster £20.00
Algebraic Manipulation £9.95
Word Sequencing £11.90
Missing Signs £11.90
Number Balance £11.90
Word Hunt £11.90
Density Circuit £11.90
Chemical Analysis £13.80
Chemical Structures £13.80
Jars £11.90
Vu-Type £16.10

BOOKS

BBC

The Computer Book £6.75
The Book of Listings £3.75
30hr. Basic £5.95
Beyond Basic £7.25
The Friendly Computer £4.50
Sound & Graphics £7.95

GENERAL

Programing for the BBC £8.95
Advanced User Guide £12.95

ACORN

Creative Graphics £7.50
Graphs and Charts £7.50
Forth Book £7.50
Lisp Book £7.50
View Guide £2.50
Into View £2.50
BCPL User Manual £15.00

ALL PRICES INCLUDE VAT.

The items featured represent a very small selection from our vast product range.

Further information of both product and services available can be obtained by telephoning or visiting your nearest LVL Computertown Dealer.

CHESHIRE

C-TECH SOFTWARE
184, Market St.
HYDE
Cheshire
061 366 8223
* COMPUTER CITY
78, Victoria Rd.

WIDNES

Cheshire
051 420 3333
* OAKLEAF COMPUTERS
100, Boughton

CHESTER

0244 310099

CUMBRIA

* THE COMPUTER SHOP
56/58 Lowther St.

CARLISLE

Cumbria
0228 27710

ESSEX

A.C.L.
1, Northmall
GRAYS, ESSEX
0375 79834
BROADWAY MUSIC
AND VISION
Woodford Green

ESSEX

01 504 7500
* GREATER MANCHESTER

LOMAX

8, Exchange St.
St Annes Square.

MANCHESTER

061 832 6167

WORCS

SURPTREE COMPUTING LTD.

Council Buildings.

TEMSE

TENBURY WELLS,
Worcestershire

0584 811353/811304

HEREFORD

KEMPSONS
26, St. Owen St.
HEREFORD
0432 273480

KENT

KENT MICRO
57, Union St.

MAIDSTONE

Kent
0622 52784
GRAVENSEND
COMPUTERS
39, The Terrace.
GRAVESEND
0474 50677

NORTHANTS'

M A ELECTRICAL
7, High St.

IRLINGBORO

N' Hants
0933 650133

LEICESTER

PERCY LORD & SON
63, Blaby Rd.

WIGSTON

Leicester
0533 785033

LINCOLNSHIRE

* OAKLEAF COMPUTERS
121, Dudley Rd.

GRANTHAM

0476 70281

LONDON

CANNONBURY RADIO
185 Upper St.

ISLINGTON N1

London
01 226 9392

PAUL ELECTRICAL

250/2, Grand Drive.
Raynes Park.

LONDON SW20

01 542 6546
WOODS RADIO
257, Lavender Hill.

Battersea.

LONDON
01 228 1768

MERSEYSIDE

* THORNGUARD
46, Pensby Rd.
HESWALL
The Wirral,
Merseyside
051 342 7516

NOTTS'

* BASIC BUS. SYS.
Trent Boulevard

WEST BRIDGFOR

Nottingham

0602 819713

S P ELECTRONICS

48, Linby Rd.

HUCKNALL

Notts.

0602 640377

LEASALINK VIEWDATA Ltd

230, Derby Rd.

STAPLEFORD

Notts.

0602 399484

OXFORD

ABSOLUTE SOUND AND VIDEO (Oxford) Ltd.

19, Old High St. Headington

OXFORD

0865 65961

AVON

K & K COMPUTERS

32, Alfred Street.

WESTON

SUPERMARE

Avon

0934 419324

COLSTON COMPUTER CENTRE LTD.

The Colston Centre.

11, Colston Ave.

BRISTOL

0272 276619

SALOP

MEDLICOTT BROS

53, Mardol

SHREWSBURY

Shropshire

0743 30360

SUFFOLK

S JEMERY & CO

10, Market Place

BUNGAY.

Suffolk

0986 2141

IRELAND

EVERYMAN COMPUTER SERVICES

BALLYMONEY

Co-Antrim

N Ireland

026 56 62658

NEWBURN

ELECTRONICS

BALLYCARRY

Co-Antrim.

09603 78330

STAFFS

I W BAGNALL

18, Salter St.

STAFFORD

0785 3420

KIRKLANDS

City Rd., Fenton.

STOKE ON TRENT

0782 415787

COMPUTERAMA

59, Foregate St.

STAFFORD

0785 41898

SURREY

* HASLEMERE COMPS

25, Junction Place.

HASLEMERE

Surrey

0428 53850

P & H ELECTRONICS

5, The Parade,

Reading Road.

YATELEY

Surrey.

0252 - 877 222

* Spectrum Members

WARWICKSHIRE

CARVELL

9, Bank St.

RUGBY

Warwickshire

0788 65275

WEST MIDLANDS

RICHARD MORRIS

523, Bearswood Rd.

Smethwick

WARLEY

021 429 1161

JBC MICRO SERVICES

200 Earlsdon Ave.

Nth. Earlsdon

COVENTRY

0203 73813

WILTSHIRE

WILTSHIRE MICRO CENTRE

Unit 6,

Central Trading Estate,

Signal Way,

Old Town,

SWINDON

0793 612289

BUCKS'

HI-VU ELECTRONICS

38, Church St. Wolverton

MILTON KEYNES

Bedford

0903 312808

SUSSEX

C.J.E. MICROS

78, Brighton Rd.

WORTHING

West Sussex

0903 213900

ISLE OF WIGHT

EXCELL

4, Foreland Rd.

BEMBRIDGE

Isle of Wight

098 387 2578

LANCASHIRE

P V MICROS

38A Water St.

ACCRINGTON

Lancs

0254 36521

Home & Business Computers Ltd.

54, Yorkshire Street.

OLDHAM

061 633 1608

Home & Business

Computers (RCH) Ltd.

73, Yorkshire Street.

ROCHDALE

0706 344654

WALES

BUCON

18, Mansel St.

SWANSEA

0792 467980

S.I.R.

91, Whitchurch Rd.

CYNOED

Wales

0222 621813

THE COMPUTER SHOP

41, The Hayes.

CARDIFF,

Wales.

0222 26666

SCOTLAND

COMMSCOT

30 Gordon St.

GLASGOW

041 226 4878

NORTH LAND

NEWTONS

Main St.

SEAHOUSES

0665 720307

</div

FRACTALS

the final program deal merely with the input of the initiator and generator.

PROC_initiator asks whether a new initiator is required and fills the beginning of the stack with the initiator's co-ordinates, using the pointer P% to point to the last one. If a new initiator is required, PROC_input_initiator first asks for the number of vertices (it will be three for a snowflake). It then asks for their co-ordinates, assuming the bottom left-hand corner of the screen is (0,0) and the top right-hand corner is about (1.2,1). For a snowflake, suitable co-ordinates are $1/4, 1/4$, then $3/4, 1/4$ and $1/2, 1/4 + \text{SQR}3/4$.

I have written them in this funny way to show that you can enter the co-ordinates as arithmetical expressions, which enormously simplifies entering the corners of triangles, for example. The last co-ordinate looks rather peculiar. An equilateral triangle with a side of length 1 has a height of $\text{SQR}3/2$. This triangle has a side of $1/2$, hence a height of $\text{SQR}3/4$, and is shifted $1/4$ of a unit up the screen. Hence $\text{SQR}3/4 + 1/4$. The procedure also draws the initiator on the screen, so you can check that you have got what you think you have.

PROC_generator and PROC_input_generator do the same three things for the generator. The generator for the snowflake has three points (the ends don't count since they have to be there anyway), with co-ordinates $1/3, 0$ then $1/2, 1/(2*\text{SQR}3)$ and $2/3, 0$. (Can you see why we need a minus sign in the second co-ordinate?)

Finally, the program asks for the level of recursion. This should be fairly small (3-6), for two reasons. First, there is a danger of needing too much store for all the points and, second, it would take ages to draw, and you would not see any more detail, since the screen cannot cope. (If you are having problems seeing the patterns on a TV, try changing to mode 1.) The fewer the points there are in a generator, the more levels of recursion you can have before losing resolution.

So at the start, the stack holds the co-ordinates of the initiator, and the pointer points to the last of these. PROC_expand is then called. It checks to see if the current level of recursion (held in N%) is as deep as required (held in nrec%). Assuming for now it is not, PROC_replace is called. Its job is to replace a line by a generator (in fact, it replaces all the lines in a generator, or initiator, by smaller generators, accomplished by the J% loop).

First, the procedure updates the current level of recursion. The co-ordinates of the ends of the line to be replaced are held in xystack(P%) and xystack(P%-1). To replace the line, we need to rotate and expand the generator from (0,0), (1,0) to these two end points, add the new intermediate points to the stack, and update the pointer (being careful not to overwrite the position of the end of the line). This is done in the I% loop.

When the procedure has replaced all the

Figure 1c. The three-point snowflake generator. The co-ordinates are $(1/3, 0), (1/2, \pm 1/2\sqrt{3}), (2/3, 0)$. Take the - sign for (a) and the + sign for (b)





Figure 2a. A von Koch square after three iterations




Figure 2b. The seven-point von Koch generator. Co-ordinates $(1/4, 0), (1/4, 1/4), (1/2, 1/4), (1/2, 0), (1/2, -1/4), (\frac{3}{4}, -\frac{1}{4}), (3/4, 0)$. (Try also the six-point generator, with $(\frac{1}{2}, 0)$ missing)

lines in a generator by new generators, it decreases the level of recursion by one, and returns to PROC_expand. But note the call of PROC_expand inside the J% loop. This is the recursive part. The program replaces the last line in the figure by a generator, then the last line in that by a generator, until it has reached the right depth of recursion. Then it works its way back along the figure, replacing lines as required.

If the current level is the required deepest level, PROC_expand calls PROC_draw, which simply draws the generator on the screen, decreasing the pointer accordingly. In this way we find that we never have to store the co-ordinates of too many points. The programme ends when P% = 0 – that is, when the pointer reaches the bottom of the stack and there are no more lines left to replace.

What can we actually use the program to draw? Although snowflakes and so on are very pretty, after a while they seem a bit boring, because they are so symmetrical. The first step away from this regularity is shown in figure 3a. The initiator of this 'forest' is simply a straight line, while the generator is the offset spike shown in figure 3b. The lines to be replaced are of differing lengths, so the generators are magnified by different amounts. This gives a range of detail, which looks more inter-




Figure 3a. A 'forest' after five iterations. The initiator is the straight line from (0,0) to (1,0) and so is not a closed curve

Figure 3b. The three-point generator for the forest. Co-ordinates (1/3-0.02,0), (1/3,0.4),(1/3+0.02,0)

```

10REM ****
20REM * Monster curves *
30REM ****
40REM
50flag% = 0
60DIM xstack%(50), ystack%(50), xinit%(10), yinit%(10), xgen(20), ygen(20)
70REPEAT
80MODE0
90PROC_initiator
100PROC_generator
110INPUT "no of levels of recursion - "
nrec%
120flag% = 1: N% = 0: MODE0
130MOVE xstack%(P%), ystack%(P%)
140REPEAT: PROC_expand: UNTIL P% = 0
150PRINT TAB(0,0) "0 to quit, any other
key to continue"
160UNTIL GET$ = "0"
170END
180REM ****
190DEFPROC_initiator
200LOCAL I%, ans$
210IF flag% = 1 INPUT "Same initiator ? "
ans$
220IF flag% = 0 OR INSTR("NONono", ans$) >
0 PROC_input_initiator
230FOR I% = 1 TO cvert%
240P% = I%-1
250xstack%(P%) = xinit%(I%): ystack%(P%) =
yinit%(I%)
260NEXT
270ENDPROC
280REM ****
290DEFPROC_input_initiator
300LOCAL x$, y$, I%, ans$, vert%
310INPUT "no of vertices in initiator - "
vert%
320FOR I% = 1 TO vert%
330PRINT "vertex "; I%: INPUT " - " x$, y$
340xinit%(I%) = EVAL(x$)*1000: yinit%(I%) =
EVAL(y$)*1000
350IF I% = 1 PLOT 69, xinit%(I%), yinit%(I%)
) ELSE DRAW xinit%(I%), yinit%(I%)
360NEXT
370INPUT "closed curve ?" ans$
380IF INSTR("NONono", ans$) > 0 cvert% = ve
rt%: ENDPROC
390cvert% = vert% + 1
400xinit%(cvert%) = xinit%(1): yinit%(cve
rt%) = yinit%(1)
410DRAW xinit%(cvert%), yinit%(cvert%)
420ENDPROC
430REM ****
440DEFPROC_generator
450LOCAL I%, ans$
460IF flag% = 1 INPUT "Same generator ? "
ans$
470IF flag% = 0 OR INSTR("NONono", ans$) >
0 PROC_input_generator
480FOR I% = 1 TO cvert%
490P% = I%-1
500xstack%(P%) = xgen(P%): ystack%(P%) =
ygen(P%)
510NEXT
520ENDPROC
530REM ****
540DEFPROC_draw
550LOCAL I%, ans$
560FOR I% = 1 TO cvert%
570P% = I%-1
580DRAW xstack%(P%), ystack%(P%)
590NEXT
600ENDPROC
610REM ****
620DEFPROC_expander
630LOCAL I%, ans$, P%
640FOR I% = 1 TO cvert%
650P% = I%-1
660xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
670IF flag% = 1 THEN
680IF INSTR("NONono", ans$) > 0 THEN
690CALL PROC_generator(I%, ans$)
700ENDIF
710ENDIF
720ENDFOR
730ENDPROC
740REM ****
750DEFPROC_expander
760LOCAL I%, ans$, P%
770FOR I% = 1 TO cvert%
780P% = I%-1
790xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
800IF flag% = 1 THEN
810IF INSTR("NONono", ans$) > 0 THEN
820CALL PROC_generator(I%, ans$)
830ENDIF
840ENDIF
850ENDFOR
860ENDPROC
870REM ****
880DEFPROC_expander
890LOCAL I%, ans$, P%
900FOR I% = 1 TO cvert%
910P% = I%-1
920xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
930IF flag% = 1 THEN
940IF INSTR("NONono", ans$) > 0 THEN
950CALL PROC_generator(I%, ans$)
960ENDIF
970ENDIF
980ENDFOR
990ENDPROC
1000REM ****
1010DEFPROC_expander
1020LOCAL I%, ans$, P%
1030FOR I% = 1 TO cvert%
1040P% = I%-1
1050xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
1060IF flag% = 1 THEN
1070IF INSTR("NONono", ans$) > 0 THEN
1080CALL PROC_generator(I%, ans$)
1090ENDIF
1100ENDIF
1110ENDFOR
1120ENDPROC
1130REM ****
1140DEFPROC_expander
1150LOCAL I%, ans$, P%
1160FOR I% = 1 TO cvert%
1170P% = I%-1
1180xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
1190IF flag% = 1 THEN
1200IF INSTR("NONono", ans$) > 0 THEN
1210CALL PROC_generator(I%, ans$)
1220ENDIF
1230ENDIF
1240ENDFOR
1250ENDPROC
1260REM ****
1270DEFPROC_expander
1280LOCAL I%, ans$, P%
1290FOR I% = 1 TO cvert%
1300P% = I%-1
1310xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
1320IF flag% = 1 THEN
1330IF INSTR("NONono", ans$) > 0 THEN
1340CALL PROC_generator(I%, ans$)
1350ENDIF
1360ENDIF
1370ENDFOR
1380ENDPROC
1390REM ****
1400DEFPROC_expander
1410LOCAL I%, ans$, P%
1420FOR I% = 1 TO cvert%
1430P% = I%-1
1440xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
1450IF flag% = 1 THEN
1460IF INSTR("NONono", ans$) > 0 THEN
1470CALL PROC_generator(I%, ans$)
1480ENDIF
1490ENDIF
1500ENDFOR
1510ENDPROC
1520REM ****
1530DEFPROC_expander
1540LOCAL I%, ans$, P%
1550FOR I% = 1 TO cvert%
1560P% = I%-1
1570xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
1580IF flag% = 1 THEN
1590IF INSTR("NONono", ans$) > 0 THEN
1600CALL PROC_generator(I%, ans$)
1610ENDIF
1620ENDIF
1630ENDFOR
1640ENDPROC
1650REM ****
1660DEFPROC_expander
1670LOCAL I%, ans$, P%
1680FOR I% = 1 TO cvert%
1690P% = I%-1
1700xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
1710IF flag% = 1 THEN
1720IF INSTR("NONono", ans$) > 0 THEN
1730CALL PROC_generator(I%, ans$)
1740ENDIF
1750ENDIF
1760ENDFOR
1770ENDPROC
1780REM ****
1790DEFPROC_expander
1800LOCAL I%, ans$, P%
1810FOR I% = 1 TO cvert%
1820P% = I%-1
1830xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
1840IF flag% = 1 THEN
1850IF INSTR("NONono", ans$) > 0 THEN
1860CALL PROC_generator(I%, ans$)
1870ENDIF
1880ENDIF
1890ENDFOR
1900ENDPROC
1910REM ****
1920DEFPROC_expander
1930LOCAL I%, ans$, P%
1940FOR I% = 1 TO cvert%
1950P% = I%-1
1960xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
1970IF flag% = 1 THEN
1980IF INSTR("NONono", ans$) > 0 THEN
1990CALL PROC_generator(I%, ans$)
2000ENDIF
2010ENDIF
2020ENDFOR
2030ENDPROC
2040REM ****
2050DEFPROC_expander
2060LOCAL I%, ans$, P%
2070FOR I% = 1 TO cvert%
2080P% = I%-1
2090xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
2100IF flag% = 1 THEN
2110IF INSTR("NONono", ans$) > 0 THEN
2120CALL PROC_generator(I%, ans$)
2130ENDIF
2140ENDIF
2150ENDFOR
2160ENDPROC
2170REM ****
2180DEFPROC_expander
2190LOCAL I%, ans$, P%
2200FOR I% = 1 TO cvert%
2210P% = I%-1
2220xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
2230IF flag% = 1 THEN
2240IF INSTR("NONono", ans$) > 0 THEN
2250CALL PROC_generator(I%, ans$)
2260ENDIF
2270ENDIF
2280ENDFOR
2290ENDPROC
2300REM ****
2310DEFPROC_expander
2320LOCAL I%, ans$, P%
2330FOR I% = 1 TO cvert%
2340P% = I%-1
2350xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
2360IF flag% = 1 THEN
2370IF INSTR("NONono", ans$) > 0 THEN
2380CALL PROC_generator(I%, ans$)
2390ENDIF
2400ENDIF
2410ENDFOR
2420ENDPROC
2430REM ****
2440DEFPROC_expander
2450LOCAL I%, ans$, P%
2460FOR I% = 1 TO cvert%
2470P% = I%-1
2480xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
2490IF flag% = 1 THEN
2500IF INSTR("NONono", ans$) > 0 THEN
2510CALL PROC_generator(I%, ans$)
2520ENDIF
2530ENDIF
2540ENDFOR
2550ENDPROC
2560REM ****
2570DEFPROC_expander
2580LOCAL I%, ans$, P%
2590FOR I% = 1 TO cvert%
2600P% = I%-1
2610xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
2620IF flag% = 1 THEN
2630IF INSTR("NONono", ans$) > 0 THEN
2640CALL PROC_generator(I%, ans$)
2650ENDIF
2660ENDIF
2670ENDFOR
2680ENDPROC
2690REM ****
2700DEFPROC_expander
2710LOCAL I%, ans$, P%
2720FOR I% = 1 TO cvert%
2730P% = I%-1
2740xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
2750IF flag% = 1 THEN
2760IF INSTR("NONono", ans$) > 0 THEN
2770CALL PROC_generator(I%, ans$)
2780ENDIF
2790ENDIF
2800ENDFOR
2810ENDPROC
2820REM ****
2830DEFPROC_expander
2840LOCAL I%, ans$, P%
2850FOR I% = 1 TO cvert%
2860P% = I%-1
2870xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
2880IF flag% = 1 THEN
2890IF INSTR("NONono", ans$) > 0 THEN
2900CALL PROC_generator(I%, ans$)
2910ENDIF
2920ENDIF
2930ENDFOR
2940ENDPROC
2950REM ****
2960DEFPROC_expander
2970LOCAL I%, ans$, P%
2980FOR I% = 1 TO cvert%
2990P% = I%-1
3000xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
3010IF flag% = 1 THEN
3020IF INSTR("NONono", ans$) > 0 THEN
3030CALL PROC_generator(I%, ans$)
3040ENDIF
3050ENDIF
3060ENDFOR
3070ENDPROC
3080REM ****
3090DEFPROC_expander
3100LOCAL I%, ans$, P%
3110FOR I% = 1 TO cvert%
3120P% = I%-1
3130xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
3140IF flag% = 1 THEN
3150IF INSTR("NONono", ans$) > 0 THEN
3160CALL PROC_generator(I%, ans$)
3170ENDIF
3180ENDIF
3190ENDFOR
3200ENDPROC
3210REM ****
3220DEFPROC_expander
3230LOCAL I%, ans$, P%
3240FOR I% = 1 TO cvert%
3250P% = I%-1
3260xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
3270IF flag% = 1 THEN
3280IF INSTR("NONono", ans$) > 0 THEN
3290CALL PROC_generator(I%, ans$)
3300ENDIF
3310ENDIF
3320ENDFOR
3330ENDPROC
3340REM ****
3350DEFPROC_expander
3360LOCAL I%, ans$, P%
3370FOR I% = 1 TO cvert%
3380P% = I%-1
3390xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
3400IF flag% = 1 THEN
3410IF INSTR("NONono", ans$) > 0 THEN
3420CALL PROC_generator(I%, ans$)
3430ENDIF
3440ENDIF
3450ENDFOR
3460ENDPROC
3470REM ****
3480DEFPROC_expander
3490LOCAL I%, ans$, P%
3500FOR I% = 1 TO cvert%
3510P% = I%-1
3520xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
3530IF flag% = 1 THEN
3540IF INSTR("NONono", ans$) > 0 THEN
3550CALL PROC_generator(I%, ans$)
3560ENDIF
3570ENDIF
3580ENDFOR
3590ENDPROC
3600REM ****
3610DEFPROC_expander
3620LOCAL I%, ans$, P%
3630FOR I% = 1 TO cvert%
3640P% = I%-1
3650xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
3660IF flag% = 1 THEN
3670IF INSTR("NONono", ans$) > 0 THEN
3680CALL PROC_generator(I%, ans$)
3690ENDIF
3700ENDIF
3710ENDFOR
3720ENDPROC
3730REM ****
3740DEFPROC_expander
3750LOCAL I%, ans$, P%
3760FOR I% = 1 TO cvert%
3770P% = I%-1
3780xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
3790IF flag% = 1 THEN
3800IF INSTR("NONono", ans$) > 0 THEN
3810CALL PROC_generator(I%, ans$)
3820ENDIF
3830ENDIF
3840ENDFOR
3850ENDPROC
3860REM ****
3870DEFPROC_expander
3880LOCAL I%, ans$, P%
3890FOR I% = 1 TO cvert%
3900P% = I%-1
3910xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
3920IF flag% = 1 THEN
3930IF INSTR("NONono", ans$) > 0 THEN
3940CALL PROC_generator(I%, ans$)
3950ENDIF
3960ENDIF
3970ENDFOR
3980ENDPROC
3990REM ****
4000DEFPROC_expander
4010LOCAL I%, ans$, P%
4020FOR I% = 1 TO cvert%
4030P% = I%-1
4040xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
4050IF flag% = 1 THEN
4060IF INSTR("NONono", ans$) > 0 THEN
4070CALL PROC_generator(I%, ans$)
4080ENDIF
4090ENDIF
4100ENDIF
4110ENDFOR
4120ENDPROC
4130REM ****
4140DEFPROC_expander
4150LOCAL I%, ans$, P%
4160FOR I% = 1 TO cvert%
4170P% = I%-1
4180xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
4190IF flag% = 1 THEN
4200IF INSTR("NONono", ans$) > 0 THEN
4210CALL PROC_generator(I%, ans$)
4220ENDIF
4230ENDIF
4240ENDIF
4250ENDFOR
4260ENDPROC
4270REM ****
4280DEFPROC_expander
4290LOCAL I%, ans$, P%
4300FOR I% = 1 TO cvert%
4310P% = I%-1
4320xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
4330IF flag% = 1 THEN
4340IF INSTR("NONono", ans$) > 0 THEN
4350CALL PROC_generator(I%, ans$)
4360ENDIF
4370ENDIF
4380ENDIF
4390ENDFOR
4400ENDPROC
4410REM ****
4420DEFPROC_expander
4430LOCAL I%, ans$, P%
4440FOR I% = 1 TO cvert%
4450P% = I%-1
4460xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
4470IF flag% = 1 THEN
4480IF INSTR("NONono", ans$) > 0 THEN
4490CALL PROC_generator(I%, ans$)
4500ENDIF
4510ENDIF
4520ENDIF
4530ENDFOR
4540ENDPROC
4550REM ****
4560DEFPROC_expander
4570LOCAL I%, ans$, P%
4580FOR I% = 1 TO cvert%
4590P% = I%-1
4600xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
4610IF flag% = 1 THEN
4620IF INSTR("NONono", ans$) > 0 THEN
4630CALL PROC_generator(I%, ans$)
4640ENDIF
4650ENDIF
4660ENDIF
4670ENDFOR
4680ENDPROC
4690REM ****
4700DEFPROC_expander
4710LOCAL I%, ans$, P%
4720FOR I% = 1 TO cvert%
4730P% = I%-1
4740xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
4750IF flag% = 1 THEN
4760IF INSTR("NONono", ans$) > 0 THEN
4770CALL PROC_generator(I%, ans$)
4780ENDIF
4790ENDIF
4800ENDIF
4810ENDFOR
4820ENDPROC
4830REM ****
4840DEFPROC_expander
4850LOCAL I%, ans$, P%
4860FOR I% = 1 TO cvert%
4870P% = I%-1
4880xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
4890IF flag% = 1 THEN
4900IF INSTR("NONono", ans$) > 0 THEN
4910CALL PROC_generator(I%, ans$)
4920ENDIF
4930ENDIF
4940ENDIF
4950ENDFOR
4960ENDPROC
4970REM ****
4980DEFPROC_expander
4990LOCAL I%, ans$, P%
5000FOR I% = 1 TO cvert%
5010P% = I%-1
5020xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
5030IF flag% = 1 THEN
5040IF INSTR("NONono", ans$) > 0 THEN
5050CALL PROC_generator(I%, ans$)
5060ENDIF
5070ENDIF
5080ENDIF
5090ENDFOR
5100ENDPROC
5110REM ****
5120DEFPROC_expander
5130LOCAL I%, ans$, P%
5140FOR I% = 1 TO cvert%
5150P% = I%-1
5160xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
5170IF flag% = 1 THEN
5180IF INSTR("NONono", ans$) > 0 THEN
5190CALL PROC_generator(I%, ans$)
5200ENDIF
5210ENDIF
5220ENDIF
5230ENDFOR
5240ENDPROC
5250REM ****
5260DEFPROC_expander
5270LOCAL I%, ans$, P%
5280FOR I% = 1 TO cvert%
5290P% = I%-1
5300xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
5310IF flag% = 1 THEN
5320IF INSTR("NONono", ans$) > 0 THEN
5330CALL PROC_generator(I%, ans$)
5340ENDIF
5350ENDIF
5360ENDIF
5370ENDFOR
5380ENDPROC
5390REM ****
5400DEFPROC_expander
5410LOCAL I%, ans$, P%
5420FOR I% = 1 TO cvert%
5430P% = I%-1
5440xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
5450IF flag% = 1 THEN
5460IF INSTR("NONono", ans$) > 0 THEN
5470CALL PROC_generator(I%, ans$)
5480ENDIF
5490ENDIF
5500ENDIF
5510ENDFOR
5520ENDPROC
5530REM ****
5540DEFPROC_expander
5550LOCAL I%, ans$, P%
5560FOR I% = 1 TO cvert%
5570P% = I%-1
5580xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
5590IF flag% = 1 THEN
5600IF INSTR("NONono", ans$) > 0 THEN
5610CALL PROC_generator(I%, ans$)
5620ENDIF
5630ENDIF
5640ENDIF
5650ENDFOR
5660ENDPROC
5670REM ****
5680DEFPROC_expander
5690LOCAL I%, ans$, P%
5700FOR I% = 1 TO cvert%
5710P% = I%-1
5720xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
5730IF flag% = 1 THEN
5740IF INSTR("NONono", ans$) > 0 THEN
5750CALL PROC_generator(I%, ans$)
5760ENDIF
5770ENDIF
5780ENDIF
5790ENDFOR
5800ENDPROC
5810REM ****
5820DEFPROC_expander
5830LOCAL I%, ans$, P%
5840FOR I% = 1 TO cvert%
5850P% = I%-1
5860xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
5870IF flag% = 1 THEN
5880IF INSTR("NONono", ans$) > 0 THEN
5890CALL PROC_generator(I%, ans$)
5900ENDIF
5910ENDIF
5920ENDIF
5930ENDFOR
5940ENDPROC
5950REM ****
5960DEFPROC_expander
5970LOCAL I%, ans$, P%
5980FOR I% = 1 TO cvert%
5990P% = I%-1
6000xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
6010IF flag% = 1 THEN
6020IF INSTR("NONono", ans$) > 0 THEN
6030CALL PROC_generator(I%, ans$)
6040ENDIF
6050ENDIF
6060ENDIF
6070ENDFOR
6080ENDPROC
6090REM ****
6100DEFPROC_expander
6110LOCAL I%, ans$, P%
6120FOR I% = 1 TO cvert%
6130P% = I%-1
6140xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
6150IF flag% = 1 THEN
6160IF INSTR("NONono", ans$) > 0 THEN
6170CALL PROC_generator(I%, ans$)
6180ENDIF
6190ENDIF
6200ENDIF
6210ENDFOR
6220ENDPROC
6230REM ****
6240DEFPROC_expander
6250LOCAL I%, ans$, P%
6260FOR I% = 1 TO cvert%
6270P% = I%-1
6280xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
6290IF flag% = 1 THEN
6300IF INSTR("NONono", ans$) > 0 THEN
6310CALL PROC_generator(I%, ans$)
6320ENDIF
6330ENDIF
6340ENDIF
6350ENDFOR
6360ENDPROC
6370REM ****
6380DEFPROC_expander
6390LOCAL I%, ans$, P%
6400FOR I% = 1 TO cvert%
6410P% = I%-1
6420xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
6430IF flag% = 1 THEN
6440IF INSTR("NONono", ans$) > 0 THEN
6450CALL PROC_generator(I%, ans$)
6460ENDIF
6470ENDIF
6480ENDIF
6490ENDFOR
6500ENDPROC
6510REM ****
6520DEFPROC_expander
6530LOCAL I%, ans$, P%
6540FOR I% = 1 TO cvert%
6550P% = I%-1
6560xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
6570IF flag% = 1 THEN
6580IF INSTR("NONono", ans$) > 0 THEN
6590CALL PROC_generator(I%, ans$)
6600ENDIF
6610ENDIF
6620ENDIF
6630ENDFOR
6640ENDPROC
6650REM ****
6660DEFPROC_expander
6670LOCAL I%, ans$, P%
6680FOR I% = 1 TO cvert%
6690P% = I%-1
6700xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
6710IF flag% = 1 THEN
6720IF INSTR("NONono", ans$) > 0 THEN
6730CALL PROC_generator(I%, ans$)
6740ENDIF
6750ENDIF
6760ENDIF
6770ENDFOR
6780ENDPROC
6790REM ****
6800DEFPROC_expander
6810LOCAL I%, ans$, P%
6820FOR I% = 1 TO cvert%
6830P% = I%-1
6840xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
6850IF flag% = 1 THEN
6860IF INSTR("NONono", ans$) > 0 THEN
6870CALL PROC_generator(I%, ans$)
6880ENDIF
6890ENDIF
6900ENDIF
6910ENDFOR
6920ENDPROC
6930REM ****
6940DEFPROC_expander
6950LOCAL I%, ans$, P%
6960FOR I% = 1 TO cvert%
6970P% = I%-1
6980xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
6990IF flag% = 1 THEN
7000IF INSTR("NONono", ans$) > 0 THEN
7010CALL PROC_generator(I%, ans$)
7020ENDIF
7030ENDIF
7040ENDIF
7050ENDFOR
7060ENDPROC
7070REM ****
7080DEFPROC_expander
7090LOCAL I%, ans$, P%
7100FOR I% = 1 TO cvert%
7110P% = I%-1
7120xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
7130IF flag% = 1 THEN
7140IF INSTR("NONono", ans$) > 0 THEN
7150CALL PROC_generator(I%, ans$)
7160ENDIF
7170ENDIF
7180ENDIF
7190ENDFOR
7200ENDPROC
7210REM ****
7220DEFPROC_expander
7230LOCAL I%, ans$, P%
7240FOR I% = 1 TO cvert%
7250P% = I%-1
7260xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
7270IF flag% = 1 THEN
7280IF INSTR("NONono", ans$) > 0 THEN
7290CALL PROC_generator(I%, ans$)
7300ENDIF
7310ENDIF
7320ENDIF
7330ENDFOR
7340ENDPROC
7350REM ****
7360DEFPROC_expander
7370LOCAL I%, ans$, P%
7380FOR I% = 1 TO cvert%
7390P% = I%-1
7400xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
7410IF flag% = 1 THEN
7420IF INSTR("NONono", ans$) > 0 THEN
7430CALL PROC_generator(I%, ans$)
7440ENDIF
7450ENDIF
7460ENDIF
7470ENDFOR
7480ENDPROC
7490REM ****
7500DEFPROC_expander
7510LOCAL I%, ans$, P%
7520FOR I% = 1 TO cvert%
7530P% = I%-1
7540xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
7550IF flag% = 1 THEN
7560IF INSTR("NONono", ans$) > 0 THEN
7570CALL PROC_generator(I%, ans$)
7580ENDIF
7590ENDIF
7600ENDIF
7610ENDFOR
7620ENDPROC
7630REM ****
7640DEFPROC_expander
7650LOCAL I%, ans$, P%
7660FOR I% = 1 TO cvert%
7670P% = I%-1
7680xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
7690IF flag% = 1 THEN
7700IF INSTR("NONono", ans$) > 0 THEN
7710CALL PROC_generator(I%, ans$)
7720ENDIF
7730ENDIF
7740ENDIF
7750ENDFOR
7760ENDPROC
7770REM ****
7780DEFPROC_expander
7790LOCAL I%, ans$, P%
7800FOR I% = 1 TO cvert%
7810P% = I%-1
7820xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
7830IF flag% = 1 THEN
7840IF INSTR("NONono", ans$) > 0 THEN
7850CALL PROC_generator(I%, ans$)
7860ENDIF
7870ENDIF
7880ENDIF
7890ENDFOR
7900ENDPROC
7910REM ****
7920DEFPROC_expander
7930LOCAL I%, ans$, P%
7940FOR I% = 1 TO cvert%
7950P% = I%-1
7960xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
7970IF flag% = 1 THEN
7980IF INSTR("NONono", ans$) > 0 THEN
7990CALL PROC_generator(I%, ans$)
8000ENDIF
8010ENDIF
8020ENDIF
8030ENDFOR
8040ENDPROC
8050REM ****
8060DEFPROC_expander
8070LOCAL I%, ans$, P%
8080FOR I% = 1 TO cvert%
8090P% = I%-1
8100xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
8110IF flag% = 1 THEN
8120IF INSTR("NONono", ans$) > 0 THEN
8130CALL PROC_generator(I%, ans$)
8140ENDIF
8150ENDIF
8160ENDIF
8170ENDFOR
8180ENDPROC
8190REM ****
8200DEFPROC_expander
8210LOCAL I%, ans$, P%
8220FOR I% = 1 TO cvert%
8230P% = I%-1
8240xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
8250IF flag% = 1 THEN
8260IF INSTR("NONono", ans$) > 0 THEN
8270CALL PROC_generator(I%, ans$)
8280ENDIF
8290ENDIF
8300ENDIF
8310ENDFOR
8320ENDPROC
8330REM ****
8340DEFPROC_expander
8350LOCAL I%, ans$, P%
8360FOR I% = 1 TO cvert%
8370P% = I%-1
8380xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
8390IF flag% = 1 THEN
8400IF INSTR("NONono", ans$) > 0 THEN
8410CALL PROC_generator(I%, ans$)
8420ENDIF
8430ENDIF
8440ENDIF
8450ENDFOR
8460ENDPROC
8470REM ****
8480DEFPROC_expander
8490LOCAL I%, ans$, P%
8500FOR I% = 1 TO cvert%
8510P% = I%-1
8520xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
8530IF flag% = 1 THEN
8540IF INSTR("NONono", ans$) > 0 THEN
8550CALL PROC_generator(I%, ans$)
8560ENDIF
8570ENDIF
8580ENDIF
8590ENDFOR
8600ENDPROC
8610REM ****
8620DEFPROC_expander
8630LOCAL I%, ans$, P%
8640FOR I% = 1 TO cvert%
8650P% = I%-1
8660xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
8670IF flag% = 1 THEN
8680IF INSTR("NONono", ans$) > 0 THEN
8690CALL PROC_generator(I%, ans$)
8700ENDIF
8710ENDIF
8720ENDIF
8730ENDFOR
8740ENDPROC
8750REM ****
8760DEFPROC_expander
8770LOCAL I%, ans$, P%
8780FOR I% = 1 TO cvert%
8790P% = I%-1
8800xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
8810IF flag% = 1 THEN
8820IF INSTR("NONono", ans$) > 0 THEN
8830CALL PROC_generator(I%, ans$)
8840ENDIF
8850ENDIF
8860ENDIF
8870ENDFOR
8880ENDPROC
8890REM ****
8900DEFPROC_expander
8910LOCAL I%, ans$, P%
8920FOR I% = 1 TO cvert%
8930P% = I%-1
8940xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
8950IF flag% = 1 THEN
8960IF INSTR("NONono", ans$) > 0 THEN
8970CALL PROC_generator(I%, ans$)
8980ENDIF
8990ENDIF
9000ENDIF
9010ENDFOR
9020ENDPROC
9030REM ****
9040DEFPROC_expander
9050LOCAL I%, ans$, P%
9060FOR I% = 1 TO cvert%
9070P% = I%-1
9080xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack%(I%)
9090IF flag% = 1 THEN
9100IF INSTR("NONono", ans$) > 0 THEN
9110CALL PROC_generator(I%, ans$)
9120ENDIF
9130ENDIF
9140ENDIF
9150ENDFOR
9160ENDPROC
9170REM ****
9180DEFPROC_expander
9190LOCAL I%, ans$, P%
9200FOR I% = 1 TO cvert%
9210P% = I%-1
9220xstack%(P%) = xstack%(I%): ystack%(P%) =
ystack
```

ROMS

SOFTWARE FOR THE BBC MICRO

GREMLIN

This is a machine language monitor ROM designed for use as an aid to development and debugging of machine code programs.

Anyone writing machine code programs will at some time come across a bug in the program. Trying to track down the bug is usually far from easy and this is where GREMLIN will prove invaluable. The ROM contains a full machine code monitor including features such as a disassembler, memory move and search routines etc.

GREMLIN includes many advanced features like a full expression evaluator, and an assembler. It can single step through programs both in RAM and ROM and allows operation on any sideways ROM. Variables may be declared and used in expressions and with most commands much like BASIC. This makes the system very powerful but simple to use. Other features include —

- WORKS IN ANY SCREEN MODE
- DISASSEMBLER & ASSEMBLER
- FULL STATUS SHOWS REGISTERS, STACK etc.
- UP TO 8 BREAKPOINTS
- SINGLE STEPS THROUGH ANY ROM
- BUILT IN HELP MENU
- SPECIAL MODE FOR DEBUGGING GRAPHICS PROGRAMS

Supplied with simple to understand fitting instructions and spiral bound manual. £28 plus £1 p&p plus VAT

TERMI

TERMI is a general purpose communications ROM for the BBC micro. It will allow communication between the BBC and practically any other machine with an RS 232 interface. This ROM is not dedicated to emulating a particular terminal but has several modes of operation. It can be used as a slave graphics terminal or, in the custom mode, as a DEC VT52 terminal emulator. It will also act as a dumb terminal. The user is free to swap between 40 and 80 column screen modes even while on-line.

The most powerful feature of this package allows the user to send ASCII files from a BBC disc down the line or to receive files from the RS 232 and to save these on disc. It also allows a copy to be kept on the printer.

TERMI is supplied with a "CUSTOM" program on disc that allows the user to set up his own protocols i.e. line speeds, screen modes, start & stop bits etc., and to have these loaded from the disc every time TERMI is used.

TERMI is an 8K ROM supplied with a manual, fitting instructions and a customisation disc. £28.00 plus £1 p&p plus VAT.

new release

Communicator

VT100 Terminal emulation

COMMUNICATOR is a single chip that plugs into a normal BBC Micro and turns it into an advanced DEC VT100 terminal emulator. The combined cost of a BBC Micro and this software is considerably less than a new VT100 — and you get all the advantages of one of the best micro computers available. A large range of high quality software is already available for this micro — word processors, spreadsheets etc.

Computer Concepts commissioned Specialist Software Products Ltd. to produce the most advanced emulator possible for the BBC microcomputer, its features include:

- ★ Exceptional XON/XOFF handshaking, even while spooling at speeds of 9600 baud.
- ★ Superb menu driven configuration — a great improvement over the real VT100.
- ★ Double height and double width character lines plus two character enhancements.
- ★ Independent windowing — for split screen operation.
- ★ VT100 character graphics.
- ★ Disc spooling and transmission of ASCII files.
- ★ Application keypad mode — including generation of these escape sequences.
- ★ VT52 mode.

Nearly a full VT100, the most notable omission is the 132 character mode — impossible to implement on the BBC Micro.

While COMMUNICATOR can be used for direct communication to a mini or mainframe, it also allows access to the world of electronic mail. This ROM is already widely used with the DAILCOM electronic mail service. Text may be prepared off-line with the BBC machine and transmitted at full speed via a modem when on-line to the system.

COMMUNICATOR is a 16k ROM supplied with a spiral bound manual and clear fitting instructions. £59.00 plus £1 p&p plus VAT.

Both TERMI and COMMUNICATOR may be used for any of the following

- Mainframe or mini communication.
- DEC VT52 terminal emulation.
- British Telecom Gold. (Electronic Mail)
- Bulletin boards of most types
- DISTEL, REWTEL, MAPTEL etc.
- Almost any async. RS232 communication systems.

available now

COMPUTER CONCEPTS

16 Wayside, Chipperfield, Hertfordshire. WD4 9JJ Telephone: Kings Langley (09277) 69727



esting. (More interesting and realistic forests can be made using an initiator with two different-sized spikes; or put the generator inside a square instead of on a straight line to get a 'river' network.)

If we take this idea of irregularity a step further, reasonable 'maps' can be produced. Figure 4a, which (with a bit of imagination) resembles Iceland, was produced using an irregular pentagon as the initiator, and in figure 4b as the generator. You could use this program to generate maps of fictional worlds.

Some problems spring to mind:

1. Can you guarantee that the curve will not cross itself? You have no doubt found that random initiator and generator usually produce rather pretty 'scribble' on the screen.

2. Can you modify the program so that the generator does not have to be connected? In other words, can you produce 'offshore islands' (which, with the recursion, will have smaller islands off their own shores, and so on).

3. Can you modify the program to have more than one generator? For example, if in the case of the map in figure 4a you could randomly choose between that generator, and another with 'inlet', the result would be much less regular, and so more convincing.

Figure 4a. An 'island' after three iterations.
The initiator was an irregular pentagon





Figure 4b. The five-point generator for the island. Experiment to find the best co-ordinates for your pentagon



continued from page 29

```


0 PROC_input_generator
480ENDPROC
490REM *****
500DEFPROC_input_generator
510LOCAL x$,y%,I%
520PRINT"no of vertices in generator"
530INPUT"not including ends (0,0) and"
(1,0) - "gen%"
540MOVE512,512
550FOR I%=1 TO gen%
560PRINT"generator vertex ";I%;:INPUT"
- "x$,y$"
570xgen(I%)=EVAL(x$):ygen(I%)=EVAL(y$)
580X%=xgen(I%)*512+512:Y%=ygen(I%)*512
+512:DRAWX%,Y%
590NEXT
600DRAW1024,512
610ENDPROC
620REM *****
630DEFPROC_expand
640IF nrec%=N% PROC_draw ELSE PROC_rep
lace
650ENDPROC
660REM *****
670DEFPROC_draw
680LOCAL J%,jmax%
690IF nrec%=0 jmax%=vert% ELSE jmax%=
en%+1
700FOR J%=1 TO jmax%
710P%:=P%-1
720DRAWxstack%(P%),ystack%(P%)
730NEXT
740ENDPROC
750REM *****
760DEFPROC_replace
770N%:=N%+1
780LOCAL I%,J%,jmax%,topx%,topy%,botx%
,boty%,diffx%,diffy%
790IF N%>1 jmax%:=vert%-1 ELSE jmax%:=ge
n%+1
800FOR J%=1 TO jmax%
810topx%:=xstack%(P%):topy%:=ystack%(P%)
820botx%:=xstack%(P%-1):boty%:=ystack%(P%
-1)
830diffx%:=topx%-botx%:diffy%:=topy%-bot
y%
840FOR I%=1 TO gen%
850xstack%(P%)=diffx%*xgen(I%)-diffy%*
ygen(I%)+botx%
860ystack%(P%)=diffy%*ygen(I%)+diffx%*
ygen(I%)+boty%
870P%:=P%+1
880NEXT
890xstack%(P%)=topx%:ystack%(P%)=topy%
900PROC_expand
910NEXT J%
920N%:=N%-1
930ENDPROC

```

2

1

SPECIAL OFFER!



NOT TO BE CONFUSED WITH
THE NOW OBSOLETE
2/3 HEIGHT MODELS

Latest Model-Super Slim Disk Drive

FROM VIGLEN

Complete disk system for the BBC Model B

- Package assumes you own a BBC Model B with switched-mode power supply plus 1.20 operating system

Offer includes:


- Disk Interface (call at factory for free fitting)
- User Guide
- Utilities Disk
- 200K double sided 40 track Canon Disk Drive including case & all leads



Only 1½ inches high

Viglen
COMPUTER SUPPLIES

Unit 7 Trumpers Way
Hanwell W7 2QA
Telephone: (01) 843 9903



Post to: VIGLEN COMPUTER SUPPLIES UNIT 7, TRUMPERS WAY, HANWELL, W7 2QA
Please send me (state number required)
I enclose Cheque/P.O. for £
I prefer to pay ACCESS/BARCLAYCARD
Card No. _____
Signature _____
Name _____
Address _____



Put an end to inefficient, slow cassette tape storage



Speed your data access with a TEAC disk drive from Viglen



Please enquire about our latest 3 inch disk drive!

Replacing your cassette with a disk drive means Data Access in less than 5 seconds! If you are looking for a guaranteed disk drive that's fully compatible, at a price that includes VAT, Formatting Disk, User Manual, Case and Leads, then just look at our all-inclusive prices!

TEAC 55 Slimline Drives

SINGLE DRIVES	Incl. VAT	Excl. VAT
CASED		
40 TRACK 100K	£159	£138.26
40 TRACK 200K	£230	£200.00
40/80 TRACK	£199	£173.05
SWITCHABLE 200K		
40/80 TRACK	£249	£216.52
SWITCHABLE 400K		

DUAL DRIVES CASED	Incl. VAT	Excl. VAT
40 TRACK 200K	£320	£278.26
40/80 TRACK	£402	£349.57
SWITCHABLE 400K		
40/80 TRACK	£498	£433.04
SWITCHABLE 800K		
DFS KIT	£95	£82.60
Disc Filing System 100% Acorn Compatible		
Power Supply Unit	£36.80	£32.00

- These drives are fully compatible with other computers and can be still used should you change your computer for another type.
- Orders welcomed from Educational Establishments and Government Departments.

Canon Drives

	Incl. VAT	Excl. VAT
40/80 TRACK	£220	£191.30
SWITCHABLE 400K		
800K DUAL	£440	£382.60
800K AND POWER SUPPLY	£476.80	£414.60


Full Twelve Months Guarantee

How to order

By post: To purchase any of the items simply fill in the coupon with your requirements. Enclose your Cheque/P.O. or use your Access/Barclaycard. Please make cheques payable to: VIGLEN COMPUTER SUPPLIES and post to above address. Allow seven days for delivery and add £8.00 carriage, package and insurance on all items.

By telephone: Ring (01) 843 9903. Credit Card holders (Access/Barclaycard only) can purchase by telephone. Please give Card No., Name, Address and the items required.

When ordering Dual Drives, please state which layout you prefer. A or B.



Viglen
COMPUTER SUPPLIES

Unit 7 Trumpers Way
Hanwell W7 2QA
Tel: (01) 843 9903

Track switch on rear panel



W7 2QA

Layout A or B*

*Delete as necessary

Post to: VIGLEN COMPUTER SUPPLIES UNIT 7, TRUMPERS WAY, HANWELL, W7 2QA
Please send me the following items:

I enclose Cheque/P.O. for £
I prefer to pay by ACCESS/BARCLAYCARD*. Card No.:
Signature _____
Name _____
Address _____



PAGING TELETEXT!

MODE 7 is the screen mode most widely used when memory is at a premium. In mode 7 it is possible to produce a wide variety of effects, including seven-colour text and graphics, with optional flashing colours. The graphics characters are low-resolution teletext characters, on a 3 by 2 matrix as indicated in figure 1.

There have been articles in *Acorn User* before on the use of the teletext graphics set. I refer you particularly to the one in the September 1982 issue, which gave an excellent statement of the pros and cons and explained how the system works, and to the December 1983 Hints & Tips column. My task is not to show how to use the system, but to dump its results on a printer.

The screen memory consists of four 'pages' of memory from &7C00 to &7FFF. This is far less than is taken up by the screen memory in any other mode, because the mode 7 memory is organised on the basis of characters, not of pixels. Each character occupies an oblong 'box', and the form is clearly shown in the *User Guide* on pages 486 to 489, even to the individual dots within each letter.

There are some misprints, and these need to be noted, as they affect the dumping method. Text characters 95 and 224 are both underline characters. Graphics character 36 should be identical to char-

George Hill devises the means to print out teletext pages and mode 7 graphics onto an Epson and a Star

ter 164, and character 255 is a full block graphics character, not backspace. The '*' in the box for character 141 is incorrect on both text and graphics pages.

The screen is 40 characters wide by 25 characters deep, requiring 1,000 bytes. The four pages of memory give 1,024 bytes – enough to spare! The bytes are passed to the teletext chip which sorts the characters out and passes the information on to the VDU controller, which displays the appropriate dots at the required places on the screen.

There are two types of 'character' occupying screen memory. These are printing and non-printing. For dumping purposes let's take the latter first.

Characters 128 to 159 appear in the screen memory and take up one character cell on the screen, appearing as a blank space. They affect printing characters after themselves, on the same line. For example character 130 is the 'alpha green' charac-

ter, and subsequent characters are (a) alphabetic and (b) green; character 147 is 'graphics yellow', and subsequent characters will, even if typed from the keyboard, appear as graphics characters in yellow.

Try typing:

```
PRINTCHR$147;"abcdefg"<RETURN>
```

or

```
*FX226,144<RETURN>
<SHIFT function key3>abcdef
```

to try the effects.

```
*FX226,128<RETURN>
```

will return the keys to normal.

When dumping the screen we shall have to take note of all the effects of these characters on those which follow, but must print a blank space in their place.

The printing characters come in four kinds. These are:

- a) Normal alphabetic
- b) Double-height alphabetic
- c) Normal graphics
- d) Separated graphics.

There are non-printing characters to introduce all four types, and others to cancel them. Our problem is to sort out what is expected, and then print accordingly. At the start of each line the 'default' is alpha

```

10 REM TELETEXT DUMP
20 REM FOR STAR GEMINI 10X
30 REM G.B.HILL (c) NOVEMBER 1983
40 REM VERSION3
50
60 PROCset_up
70
80 REM*** Read screen into memory ***
90 A%=135
100 VDU26,15,30
110 FOR I=0 TO 999
120 REM call osbyte with A=135
130 !user=USR&FFF4
140 screen?I=user?
150 IF I<>999 THEN VDU9
160 NEXT
170
180 REM*** Main scanning loop ***
190 VDU2,1,10;1,10,1,10
200 FOR Y%=0 TO 24
210 FOR scan%=0 TO 1
220 text=TRUE
230 FOR X%=0 TO 39
240 char=screen?(Y%*40+X%)
250 IF char>128 AND char <136 THEN text=TRUE
260 IF char>144 AND char <151 THEN text=FALSE
270 IF char>127 AND char <160 THEN char=32
280 IF text THEN PROCtext ELSE PROCgraphics
290 NEXT
300 IF scan%=1 THEN VDU1,27,1,65,1,6,1.10 ELSE VDU1,27,1,65,1,3,1,10
310 NEXT
320 NEXT

```

Program 2. Teletext dump for the Star Gemini 10X

```

10 REM MODE7 TEXT DUMP (failed)
20 VDU2
30 FOR Y=0 TO 24
40 FOR X=0 TO 39
50 I=40*Y+X
60 char=I?&7C00
70 IF char>128 AND char<160
      VDU1,32 ELSE VDU1,char
80 NEXT
90 VDU1,10
100 NEXT
110 VDU3

```

Program 1. Mode 7 dump using the printer's normal character set – an honourable failure

```

330 VDU1,27,1,50,1,10,1,10,3,7
340 END
350
360 REM*** Procedures ***
370
380 DEFFPROCset_up
390 DIM user 3,screen 999
400 DIM table 15,special 17
410 REM set table values
420 FOR I=0 TO 15
430 READ table?I
440 NEXT
450 REM set special character values
460 FOR I=0 TO 17
470 READ special?I
480 NEXT
490 REM graphics character table
500 DATA 224,225,227,231,226,233,230,235
510 DATA 228,229,234,236,232,237,238,239
520 REM special character table
530 DATA 91,166,92,206,93,167,94,164,95,241
540 DATA 123,204,124,207,125,204,126,191
550 ENDPROC
560
570 DEFFPROCptext
580 IF scan%>1 THEN VDU1,32:ENDPROC
590 IF char=163 THEN char=96
600 IF char=223 THEN char=35
610 IF char=224 THEN char=95
620 char=char AND &7F
630 IF (char>90 AND char<97) OR (char>122 AND char<127) THEN PROCspecials ELSE
VDU1,char
640 ENDPROC
650
660 DEFFPROCspecials
670 IF char=96 THEN VDU1,27,1,55,1,1,1,35,1,27,1,55,1,0:ENDPROC
680 I=-2
690 REPEAT
700 I=I+2
710 UNTIL special?I=char
720 VDU1,special?(I+1)
730 ENDPROC
740
750 DEFFPROCpgraphics
760 IF scan%>0 THEN PROCgraphics1 ELSE PROCgraphics2
770 ENDPROC
780
790 DEFFPROCgraphics1
800 IF char=35 OR char=223 THEN VDU1,35:ENDPROC
810 PROCswapem
820 IF index=4 OR index=5 THEN PROCptext ELSE VDU1,table?(char MOD 16)
830 ENDPROC
840
850 DEFFPROCgraphics2
860 PROCswapem
870 IF index=2 OR index=4 OR index=5 THEN VDU1,32:ENDPROC
880 IF index=3 THEN VDU1,226
890 IF index=6 THEN VDU1,228
900 IF index=7 THEN VDU1,232
910 ENDPROC
920
930 DEFFPROCswapem
940 IF char=96 THEN char=35
950 IF char=95 THEN char=96
960 char=char AND &7F
970 index=char DIV 16
980 ENDPROC

```




Figure 1. The graphics characters for codes 55 and 237, and the 'numerical decoding' of them




Figure 2. The Star and defined Epson graphics characters

white, steady colour on a black background.

Let's take the text characters first. We have an ASCII-type of character set from 32 to 126, with some anomalies, which occur at ASCII values 91 to 96 and 123 to 126. Location 127 is the delete character, which cannot by definition occur on the screen! I shall refer to characters in this range as the mode 7 set, whether text or graphics.

The true teletext character set occurs from 128 to 225. These are the characters transmitted by Ceefax and Oracle. Characters 128 to 159 are the non-printing characters already referred to; characters 160 to 225 are a 'British ASCII' set (if that is not a contradiction in terms). These are almost identical to the previous set, but with the £ and # signs swapped, and character 255 representing a block of colour. This is the character used for the 'copy cursor' when you use the cursor control keys in mode 7 program editing.

At first, therefore, it seemed sensible to try to dump the mode 7 text characters by using the printer's normal character set, and program 1 represents my first effort in this direction. The problem that immediately becomes apparent is in the method of screen scrolling employed in this mode. This means that address &7C00 doesn't always represent the top left character on the screen! To correct this I have used the operating system command OSBYTE with the accumulator set to 135 (the equivalent of *FX135), which reads the ASCII code of the character at the current cursor position.

The section of code here is of more general importance, and represents a useful tip. Define four bytes of memory with

DIM user 3

Now put A%, X% and Y% equal to the three 'arguments' of a *FX call. Then

!user=USR(&FFF4)

User?0 gives the accumulator contents; user?1 gives the X register contents; user?2 gives the Y register contents; and user?4 gives the status register contents.

In the case of *FX135, only A% needs setting and the value of the character code is deposited in the X register, accessed by user?1.

In programs 2 and 3, when reading the screen into memory, 'default windows' are restored, 'paging' is switched off, and the cursor is homed to the top left of the screen (VDU26,15,30). A character is read. The value is stored in a block of memory reserved for the purpose. The cursor is advanced (VDU9) and the next code read. The block of memory thus prepared is our




Figure 3. Flow chart of programs 2 and 3

BBC
MICRO

DISC DRIVES

CHASE DATA LTD

The exclusive disc drive company,
cut out the middle man to
bring you **BEST PRICES** on
CANON disc drives.



110/210 DUAL
DRIVESYSTEM



221 DUAL
DRIVESYSTEM

1 YEAR
WARRANTY
ALL PARTS
& LABOUR

CHASE DATA LTD are pleased to announce the launch of the latest generation of Canon disc drives—the ultra slim model 221 (double sided 80 track) — **TRULY SUPERB VALUE FOR MONEY**

All inclusive means

Disc drive + case + all power and data cables + U.K. carriage + utilities disc & manual + V.A.T.

Quality product

State of the art disc drives. E.g. Model 221 features: unique on-board switching that both reads **and writes** in 40/80 TK modes

Full service support

Our units come with a full 1 year warranty on parts & labour. Disc drive service is via the leading U.K. Independent Drive Service Company.

Send remittance (Cheque only please) with your order to:

CHASE DATA LTD
P.O. Box 6, Woking, Surrey GU214PB.  (Tel: 0784 38487).

All inclusive price list

MODEL	110	210	221
FORMATTED CAPACITY OF SINGLE DRIVE ON BBC MICRO	100K	200K	400K
SINGLE DRIVE IN CABINET	£170	£198	£236
DUAL DRIVE IN CABINET	£320	£370	£437

All units available with on-board power supply.
Additional cost: £25.

THE INTERNATIONAL VIDEO GAME OF THE YEAR COMPETITION
HERALDS THE "NEW AGE" IN VIDEO/COMPUTER GAMES

\$175,000 TO BE WON

**AND THAT'S
JUST FOR
STARTERS!**

CREATE A NEW VIDEO
GAME AND YOU COULD
MAKE YOURSELF A
MILLIONAIRE



Create a brilliant, new video game becoming a millionaire. This fantastic competition, organised by I.R.P. (The International Register of Independent Computer Programmers Ltd) and the famous Mark McCormack International Management Group, offers programmers and inventors the opportunity of a life time. There are huge, immediate cash prizes and the on-going revenue of 10% of the sales of all games to distributors throughout the world, plus the chance to appear on an international TV show. Your skill and imagination could bring you fame and fortune!

\$100,000 FIRST PRIZE! PLUS FIVE \$15,000 RUNNER-UP PRIZES!

Devise a totally original new video game in one of these categories: SPORTS, SIMULATORS, ARCADE, STRATEGY, ADVENTURE/FANTASY or a special section which covers programmes that are not necessarily games but have outstanding Educational or Entertainment merit. We'll also be announcing a number of 'MERIT' awards which will be entitled to carry the message 'An International Video Game of the Year MERIT AWARD' on their retail packaging. It's a great challenge. And the rewards, both financially and in terms of prestige, are tremendous. This is the most exciting competition ever for creative computer and video enthusiasts.

YOU'RE A TV STAR TOO! All six winning games and their inventors will be featured on an internationally distributed, spectacular TV special. That's going to make your name!

HOW TO ENTER

Just send in your game, or games, programmed on cassette for any popular home computer. Use the coupon, today, and we'll send you all the facts you need.

**CLOSING DATE FOR ENTRIES IS
31st MAY 1984**

To: I.R.P Limited, Pinewood Film Studios, Iver, Bucks, England.

Name

Address

AC1

'screen image', and it is this image that will be dumped. This copying process could be speeded up by a machine code routine, but as it only takes a few seconds I don't think it worthwhile.

The cursor movement is visible on the screen, and it is desirable from the aesthetic point of view to prevent the cursor from going past the bottom right-hand corner position, as it then causes a black line to appear at the bottom of the screen. This doesn't damage the dump, but it is unsightly.

Dumping of text is quite straightforward in theory. For most of the characters it is merely necessary to extract the ASCII code and translate it directly into the required printer character. This means that all characters with codes greater than 160 must have 128 subtracted, as printers normally keep their character sets in the range 32 to 126. First, however, two problems must be overcome: the 'mixed-up' characters, which do not appear in the same relative positions in the mode 7 and teletext sets, must be sorted out (these include # and £); and there are some mode 7 characters which do not have equivalents in the normal printer set. I have designated them 'specials' and dealt with them in a separate procedure. How you cope with them depends on the printer you use and its facilities.

This is a natural point to raise the question of whether or not this method is suitable for your printer. To use a direct equivalent of the method you must have the following facilities, or some suitable alternative: either block graphics characters of the type illustrated in figure 2 (or of some similar type), and the ability to control the amount of paper fed at each linefeed and some special characters in an extra character set; or user-defined characters which you can use mixed with





Figure 6. Acornsoft screen via Epson



!#\$%`'()**+,.-./0123456789:;<=>?@ABCDEFGHIJKLMNPQRSTUVWXYZ[\]^_`abcdefghijklmnopqrstuvwxyz{}`^~`PQRSTUVWXYZ[\]^_`abcdefghijklmnopqrstuvwxyz{}`^~`

Figure 5. Epson character set

MICROAGE - LONDON'S PREMIER

More an experience than a computer shop.



- A library of books that give specific or general information.

The Acorn Expert

If you are thinking of buying a BBC Micro or the amazing new Electron, then come to Microage and benefit from our experience. We have been a dealer practically since Acorn started. In fact we have been selected by Acorn to be the *official* London Distributor. This means we get the latest products in quantity first.

The Amazing Acorn Electron – In Stock Now!

We have stocks of Acorn's new Electron and all Acornsoft software. Come and buy one now. £199.

Bargain £ of the Month £ !

BBC micro with Disk Interface, 800K disk drive, word processing ROM, Epson or Juki printer, Zenith Monitor, dust covers Basic Programming book, leads, paper and cables. Free carriage. Normal price £1,843. Save £244. Our price £1,599.

A Selection from Acornsoft

Snooker, Starship	£9.95
Command, Missile Base,	
Draughts and Reversi,	
Acardians all	
Personal Money	
Management, Arcade	
Action	£11.90
View	£59.95
BCPL	£99.95

A Selection from Computer Concepts

Wordwise, Beebcalc	£39.95
Disk Doctor	£33.00
Termi price on application	
Chess, Android Attack,	
Swarm all	£8.95

Some of our books

Easy Programming for BBC	£5.95
Basic Programming on the BBC micro	£5.95
Assembly Language Programming for BBC	£8.95
Discovering BBC Machine Code	£6.95
Creative Graphics, Graphs and Charts, LISP and FORTH all at 30 hour BASIC	£7.50
BBC Micro Expert Guide	£5.95

- A complete range of games, application and business software.
- Friendly assistant to offer help and advice when you request it.

BBC Machines

Model A, 32K RAM and 6522	£329
Model B	£399
Model B + Disk interface	£494
BBC dust cover	£3.95

Disk Drives

BBC compatible single disk drive (100K)	£235
BBC compatible dual disk drive (200K)	£389
BBC compatible single slimline (400K)	£399
Verbatim single sided diskettes 10 for	£22.50
Verbatim double sided diskettes 10 for	£39.95

Monitors

14" RGB Microvitec Colour Monitor inc. lead. (As used in BBC Computer prog.) Price dramatically reduced to	£245
Microvitec medium res. colour monitor. Price cut to	£369
12" Zenith High res. green screen monitor.	
The new model at	£95
BNC Cable	£4.95

HOME COMPUTER DEALER

If you are interested in joining the home computer revolution or adding to your present system, then come along to Microage. In a relaxed atmosphere you can browse through the best selection of computer products and peripherals in London. Helpful assistants who really know about the products offer unbiased advice to help you choose a personal computer or get the best out of your own.



- The Microage Space Station, you're always in command. Sit at the controls and you'll see everything laid out neatly before you.

There's room for your printer, monitor, keyboard, cassette recorder and disk drives - and a handy draw for programs and manuals.

The Microage Space Station takes off for just £49.95

Printers

Seikosha AP - 80A now
Seikosha AP - 100A now
Epson FX - 80
Epson MX - 100
Juki 6100 Daisywheel
All printers include paper and cable.
Printer Cable
10" listing paper, 2000 sheets

£189
£215
£430
£460
£430

£13
£16.50

Miscellany

RH Electronics colour light pen
BBC Compatible Cassette Player
DIN to Jack Lead
APTL ROM Board
Official joystick per pair
10 Blank C12 tapes

£39.95
£29.95
£2
£43.70
£13
£3.95



- A complete range of personal computers.



- Business computers too!

Computer Users Data File

If you can't make it to the shop you don't have to miss out on our prices and services. Just write for our Computer Users Data File. 24 fact-packed pages of current stock and prices.



Microage Discount Card

Why not ask for our discount card guaranteeing you 5% discount off everything after your first purchase.

All items subject to availability.

Institutional and Educational

Microage offer very competitive rates and quotations for quantity orders on all equipment including Eonet networks. We have four years experience of supplying and servicing Acorn equipment in schools, polytechnics and universities.

POSTAGE RATES

Small items such as Ribbon, books and software:- 1 item £1.00, 2 items or more 50p per unit.

BY COURIER TO YOUR DOOR

Large items such as Computer Disk Drives and Monitors:- 1 item £7, 2 items £10, 3 or more £13.

Barclaycard and Access welcomed.

All prices include VAT.

MICROAGE ELECTRONICS

135 HALE LANE EDGWARE MIDDLESEX HA8 9QP

TEL: 01-959 7119 TELEX 881 3241

TWO EXCITING NEW PROGRAMMES FOR THE BBC MODEL B MICROCOMPUTER

SHUTTLE PILOT



Shuttle Pilot is the most authentic Space Shuttle simulator available. The screen display is a faithful copy of the instrumentation in Columbia

Discovery, Challenger and Atlantis. As you sit at the controls you have the same view through the head up display (H.U.D.) as Schmitt, Evans, Stafford and other Shuttle Pilots.

You have to complete your space mission in the face of enemy satellites and land safely.

As Armstrong took a step for mankind, when he walked on the moon, Shuttle Pilot steps out as the flight simulator for space travel.

PAINTBOX

The superb Graphics programme for the BBC Model B. That turns your screen into an architect's board or an artist's canvas.



Available at your local computer shop or post the coupon (DEALERS TELEPHONE 0476 60000).

To Oakleaf Computers Ltd, Mail Order Dept., Bell's Yard, Dysart Rd, Grantham, Lincs NG31 7EJ.

Please send me _____ (quantity) 'Shuttle Pilot' Software at £9.95 each including VAT and Carriage
 Please send me _____ (quantity) 'Paint Box' Software at £9.95 each including VAT and Carriage

I enclose cheque for _____.
Please Debit my Access/Barclaycard No. _____

Name: _____
Address: _____

Post code: _____
Day Time Tel No. _____

8 OAKLEAF COMPUTERS LIMITED

121, DUDLEY ROAD,
GRANTHAM,
LINCS
0476 76994

100, BOUGHTON
CHESTER
CHESHIRE
0244 310099

normal characters on the same line and the ability to control linefeed.

You may be able to use a combination of these two things. Also you should select the USA character set, either by means of the DIP switches, or by inserting the necessary code (normally an escape sequence) into the dump program.

The printing of the graphics characters presents three difficulties. First, the two graphics sets (mode 7 and teletext) do not agree exactly, so the anomalies must be sorted out. Second, the graphics character set contains a complete set of ASCII capital letters in the middle of it. These will have to be extracted and printed as text. Third, the printer graphics set will probably have characters equivalent to only the top four 'boxes' of the six-membered teletext 'box'. This means printing the graphics characters in two 'nibbles'. This is illustrated in figure 4. A variation in linefeed will be necessary unless you have a complete teletext character set on your printer, as did the old Microline 80.

Programs 2 and 3 are dumps for the Star Gemini 10X and Delta 10 (and possibly the 510), and for the Epson FX80 respectively. They differ in that the Star dump relies totally on the characters available from the printer's own ROM, while in the Epson dump all the necessary extra characters have been defined using the 'download characters'. The basic method is the same for both.

The Epson characters were defined using my 'character generator' suite of programs, which allows you to define characters on a screen grid and automatically save them to disc files for subsequent loading. A version is also available for tape use, though the filing facilities on tape are not so extensively used. Details of the package are shown in the panel. The program for the Epson includes a file-loading routine which will load characters stored in file 'C.TTCHARS' into the character generator, and program 4 will allow you to generate the necessary file.

And so to the programs themselves. The principal difference in capabilities is that the Epson can cope with 'broken' graphics whereas the Star prints all graphics as continuous. The flow-chart (figure 3) summarises the programs. The basic method is:

1. Read the screen into memory.
2. Default to 'text mode' at the start of each line, and read each line twice.
3. Read characters from memory, till the end of the line. Non-printing characters are checked for first, and adjustments to the flags for text and graphics are made, and a space printed. The printing characters are passed either to PROCptext or PROCPgraphics.
4. PROCptext deals with the text characters. Text characters are printed only on the first scan. The necessary switching around is carried out to make the teletext set coincide as much as possi-




Figure 7a. Virgin screen via Star




Figure 7b. Virgin screen via Epson

+s CEEFAX 153 Mon 12 Dec 12:05/24 Forecast: 24 hours from noon today

Weather Eye

Rain, sleet or snow in eastern England will die out, with clear periods overnight leading to frost and fog patches.

Clear periods in W England and Wales, cloudy with rain tomorrow. Sunny periods in Scotland and N Ireland, wintry on high ground. Cloudy with rain tomorrow. Rather cold, southeast very cold.

Outlook for the next 48 hours: Cloud and rain in west, spreading to most parts, then bright and showery. Mild, becoming colder, generally windy.

Figure 8. Ceefax weather report via Star

BBC SPEECH

PRICE BREAKTHROUGH

Speech Synthesizer For The BBC Computer

Totally unlimited vocabulary is now possible with the revolutionary "SWEET TALKER" Speech Synthesizer for the B.B.C. A or B Microcomputer, any series.

The CHEETAH "SWEET TALKER" simply plugs into speech socket IC99 within the computer.

No soldering, no cutting of tracks, no headaches.

Based on an allophone system you can easily program any word, sentence or phrase and incorporate speech into your software games.

Fully tested and guaranteed.


Complete with demonstration cassette and full instructions.

*Price includes V.A.T., Postage and Packing.
Delivery normally 14 days.*

Export orders at no extra cost.

Dealer enquiries welcome.

Send cheque/PO now to:-



CHEETAH MARKETING LIMITED

Dept. AU3, 24 Ray Street, London EC1. Tel: 01 278 6954

Cheetah products available from

branches of

John Menzies

Boots

WHSMITH



and Rumbelows

ble with the USA character set on the printer, and the codes are then ANDed with &7F. This subtracts 128 from the teletext characters, but leaves the mode 7 characters unaffected. It thus ensures that they match up with the printer's text characters. Special characters are passed to PROCspecials to decode from the table. Blanks are printed on the second scan.

5. PROCgraphics deals with the graphics characters. The characters are passed to different routines for the first and second scans. In the first scan the # sign is printed to get it out of the way, then PROCswapem switches around some characters which differ in mode 7 and teletext. It then produces an index number (char DIV 16, where 'char' is the current value of the character code), which allows the routine to decide whether to print a text character (index=4 or 5) or a graphics character. Figure 4 illustrates the relationship between the printed characters, the index and the 'doctored' values of the character-codes. PROCedures graphics1 and graphics2 take the requisite action on scans 1 and 2, by selecting a character either from the table or from the defined character set via 'base'.

6. The necessary alterations to linefeed are carried out, and the processes repeated for each line until the page-end is reached.

7. The linefeed is reset to its normal default value, the paper fed a little, a beep made, and the printer disabled.

A word or two about the graphics 'table' of characters for the Star and the 'special' table of characters for both printers. The 'table' contains the codes of the graphics characters corresponding to the value of char MOD 16 (see figure 4) in ascending order. The 'special' table contains first the ASCII-type code of the character followed by the code of the printer equivalent. You can amend these values to suit your own printer. The Star, you will see, did not have a 3/4 character, so I had to repeat 1/4. The complete character set for the Epson printer is shown in figure 5.

The routines will not do everything. As already stated, the Star dump takes no notice of the broken graphics characters. They take no account of the colour of characters in either text or graphics, nor of changes in background colour. They do not recognise the function of 'hold-graphics' as I never found it used, and remain unsure of its meaning. Finally, and most unfortunately, they fail to take any notice of double-height characters, feebly printing the letters twice. I found no way of dealing with the double-height characters, lacking double height on the printers.

The routines do, however, produce small, rapid, pretty accurate representations of the mode 7 or teletext screens, as the example pictures show. The introduc-

```

10 REM TELETEXT DUMP
20 REM FOR EPSON FX80
30 REM G.B.HILL (c) NOVEMBER 1983
40 REM VERSION 2
50 REM with file reading routine
60
70 PROCset_up
80
90 REM*** Read screen into memory ***
100 A%=135
110 VDU26,15,30
120 FOR I=0 TO 999
130 REM call osbyte with A=135
140 !user=USR&FFF4
150 screen?I=user?1
160 IF I<>999 THEN VDU9
170 NEXT
180
190 REM*** Main scanning loop ***
200 VDU2,1,10,1,10,1,10
210 FOR Y%=0 TO 24
220 FOR scan%=0 TO 1
230 text=TRUE
240 base=128
250 FOR X%=0 TO 39
260 char=screen?(Y%*40+X%)
270 IF char>128 AND char <136 THEN text=TRUE
280 IF char>144 AND char <151 THEN text=FALSE
290 IF char=153 THEN base=128
300 IF char=154 THEN base=144
310 IF char>127 AND char <160 THEN char=32
320 IF text THEN PROCtext ELSE PROCgraphics
330 NEXT
340 IF scan%=1 THEN VDU1,27,1,65,1,6,1,10 ELSE
VDU1,27,1,65,1,3,1,10
350 NEXT
360 NEXT
370 VDU1,27,1,50,1,10,1,10,3,7,13
380 END
390
400 REM*** Procedures ***
410
420 DEFFPROCset_up
430 DIM user 3,screen 999
440 DIM table 15,special 21
450 REM set table values
460 FOR I=0 TO 15
470 READ table?I
480 NEXT
490 REM set special character values
500 FOR I=0 TO 21
510 READ special?I
520 NEXT
530 REM graphics character table
540 DATA 224,225,227,231,226,233,230,235
550 DATA 228,229,234,236,232,237,238,239
560 REM special character table
570 DATA 91,160,92,161,93,162,94,163,95,168,96,169
580 DATA 123,164,124,165,125,166,126,167,127,170
590 REM Load character generator from file
600 CH=OPENIN("C.TTCHARS")

```

► page 146

TWO PANS OF CHIPS

OVER the past couple of months the postman has beaten a regular, almost daily, trail to Telford Towers. Hardly a week has passed without another firm advertising its latest offering of 'stick-in' boards and ROMs for the BBC micro. This month we look at a selection, some of which I have in regular use, and some of which I use er... less regularly. Before looking at the chips, we should examine the available frying pans: expansion ROM boards.

The expression 'frying pan' is not unwisely chosen, because whichever expansion ROM board is fitted to the BBC micro, the internal heat increases as more EPROM chips are added. It appears that while ROM chips use a few thousandths of an amp of current each, their EPROM brothers can use more than 50mA per chip. This means that a full 12-slot ROM expansion board can be drawing well over half an amp of power. Add this to the drain for disc drives, and it could be bye-bye, power supply. In effect, expansion ROM boards must really earn their keep.

Two boards turned up on the doorstep recently, and as I have been accumulating chips at an increasing rate, I decided to fry a selection.

WATFORD

ELECTRONICS BOARD

At a time when expansion boards were hard to come by, Watford Electronics achieved a minor miracle in shipping one to me.

Being somewhat of a hardware man in my early days, and then never having seen another expansion board, I didn't flinch when I opened the package and saw six flying leads, four of which were to be soldered directly on to IC76 to provide the enabling signals. (However, I was drunk at the time! A more sober Telford would have called out the engineers.) Along with the circuit board, which was very well produced, was an A4 sheet of instructions, which detailed the operation of mounting the board. A DIL header is provided at one end of the board to push-fit into an already existing ROM socket.

*The heat's
on as more
stick-in
boards for the
Beeb hit the
Market.
Joe Telford
chips in with
this round-up
review of
two sideways
boards and
a plateful of
ROMs*

This done, the board sits on plastic legs and covers much of the user RAM in the BBC micro. The ROM which is removed from the BBC micro can be fitted to the expansion board. The pins of the DIL header are so solid that they seem to permanently widen the grips of the ROM socket into which they fit (perhaps I shouldn't have removed the board).

To get round the problem of the six flying leads, the first two were plug-in connections to the BBC micro. The set of four which were to be attached to IC76 were soldered to a 16-pin DIL header, which was pushed into the socket along with IC76.

The Watford board has a number of facilities that are extremely useful. Apart from the standard set of 12 extra 16k ROM

sockets, the sockets can be configured in various ways:

1. RAM in socket 15
2. Auto select of RAM socket on write signals
3. 8k ROMs accepted
4. 4k ROMs accepted
5. 2k ROMs accepted

The means of configuring the sockets is via a set of links on the board itself.

The ROMs and EPROMs should be fitted carefully into the sockets, remembering that the micro will now try to power up in the language in the highest-numbered socket. I proceeded to add EPROMs from ROM socket 4 upwards, ensuring that I had Basic in socket 14 (socket 15 is two 8k sockets and best left for RAM).

By the time I had reached ROM socket 9 I was very impressed with the board. I fitted an EPROM into socket 10, switched on and performed a *CAT on my disc drive. The system crashed. With any more than eight EPROMs (including Basic) and the disc drive using power from the BBC micro, the system produced garbage. I used an external power supply for the discs, with the result that the garbage was reduced. Reducing the number of EPROMs to seven removed the problem totally.

On contacting Watford to check the problem, a helpful gentleman explained that it sometimes arose because of inadequate buffering on the BBC micro. Watford were prepared to cure this shortcoming by buffering the expansion board, if it was sent back to them. At the time of writing I am awaiting its return.

It costs £35.44 (inc P&P and VAT) from Watford Electronics, Cardiff Road, Watford, Herts.

ATPL

SIDEWISE BOARD

Sidewise is constructed to a slightly higher quality than the Watford board. There are only two flying leads, fitted to connectors on the main logic board. Sidewise dis-

- The complete AMS disc drive package, tailored to your BBC micro, is compatible with all disc interfaces and includes cables, a comprehensive manual and utilities on disc and EPROM. Housed in a steel case, matching the BBC micro, these reliable and robust Hitachi 3" disc drives are the ultimate for home, office and classroom.
- The 3" disc is totally enclosed in rigid plastic and a unique automatic steel shutter protects the delicate disc surface from dust and finger marks. For the first time discs can be used in industrial, educational and commercial environments without the worry of corrupting precious programs and data.
- The disc is "flippable" like a cassette tape and has a storage capacity of 100K on each side in single density mode (twice as much when used with a double density interface). A neat plastic switch can be flicked back and forth to write-protect valuable discs.
- The AMS disc drives are completely hardware and software compatible with 5½" drives which can be used in parallel so allowing easy transfer of software. Consequently the 3" drives will operate with all the standard floppy disc interfaces. They take their power from the outlet provided by the BBC micro - there's no onboard power supply to corrupt data.
- The AMS package includes utilities on both a disc and an EPROM for formatting and verifying discs. The EPROM, which is easily fitted, offers a simple to use and permanent alternative to using the utilities disc.
- The impressively engineered Hitachi 3" drives feature an eject button allowing single handed operation, a multi-colour LED indicating the disc side in use, and a brushless direct-drive motor for reliable operation. The super fast track-to-track access time of 3ms is at the forefront of disc drive technology. The longest of programs are loaded in a flash.


Advance with AMS

3" Disc Drives – The Ultimate Choice

Single 100K – £225

Double 200K – £399

includes VAT and delivery
to your door



Reliable delivery

If not available from your local dealer fill in the coupon below and we will send it to you with our full no-quibble money-back guarantee.
Advanced Memory Systems Ltd, Green Lane, Appleton, Warrington, WA4 5NG. RING 0925 629072. 24 HOURS 62682.

TO: Advanced Memory Systems, Ltd, Woodside Technology Centre, Green Lane, Appleton, Warrington, Cheshire WA4 5NG.

Please send me by door-to-door courier:

AMS-3 (S) single disc drive all inclusive package at £225 each
 AMS-3 (T) twin disc drives all inclusive package at £399 each with two free discs.

Prices include EPROM, utility disc, cables, manual, VAT and delivery.

Please send me by post, if not with drives:

double sided (100K x 2) discs at £4.95 each.
 packs of five at £22.50 per pack.

I enclose a cheque for £ _____
or debit my credit card _____

No. _____

Name _____

Address _____



Post Code _____ Tel No. _____


Signature _____ Date _____

Please allow up to 28 days for delivery.

Hitachi - in a word reliability

Business or Pleasure...

Gemini gives you MORE!



Gemini Combination Packs... designed to offer maximum value and convenience to the serious business or home user by combining several programs in one pack.

Other Titles
MORE Choice!

Gemini Serious & Leisure Software... twelve serious titles for fourteen popular home micros, including **PAYROLL**, the ideal program for all wage calculations for up to 40 employees, with all PAYE and SSP tables held in memory... **WORD PROCESSOR**, with features including block delete, block insert, search and replace, edit text, display text, etc... **HOME ACCOUNTS**, for cost effective household management, plus ten really excellent games for all the family to enjoy. All on cassette or disk at prices ranging from £7.95 to £59.95 and available from larger branches of WH Smith, Boots and most good software dealers, or write to:

GEMINI

New
Combination Packs
MORE Value!

Combination Business Pack No. 1

Contains: Graphplot, Spreadsheet Analysis, Payroll, Cash Book, Final Accounts

	Normal list Price of programs in pack:	Combination Pack Price	SAVING... £
C.0113 BBC 32K Cassette	199.95	159.95	40.00
D.0113 BBC 32K 40 Track Disk	207.75	159.95	47.80
E.0113 BBC 32K 80 Track Disk	212.75	159.95	52.80

Combination Business Pack No. 2

Contains: Database, Stock Control, Word Processor, Mailist, Invoices & Statements.

C.0114 BBC 32K Cassette	99.75	79.95	19.80
D.0114 BBC 32K 40 Track Disk	119.75	79.95	39.80
E.0114 BBC 32K 80 Track Disk	124.75	79.95	44.80

Combination Business Pack No. 3

Contains: Database, Stock Control, Spreadsheet Analysis, Invoices & Statements, Mailist.

C.1615 ELECTRON	99.75	79.95	19.80
-----------------	-------	-------	-------

Combination Home Pack No. 1

Contains: Database, Home Accounts, Mailist, Spreadsheet Analysis, Graph Plot.

C.0116 BBC 32K Cassette	99.75	79.95	19.80
D.0116 BBC 32K 40 Track Disk	119.75	79.95	39.80
E.0116 BBC 32K 80 Track Disk	124.75	79.95	44.80
C.1616 ELECTRON	99.75	79.95	19.80

Combination Home Pack No. 2

Contains: Database, Home Accounts, Graph Plot, Mailist.

C.0417 SPECTRUM 48K	79.80	59.95	19.85
---------------------	-------	-------	-------



Electron Programs
MORE Available!

Gemini Marketing Limited

18a Littleham Road Exmouth Devon EX8 2QG England
Telephone (0395) 265165 / 265832 Telex 42956 Attn Gemini Micro Computer Software

places the OS ROM and the analogue chip. These sockets are then used for signal takeoffs and to stabilise the board physically. The chips can be refitted on Sidewise. The manual consists of four sheets of A4 in a card cover but deals with all the important aspects of fitting and using the board.

Sidewise has a number of facilities, again set by links, which include:

1. RAM in socket 15
2. Onboard battery backup for RAM
3. 16k ROM
4. 8k ROM
5. 4k ROM

At present I still have Sidewise in my machine, with 10 EPROMs permanently in place. I was about to invest in RAM and a battery backup but I've just seen an Aries board, and of course that takes up the same physical space as Sidewise. Other than that, I am very pleased with Sidewise.

It costs £44.70 (inc P&P and VAT) from ATPL, Station Road, Clowne, Chesterfield, Derbyshire, S43 4AB.

CHIPS ON REVIEW

These can be split into two groups:

Languages:

Forth
Pascal
Logo

XCal

Utilities:

Disc Doctor
M-UTS

It is not possible in the space available to give an in-depth review of each of the chips available, so here is an outline of what each one does with my impressions as to their usefulness.

The language chips are interesting to Acorn users because they allow us to move away from Basic towards applications which require purpose-built languages. Every language chip reviewed here requires a disc drive to store programs. This is less of a fault than many may imagine, because users who wish to apply any language (including Basic) practically will know the benefit of disc drives. The difficulty of learning a new language is exacerbated by slow, unreliable equipment. Serious work requires discs. All the ROMs except Disc Doctor are available from HCCS Associates, 533 Durham Road, Low Fell, Gateshead, Tyne and Wear, NE9 5EY (tel: 0632 921924).

Forth: This 8k ROM comes complete with a well-written spiral-bound manual which, being only 88 pages long, is more of a user's guide than a beginner's handbook. The ROM can be easily fitted into any free

```

# SQ DUP MINUS DUP 2DUP
MOVE
ROT DUP DUP MINUS
DRAW
DUP DUP DRAW
OVER SWAP DRAW
DRAW
#
# DIA DUP MINUS O MOVE
O OVER DRAW
DUP O DRAW
O OVER MINUS DRAW
MINUS O DRAW
#
# PERSIAN
2DUP O DO 4 ABSRND 8 ABSRND GCOL
I SQ DUP +LOOP DROP
O DO 4 ABSRND 8 ABSRND GCOL
I DIA DUP +LOOP DROP

```

Listing 1. A typical program in Forth, in which a square and diamond shape are interlaced

socket, and when called with the 'W'. To remove a word we should, for example, type

FORGET PLUSES

Unlike the other language ROMs, the manual shows how Forth can load and save to tape. Forth will also allow the user to communicate with the BBC machine operating system with the word MON, which replaces the OS '*' symbol. Forth also allows users to implement sound and graphics with little difficulty. A typical program is shown in listing 1.

The program is called by the line:

2 MODE 640 512 DGO 8 500 PERSIAN

The program defines a square and a diamond then interlaces them in a Persian carpet-type routine. The value of the program is that it shows some of the structure of Forth, as words define other words, and the final program executes very quickly indeed.

The language looks formidable at first, but it is structured, fast, and interesting to learn. Forth costs £34.72 (VAT and P&P extra).

Pascal T. This is a 16k implementation of Pascal in EPROM. Like the Forth chip, it is

PROGRAM POWER MICRO POWER

ANOTHER FANTASTIC NEW B.B.C. MICRO
PROGRAM FROM BRITAIN'S
LEADING SOFTWARE
HOUSE!

BUMBLE BEE

ONLY
£7.95

Send the busy bee

scurrying around the sprawling
corridors to collect the precious pollen.

Spin the turnstiles to escape the scavenging
spiders in hot pursuit and use your skill and dexterity
to coax them into the raging fireballs.

Fast action, colourful graphics and top quality sound
combine to make another winner from **MICRO POWER**.



The following top titles are available for both the BBC Micro and Electron:- Killer Gorilla £7.95/
Moonraider £7.95/Bandits at 3 o'clock £6.95/
Croaker £7.95/Felix in the Factory £7.95/
Felix and the Fruit Monsters £7.95/Chess £7.95/
Escape from Moonbase Alpha £7.95/Draw £9.95/
Swoop £7.95/Intergalactic Trader £8.95/
Positron £6.95/Cybertron Mission £7.95.

WRITTEN ANY
PROGRAMS?
WE PAY 20%
ROYALTIES!

SPECIAL
OFFER
Deduct £1 per
cassette when
ordering two or
more.

WE STOCK THE
BBC MICRO, ELECTRON,
MEMOTECH MTX 500,
COMMODORE 64, ORIC-1
AND SPECTRUM.

B.B.C. MICRO AND
ELECTRON PROGRAMS
CAN BE OBTAINED FROM
SELECTED BRANCHES OF
W.H. SMITH, JOHN MENZIES,
BOOTS, HARRODS, ALL GOOD
DEALERS, OR DIRECT
FROM MICRO POWER.

All prices inclusive of V.A.T.

Mail Order: Please add 55p per order P. & P.

WE GUARANTEE THAT ALL OUR ADVERTISED PROGRAMS
HAVE BEEN COMPLETED AND ARE READILY AVAILABLE.

Showroom:
Northwood House
North Street
LEEDS LS7 2AA
Tel: (0532) 458800

Mail Order:
8/8a Regent Street
LEEDS LS7 4PE
Tel: (0532) 683186
Or: 696343



MICRO POWER

written by Joe Brown and is quite a powerful implementation for a 'tiny' Pascal. The ROM is supported by a Pascal reference manual of 93 pages, again a user's guide rather than a beginner's primer. The language is, however, not difficult to learn, and with a few hours' toil users can become adept. The value of Pascal to me is that it forces good programming habits, which should improve normal Basic programs.

Once the EPROM is fitted into the micro, powering up and typing:

*PASCAL

results in the message:-

PASCAL
Pascal-T
++

As with Forth, users are offered a cold/warm start opportunity after pressing break. Pascal programs may be typed directly into the computer, which is messy, or entered via text buffers, which is probably the best way. Direct entry of text is messy because the language compiles each line as it is typed, repeating on the screen during syntax checking. A single error at this stage means that the whole program must be retyped. In addition, directly typed programs are very difficult to save.

The direct command NEWTEXT gives users access to a 2k text buffer which will allow routines to be written, amended, saved and compiled. Saving is to disc, and the language alters the allocation of disc space so that 49 2k files can be used on a 40-track system or 98 on an 80-track drive.

A whole program may consist of a number of source text files which are sequentially loaded into the BBC and compiled. Each load operation destroys the previous text buffer contents. The method of editing in the text buffer is quite tedious, but concentrates the mind wonderfully.

Facilities include:-

S 2	Insert a blank line 2
ER 7	Erase line 7 leaving gap
DL 7	Delete (close) line 7
CH 6	Change line 6 for...
L. 8	List up to line 8

Although the language is based around Forth, it operates quite speedily and behaves very much as a purely Pascal language. The manual warns that bugs might occur. I found no language bugs, but I had some problems loading and saving. These were overcome after phoning the company, and should generally provide no problems. The procedures with discs is:

1. Format a new disc.
2. Select the 40TR or 80TR command in Pascal.
3. Set the drive number, eg DR1.
4. Initialise the disc with IDISC.

Other disc commands are CAT, COPY, LOAD, SAVE, DELETE, LOCK and UNLOCK.

The Pascal-T vocabulary includes:

+ — * () = <> <> <= > = : ; , .
[]\AND ARRAY BEGIN CASE CONST
DIV DO DOWNT0 ELSE END FOR IF IN
NOT OF OR PROC PROGRAM REPEAT
THEN TO UNTIL VAR WHILE

Standard types:

BOOLEAN CHAR INTEGER

Standard functions and procedures:

ORD READ FX CHR WRITE OSWORD
ABS LN TAB MOD

Readers will see many similarities between Pascal and Basic in listing 2. This serves to make the language easier to learn. The extensions to structure which Pascal allows, such as 'WHILE' and 'CASE', make returning to BASIC quite annoying.

I see this ROM as a learning package, and as such may find its way into educational establishments where languages other than Basic are the rule. It has much to recommend it, but it is not really an applications package. Pascal-T costs £59 (VAT and P&P extra).

Logo-Forth: This is the latest offering from HCCS. Most readers will be aware of the Logo language. Most Logo implementations have been 'Toy' Logos which concentrated on turtle graphics, rather than on the language itself.

Pure Logo is rich in procedures and other structures. Logo-Forth aims to put matters to rights. The 16k EPROM comes complete with a 200-plus page manual which contains programs, advice and the more technical user information. Bona fide educational users may copy parts of the manual for classroom use. The ROM requires a disc system and uses a similar data entry and filing technique to that of Pascal.

So far so good. Demonstration programs are provided within the language to allow turtle graphics to be controlled from the keyboard, or from a small joystick, which can be connected to the analogue port. Construction details for this device are given.

The language itself is easy to get into, but is as deep as Basic. This is because the core of the language is Forth (again!). Even quite young children can define shapes using turtle graphics, and the Logo-Forth vocabulary. For example, a 7-year-old wrote a simple program:

```
TEACH RECTANGLE
CS
RED INK
100 FWD
90 RT
300 FWD
90 RT
100 FWD
90 RT
300 FWD
90 RT
END
```

However, there is a great gap between this simple approach and the suggestion in the manual that we can pass parameters to the defined procedures. One approach from the manual is:

```
TEACH RECTANGLE
2DUP
FWD 90 RT
FWD 90 RT
FWD 90 RT
FWD 90 RT
END
```

and then we call the routine with:

CS BLUE INK 300 100 RECTANGLE

Readers will be able to see the Forth-like thread to the language. I believe that because Forth is so tied up with machine

```
0 PROGRAM ftoc;
1 CONST
2   freezing = 32;
3 VAR
4   degf, degc : INTEGER;
5 BEGIN
6   WRITE("temp in F : ");
7   READ(degf);
8   degc := ((degf - freezing)
*5) DIV 9;
9   LN; WRITE("temp in C =", degc);
10  LN;
11 END
```

Listing 2. A typical Pascal program, with its strong echoes of Basic

Expansion SALE

WE NOW HAVE A 2,500sq. ft HOME COMPUTER SHOWROOM
& A 3,000sq. ft BUSINESS COMPUTER SHOWROOM MAKING
US THE LARGEST MICRO-COMPUTER DEALER IN THE UK.

TO CELEBRATE OUR MOVE WE HAVE THE
FOLLOWING SPECIAL OFFERS

OFFERS ONLY APPLY ON PRODUCTION
OF THIS ADVERTISEMENT

Normal
Price NOW

Acornsoft Games	£ 9.95	£ 6.95
Broadway 100K Disc Drives	£199.00	£179.09
Broadway 200K Dual	£391.00	£351.90
Cumana CD400S Dual Drives (2 only)	£573.85	£516.46
Torch Z80 Disc Packs	£839.50	£776.54
Microvitec Colour Monitors	£247.25	£222.52
Phoenix Green Screen Monitors	£109.25	£ 98.32
Phoenix Amber Screen Monitors	£113.85	£102.46
Fidelity Colour Monitor/TV	£228.85	£205.96
Epson RX80F/T Dot Matrix Printer	£339.25	£305.32
Epson FX80F/T " " "	£440.72	£396.65
Juki 6100 Daisy Wheel Printer	£458.85	£412.96
MCP40 Colour Plotter	£129.95	£123.45
BBC Printer Cable	£ 17.25	£ 12.07

All prices include VAT

10% OFF BASF FLOPPY DISCS
10% OFF C12/C15 CASSETTES

ARRIVING SHORTLY THE SENSATIONAL
NEW MEMOTECH & ELAN HOME
COMPUTERS

PLEASE NOTE WE NOW STOCK BOOKS
& SOFTWARE FOR THE SINCLAIR
SPECTRUM, VIC20, COMMODORE 64,
DRAGON 32 & 64

Windsor
Computer Centre

Quayside House Thameside
Windsor Berkshire SL4 1QN
Phone Windsor (07535) 58077



architecture the user must at least understand the use of stacks. This means that parameter passing and advanced programming are probably best left until secondary school. The alternative is to stand education on its head and teach these formal concepts to young children. Hands up who goes first!

The Logo-Forth vocabulary is extensive and allows direct access to the graphics, sound, and operating system of the BBC micro. Many facilities are easy to use and it becomes possible for children to produce fast multicoloured graphics. It should also be possible for computer-literate teachers to provide the language learning environments of micro-worlds within the Logo framework. Young children could then give commands (English words) which would animate part of a picture, resulting in a great learning stimulus. Words which exist include:

```
LEFT RIGHT UP DOWN PENUP PENDOWN INK RED BLUE YELLOW WHITE
BLACK PAINT REPEAT *FX CASE DRAW FENCES MODE SHOW HIDE SOUND ENVELOPE PRINT" PADL
DEMO NEWTEXT NOFENCES OSWORD MOVE LARC LCIRC RARC RCIRC
```

The full list is long and includes user-defined graphics and access to the FX calls of the BBC operating system.

Logo-Forth is not the easiest Logo to handle, but then it has by far the most facilities available. It can be used at all levels, from very young children to adults. As an unbeliever, I often shrug off new languages other than Basic by asking: 'Ah... but can it blow EPROMs?' The use of Forth in this novel implementation leads me to believe the answer is 'Yes'. I am using Logo-Forth to gain a better understanding of Forth, and my daughter aged 6.75 is using the same language to explore angles.

The only caution I express about Logo-Forth is that it would be unwise to rush children into it. As with the 'toy' logos, children don't learn in a vacuum; for the value of Logo to be felt, they must have other experiences, discussion, guidance and an overall monitoring of progress. Leaving children to play with a powerful language like Logo-Forth does them little service.

Logo-Forth costs £59 (VAT and P&P extra).

XCAL: Another 16k EPROM from HCCS. Xcal comes with two discs of additional routines and a short manual. It is a package for education, providing a do-it-yourself computer-aided instruction system, which users can configure to include text, graphs, questions or histograms, then this can be replayed to individual students as part of a course. The package may be best suited to further education, or to the learn-




Figure 1. Flowchart of a lesson from Xcal

ing-by-numbers associated with the armed forces.

The lesson content is best laid out as a flowchart (who uses these things nowadays?). The example of figure 1, adapted from the manual, shows how the flowchart connects 'pages' of the lesson. Once a page has been created it should be stored on disc. Pages can be created in any order and amended if required. When the lesson is complete a copy can be printed out for checking and for future reference.

I found the package cumbersome, because of the extra disc required. Although thin, the manual was useful, but I would have preferred greater detail in how to create pathways through the lesson, to cope with both remedial students and highfliers within the same structure. Few teachers seemed interested in the package, because they felt that building up a library of materials would be a long, hard slog; because twin disc drives are needed; and because few of them up to FE level approve of this form of instruction, it being similar in their minds to the 'failed' teaching machines of the '60s.

I don't make much use of this package, other than for demonstrations. Xcal costs £65 (VAT and P&P extra).

1M-UTS: This is an 8k machine code utility EPROM for the BBC micro. It operates in two different modes, the first being a selection of * commands which can be called from within Basic. The second is in the dedicated role of a machine code monitor which provides its own prompt. Typing *HELP MONITOR gives a list of the functions available (see figure 2).

To help with the monitor, a short manual is provided which covers all the commands, at the user manual level rather than at the beginner's level. A knowledge of machine code is obviously required to handle the complete range of functions available in the monitor, but even a beginner could get some use from the EPROM.

Commands

Disc drive commands

FORM formats 40 or 80 track discs. In doing so, it corrupts memory up to PAGE+&300.

VERIFY checks that each disc can be read correctly.

GET downloads the contents of a track from a disc into memory, between PAGE and PAGE+&A00.

PUT copies memory from PAGE to PAGE+&A00 on to the specified track of a disc.

Memory commands

Some of the more interesting commands are:

SAME compares two areas of memory for differences.

MOVE moves the contents of a block of memory to a new location.

MEM gives a hex/ASCII dump of memory.

FIND scans memory to match a byte string.

EDIT allows a block of memory to be altered via a screen editor.

CHANGE allows a byte string to be placed at a location in memory.

Machine code/assembly programming

ASSEMBLE invokes a macro-assembler in a separate ROM (not provided).

BASE sets the address for disassembly.

DIS disassembles machine code.

GO executes a machine code routine.

WHERE finds breakpoints.

SET sets breakpoints.

CLR clears breakpoints.

ONBRK instructs the monitor what to do when a breakpoint is encountered.

STEP single-steps through a machine code routine.

LOOK allows disassemblies to be examined by scrolling up and down through them on the screen.

REGS prints out the contents of the registers.

Other commands

SELECT selects a ROM for examination or disassembly.

VDU sends a byte string to the screen via OSWRCH.

MODE changes mode (VDU and MODE would not normally be allowed outside of Basic).

YOU HAVEN'T SEEN ANYTHING LIKE THIS ON A COLOUR MONITOR BEFORE.

An RGB monitor from JVC offering a resolution of 370x470 pixels for less than £150?

We guarantee you won't see another bargain like that in this or any other micro mag—or in any other supplier's showroom.

For we've managed to acquire the sole distribution rights to these superb machines and we are able to offer them at an unbeatable price.

There are two models available: medium resolution (370x470 pixels) at £149.95; and high resolution (580x470 pixels) at £229.95. (Both excluding VAT.)

The units have a 14" screen and are suitable for the BBC Micro, Lynx, Oric, Apple, and most other leading micros.

They are robustly constructed in a handsome cream casing. And come with a full year's guarantee.

Delivery is good: your monitor should arrive by courier service within ten days of our receiving your order.

You can order by filling in the coupon below and posting to: Opus Supplies Ltd., 158 Camberwell Road, London SE5 0EE. Or by telephoning 01-701 8668 quoting your credit card number. Or, of course, you can buy in person at our showroom between 9am-6pm Monday-Friday, 9am-1.30pm Saturday.



To Opus Supplies Ltd., 158 Camberwell Road, London SE5 0EE.
Please send me _____ Medium Resolution Colour Monitor(s) at £149.95 each (ex. VAT).

_____ High Resolution Colour Monitor(s) at £229.95 each (ex. VAT).

_____ Connection lead(s) at £6.00 each.

I understand carriage per monitor will cost an extra £7.00.

(N.B. A Medium Resolution Monitor including VAT, lead, and carriage costs £187.39. A High Resolution Monitor including VAT, lead, and carriage costs £279.39.)

I enclose a cheque for £_____ Or please debit my credit card account with the amount of £_____ My Access/Barclaycard (please tick) no. is _____

Please state the make of your computer _____

Name _____

Address _____

Telephone: _____

Opus.

Opus Supplies Ltd.

AC.7.

CALC evaluates expressions in denary, binary, hex and octal.

1M-UTS is a very useful tool for the machine code user, with some extra support for discs. I tend to use this utility mainly for debugging machine code, but it seems good value at £19.95 (VAT and P&P extra).

DISC DOCTOR: This is an 8k chip from the same stable as Wordwise (see full review last month, page 141). First I should point out what I dislike about the version which I had for review. It won't let my (borrowed) Z80 second processor boot CPM. Remove DD and success, add DD and failure. However, as 99% of users don't have second processors, I suppose this won't matter too much.

Disc Doctor is a little like M-UTS, in as much as it is a collection of utilities aimed mainly at disc users.

Disc Doctor comes complete with a 39-page spiral-bound manual which carefully explains each command. Basic and machine code programmers alike should be

able to make good use of the ROM, which is always active within the machine. Even if *TAPE is typed, Disc Doctor can, for example, format discs. After formatting, users will find that they are still in the tape system.

Typing *HELP DISC DOCTOR gives the list of facilities available (see panel in last month's review) some of which are offered by M-UTS as well. Indeed, some of the names are identical. The result is that because any * command is passed from highest ROM to lowest, the ROM which has the highest number will intercept the command first.

I have DD in socket 10 and M-UTS in socket 9. This means that I generally use all of Disc Doctor's facilities and the extras allowed by M-UTS. This is of course personal preference. We are approaching the time when a BBC language expansion standard needs drawing up among firms.

Facilities

DIS disassembles memory, but semi-intelligently, allowing files of disassembled

code to be stored on disc.

DISCTAPE and TAPEDISC allow files to be copied from one media to the other with a single command line. This is very useful. It conflicts with DIS in M-UTS.

DOWNLOAD loads from disc into memory, then relocates.

DSEARCH searches a disc for a string of characters and allows editing facilities if the match occurs.

DZAP. Here it is on a plate – direct editing of any sector of a disc, just by typing DZAP.

EDIT offers a simple command to allow function keys to be edited. It conflicts with EDIT in M-UTS (I prefer the use of FLIST as in M-UTS).

FIND searches a Basic program for keywords, strings or characters. Unfortunately, keywords must be entered as hex values. It conflicts with FIND in M-UTS.

FORM formats a disc. One super benefit here is that my system will let me format discs to 43 tracks. Disc Doctor gives me absolute control of the number of tracks formatted, so I get an extra 7k per disc. Conflicts with FORM in M-UTS.

JOIN joins several files together. Really these are best as text files, or at least similarly organised files.

MENU auto-menus discs. Raw users can press M_BREAK to get a menu of a disc, and then load the program of their choice. MOVE relocates a Basic program in memory. Conflicts with MOVE in M-UTS.

MSEARCH searches for memory for a specified string. On finding the string the memory editor will allow users to alter the string if required.

MZAP invokes the memory editor. Both MZAP and DZAP are well laid out on screen, so that locations can be altered by cursor movement and Hex, ASCII or binary input.

PARTLOAD allows part of a long file to be loaded.

RECOVER copies a number of sectors from disc into memory. I normally use this as a last resort before giving up on a disc.

RESTORE replaces the sectors from memory on to a disc.

SHIFT relocates the contents of a block of memory.

SWAP allows up to 60 filenames on a disc. VERIFY, as on M-UTS, with which it conflicts.

I use Disc Doctor regularly and am very impressed with it. M-UTS may win hands down on value for money, but Disc Doctor is a very high quality package. Decide on your own interests, then buy the one which suits.

Disc Doctor costs £29 (plus VAT) from Computer Concepts, 16 Wayside, Chipperfield, Herts.

If I was looking for only two useful ROMs from the lot, I would choose Disc Doctor and Logo-Forth as the most impressive of the selection.

MONITOR 1.40

```

ASSEMBLE <fsp> <fsp>
BASE <addr>
CALC <expr>
CHANGE <addr> <byte string>
CLR <addr>
DIS <strt>(..<end>) (H<prefix>) (P,L)
EDIT <addr>
FLIST (<number>)
FORM <tracks> <drv>
FIND <strt>(..<end>) <byte string>
GET <track> (<drv>)
GO <addr> (<A>) (<X>) (<Y>)
LOOK <addr> (H<prefix>)
MEM <strt>(..<end>) (P,L)
MODE <mode>
MONITOR
MOVE <src> <dest> <len>
ONBRK <command line>
PUT <track> (<drv>)
REGS
SAME <addr> <addr> <len>
SELECT <rom number>
SET <addr>
STEP <addr> (H<prefix>) (P,L)
VDU <byte string>
VERIFY <drv>
WHERE

```

Figure 2. The 27 utilities available on 1M-UTS

ARE YOU SERIOUS?

STOP PRESS—REPLICA II NOW AVAILABLE (NOW COMPATIBLE WITH ACORN, PACE & WATFORD DFS)

In addition to the features below it also works with "locked" programs plus very long programs (HEX & EOO too 7BOO)

REPLICA II and THE KEY give you, the user, what you want. You have bought your disc drives and now want to take advantage of them, but most of your favourite software will not run with the disc interface and even if you are prepared to pay out for disc versions of everything you can't get them and if you have 80 track drives you might as well give up. If you know everything about the DFS, memory locations, saving procedures etc, you can probably save some of them onto disc. What's a half hour per program, and it only takes a few minutes to find, load and relocate it each time (if you can remember the sequence).

On the other hand you could buy REPLICA, enter a few details i.e. 1) program name, 2) number of sections, 3) CHAIN, *RUN or *LOAD 4) press play and then make a cup of tea whilst the program loads from cassette for the last time. When you return the program will be on the disc and shown in a menu under the name you gave it. There are now only two alternative storage methods required and one of them will work with most programs. There are some exceptions to REPLICA II but the number is insignificant. Many users have purchased 4 or 5 copies of REPLICA and it is now the recognised format that dealers use to display their software.

REPLICA II will now hold up to 16 programs on each disc, they can be erased if required and a new batch saved, but why not just buy another REPLICA and keep your programs on disc permanently (it only costs approx. £1.00 per program).

REPLICA II £12.00 (state 40 or 80 track)

ALL SOFTWARE
NOW ON 3" DISC
PHONE FOR PRICES

Ring to check
compatibility if you
are NOT using
Watford, Acorn,
Amcom DFS
**Hotline 0606
48511**

THE KEY

THE KEY provides you with the facilities that should have been included in the Disc Filing System and also helps you reach the parts other discs can't reach. This new version of THE KEY has been made compatible with ECONET at the request of many schools, colleges and universities. The whole program has been turbocharged and the facilities are:

- 1) FORM40 – now much faster.
- 2) FORM80 – now much faster.
- 3) BACKUP – has that effect on some people because it allows even most of the protected discs to be backed up – faster too.
- 4) EDITOR – display, read and alter sectors, even if you can't list the program. Highlight any byte whilst searching, make additional searches, edit bytes – now allows entry in HEX or ASCII and in string format. Dump a sector to printer, file pointers etc etc. You can now see how data is stored on a disc and alter it if you wish. Of course, it's also faster.
- 5) RETRIEVE – don't despair when you have a corrupted disc or if a program is accidentally deleted, using RETRIEVE your worries are over.

With so much from one utility it is no wonder that THE KEY is outselling programs that cost the same but provide far less.

THE KEY £12.95 (state 40 or 80 track)

Available at
larger Boots

GRAFKEY/GRAFDISK

The first and best CAD program for the BBC Micro. Used in education, business, art, video etc. Recommended by LASERBUG, BBC MICRO USER, PCW, SOFT and thousands of satisfied users (see earlier issues of BBC Micro User for screen pictures). In a comparative review of the major CAD programs PCW said: "Considering the options it is by far the best value". Need we say more, if you need a graphics utility then this is it.

GRAFKEY (joystick & keyboard) £9.00

GRAFDISK (state 40 or 80 track) £12.95

SHADOW

A tape cloning program that will enable you to make security back ups of your valuable cassette based software.

SHADOW works with 99% of all known programs including those with "locked" sections or those containing 300 BAUD sections. Handles programs of any length and works with any operating systems.

SHADOW is the definitive tape backup system. Also on the same tape is a very useful program called "INSPECTOR" which allows the user to page through memory, search for a string, etc.
BOTH PROGRAMS £8 incl.

(This program for personal use only).

JOYSTICK UTILITY

Converts non-joystick programs to work with joysticks. Works with any program using INKEY(-), which applies to most programs. Easy to use, just press the keys you want to transfer. Supplied on cassette but can be transferred to disc.

CASSETTE £6.00

Available at
larger Boots

SINGLE KEY ENTRY Requires 1.2 O.S.


A very useful utility that provides single key input of 66 key words. Just like having 66 function keys. Compatible with issue 1 & 2 basic and discs.

CASSETTE £5 inclusive

JOYSTICKS

Pair of fully proportional joysticks of compact and handy size

£17.95



EDUCATIONAL CORNER

(for the 5-11 age group)

THE GARDEN – 3 programs with superb graphics. Covers: colours, spelling and understanding. Cassette £8.00

COUNTING – robots, rockets, flowers, etc. Excellent graphics, good range. Cassette £6.00

MATCHING – 4 programs covering numbers, words, shapes and patterns. Cassette £7.00

HUE-MEN – A superb teaching-aid, using animation techniques in Mode 7. A hit with adults and children alike. Cassette £6.00

And now **SHAPE MEN** using the same techniques. This is the second in an integrated approach to teaching. £6.00

INTRO – A simple programming language which uses the immediate visual response of "Turtle" graphics to introduce a number of programming concepts and techniques. Cassette (and 9 page manual) £10.00

PROGRAMMERS

We are constantly seeking new and interesting programs. Why not send yours for appraisal? You have got nothing to lose but much to gain – So why not send your program today? 40 track disc if possible or two copies on cassette. In some cases we will even provide disc drives against future royalties.

CLARES MICRO SUPPLIES

DEPT. AU.12

98 MIDDLEWICH ROAD, NORTHWICH,
CHESHIRE CW9 7DS.


TEL: (0606) 48511

All prices inclusive of
VAT + Carriage – No Extras.



TIPS

HINTS &



CASSETTE CARE:

HOW TO AVOID A LOAD OF TROUBLE

FOLLOWING last month's hints about overcoming simple faults, I'll continue with my consideration of the weak link of a computer system, the cassette recorder. Cassette recorders were designed as a cheap means of reproducing low-fidelity sound. Used with computers they are stretched to the limit of their performance. As a result, the cassette recorder needs to be well maintained. There are problems that are seldom evident in audio work, but when the cassette is used as a data recorder these can make the difference between loading and not loading. Try the following if your tape recorder is not giving the performance you would like.

Clean the tape heads often. There are two heads on most small cassette recorders, the erase head and the record/replay head (diagram 1). The latter needs regular cleaning, as does the pinchwheel and capstan. To do this, take off the lid above the tape mechanism, if this is possible. This lid can be removed from most cassettes once opened with the eject button by pressing the two restraining clips underneath the lid. Press them gently or they will break. If the lid can be removed, the task of cleaning is easier but removal is not essential. Don't try to take the lid off the Ferguson 3T07 cassette recorder as this has a different restraining mechanism which often breaks when the lid is removed.

Clean the inside of the cassette using a tape cleaning kit or - to save expense - a packet of cotton buds and a tin of lighter fluid. Put the cassette into the PLAY position as this makes the heads easier to get at. Treat the heads gently to avoid scratching them. Also clean any dirt or fluff out of the compartment. Do not use a cleaning tape - this is abrasive and will wear out the heads quickly.

If loading becomes difficult and the cassette has been cleaned, then the tape heads could be out of alignment. To record and replay properly the record/replay head must be positioned parallel to the tape. There is a small cross-head screw, usually covered by a dab of paint, at the left of the record/replay head to make adjustments. Most cassettes have a small hole to enable you to turn this screw while the tape is playing. Its position is shown on diagram 1. Insert a tape into the mechanism and listen to it as it is playing. Turn the screw in either direction with a small screwdriver until the sound is clear and sharp and rather tinny (it is like turning the tone control up). Always use a pre-recorded tape such as the Welcome tape to do this, never a copy.

Readers who have a Ferguson 3T07 will find no hole for the adjustment. There is a hole in the plastic, however, under the

aluminium plate. If you use a sharp instrument over where the hole should be with the head in the play position you will be able to dent the metal easily. Then all you need to do is drill a small hole through the aluminium plate - this is not as difficult as it sounds!

Head alignment is not confined to old cassette recorders. I have found many new data cassettes with badly aligned heads. They can easily go out of alignment and this needs frequent checking for. Has anyone any ideas as to why they go out of alignment once set?

A tape-head demagnetiser is a useful device. As the heads become magnetised, so loading and saving become difficult and you have to keep increasing the volume until it becomes critical. The BBC micro should accept a volume range of more than two-thirds of the total volume range of the recorder. A tape head demagnetiser can be bought at any good electrical shop and is quick and simple to use.

Most cassettes switch off the internal microphone automatically when a DIN plug is inserted into the socket. Check that your cassette does this by talking while making a recording from the computer. Play the tape back and listen for your voice. If you can hear your voice as well as the recording then insert the blanking plug supplied with the machine into the microphone socket to cut out the internal microphone. Hitachi cassettes need this plug; the modified Ferguson cassette and the BBC data cassette do not.

Avoid using C60 and C90 cassettes,

THESE problem pages, presented each month by Martin Phillips, offer simple hints and tips and answer queries from readers concerning the BBC micro and Electron and BBC Basic. If your letter is published you earn £5 for your trouble!

If you have a query on some technical hitch or a worrisome aspect of programming, please supply full details and make your question specific. It is not enough just to say that you are getting the error message 'No room' or 'Dim space' - there are, of course, a number of reasons why a program will run out of memory. A diagnosis can be made only with full information on the program, the style of programming, the techniques employed, whether discs or Econet are being used, and so on. Include a listing where appropriate.

We cannot reply to letters individually, nor can we return listings.

Write to: Hints & Tips, Acorn User, 53 Bedford Square, London WC1B 3DZ.





Diagram 1. The parts of a cassette recorder mechanism

**RING FOR SAMPLE PRINTOUT, FULL SPECIFICATIONS & LATEST PRICES
WE WILL NOT BE BEATEN ON THE PRICE OF STAR OR JUKI PRINTERS**

JUKI 6100 DAISYWHEEL PRINTER



One Year Warranty
18 CPS : BiDirectional & Logic Seeking
10, 12, 15 & Proportional Spacing
Wordstar Compatible
2K Buffer : 13 Inch Platen
Underline : Backspace + Lots more
Centronics Interface Standard
RS 232 Interface £54.00 + VAT Extra
Tractor Feed £99.00 + VAT Extra

JUKI 6100 £365.22 + £54.78 VAT = £420.00

BBC/ORIC or DRAGON Package
JUKI 6100 + Cable +
24HR Delivery & VAT £440.00

STAR DP8480



RS232 INTERFACE STANDARD
7x9 Character Matrix (7 Needle Head)
80 CPS Bidirectional & logic seeking
5,6,8.5,10,12,17 cpi
40,48,68,80,96,132 cpl
Friction & Tractor Feed: 10 Inch Platen
Hi-Res option with Software £10.00/15.00

**DP8480 with RS232 Int. £200.00 +
£30.00 VAT = £230.00**

**Package prices for BBC/Newbrain/Epson HX20
DP8480 + Cable + Hi-Res + 24Hr Delivery &
VAT = £250.00**

SERIAL PRINTER CABLES

BBC to 25 way D type	£9.50
EPSON HX20 to 25 way D type	£9.50
NEWBRAIN to 25 way D type	£12.00
25 way D type to 25 way D type	£15.00

NEW

STAR GEMINI 10X

UPRATED
STAR
DP510



One Year Warranty
True Descenders 9x 9 Matrix
120 CPS Bidirectional & Logic seeking
5,6,8.5,10,12,17 cpi 40,48,68,80,96,136 cpl
Italics, Emphasized, Double strike, Super & Sub Scripts
Hi-Resolution & Block Graphics
Continuous Underline, Backspace
Downloadable Character Set (not 515)
Friction or Tractor Feed
Internal Buffer Expandable to 4K
Centronics Int. Std. RS232 Available

Star Delta 10
160 CPS
Centronics and
RS 232 Int. Std.
8K Buffer
£320 + VAT

GEMINI 10X (10" CARRIAGE)
£250 including VAT

PACKAGE FOR BBC/DRAGON/ORIC
GEMINI 10X + CABLE + DELIVERY
BBC SCREEN DUMP SOFTWARE & VAT

£270 including VAT

STAR DP515 (15" CARRIAGE) £280 Inc VAT.
RING FOR LATEST PRICING

OFFICIAL ACORN DEALER

ACORN ELECTRON	£199.00
BBC Micro Model B	£399.00
BBC Micro Model B with Disc Int	£469.00
Large range of Accessories including Disc Drives, Printers, Monitors always in stock	

Printer Cables

BBC to 36 Way Centronics Type Connector	£15.00
Dragon to 36 Way Centronics Type Connector	£15.00
Oric to 36 Way Centronics Type Connector	£15.00
Torch to 36 Way Centronics Type Connector	£20.00

Blank C15/C30 Cassettes Ten for £4.50 ANY MIX
Send SAE for Full Price List

VAT INCLUDED WHERE APPLICABLE

PHONE/CREDIT CARD ORDERS WELCOME

Postage 50p per order or as stated

24 HR Securicor Delivery for Printers/Disk Drives £8.00
Shop/Workshop Closed Mondays

C.J.E.

Microcomputers

Dept (AU), 78 BRIGHTON RD
WORTHING
W. SUSSEX BN11 2EN
(0903) 213900

```

10 REM listing 1
20 REM version for Basic 2
30 ON ERROR PROCerror
40 PINT"HELLO"
50 END
60
30000 DEFFPROCerror
30010 *FX4,0
30020 VDU22,7
30030 REPORT
30040 PRINT
30050 error$="L." +STR$(ERL)+CHR$10+CHR$13
30060 *FX15,1
30070 FOR I%=1 TO LEN(error$)
30080 A=ASC(MID$(error$,I%,1))
30090 OSCLI("FX138,0,"+STR$(A))
30100 NEXT I%
30110 END

```

Listing 1.

```

10 REM listing 2
20 REM version for Basic 1
30 DIM char 10
40 ON ERROR PROCerror
50 PINT"HELLO"
60 END
70
30000 DEFFPROCerror
30010 *FX4,0
30020 VDU22,7
30030 REPORT
30040 PRINT
30050 error$="L." +STR$(ERL)+CHR$10+CHR$13
30060 *FX15,1
30070 FOR I%=1 TO LEN(error$)
30080 A=ASC(MID$(error$,I%,1))
30090 $char="FX138,0,"+STR$(A)
30092 X% =char MOD 256
30094 Y% =char DIV 256
30096 CALL &FFF7
30100 NEXT I%
30110 END

```

Listing 2.

because with frequent use and rewinding over a small part of the tape it winds unevenly inside the cassette and will slow down or jam. Buy C12 or C15 cassettes instead.

Make a copy of your tapes where possible and keep the originals safe. Most software firms will accept that this does not break the copyright laws — some even advise you to do this. BP Educational programs actually come with a spare cassette label for your copy, and a spare slot in the folder for the cassette.

Magnetic fields will erase tapes over a long period of time. Strong magnetic fields are found near TVs, monitors, loudspeakers and coils of mains wiring, so keep your tapes away from these.

BUFFERS AND BAFFLES

THE BBC micro has proved a reliable computer, but it has a few weaknesses. One weakness appears to be in the cassette port. On some computers, the cassette port buffers have failed, due, it seems, to the cassette lead being removed while the computer is switched on.

This is a long-standing problem that has affected the Beeb since it was first produced. At one time Acorn started to fit the buffer IC in a socket, but they have since stopped this. I must confess I have unplugged my cassette from the computer many times while they are still switched on

with no harm. Has anyone a suggestion as to why it should just affect some computers? Or could it be the individual cassette recorder? The cure is simple — don't connect or disconnect anything while it is still switched on.

Another problem still evident is overheating. This has been made worse on the new machines by the installation of a baffle at the back to stop anything being poked through the ventilation slot. Computers with this baffle get very hot. The addition of Econet, disc interface and the speech chips doesn't help either.

One component that suffers badly here is the disc controller chip. If the computer accesses the disc frequently over a period of time, the disc controller chip gets very hot, and if the ambient temperature is high it can overheat and pack up altogether. It will usually function normally again when it cools down, but not always. A high working temperature will reduce the working life of an integrated circuit.

Mr Lawrence of Colchester has found similar problems with overheating and expresses concern about premature failure due to components running too hot. He has also found program crashes on his computer were due to one of the +5 volt lines reading only 4.7 volts. He suggests a self-help cure for this which involves opening up the power supply. I would strongly advise any readers against opening up the gold-coloured switching mode power supplies. They are very complex and dangerous, as rectified mains voltage can be present in many parts of the power supply. A fault here is a job for the dealer.

OWNING UP

COLIN GRANVILLE of Middlesbrough has written an excellent procedure to help in removing errors from programs that have been typed in. It automatically lists the incorrect line on a clear screen on detection of an error. Include the procedure given in listing 1 or listing 2 at the end of your program, and insert the line

ON ERROR PROCerror


at the start of the program. Readers with Basic 1 will need to use a slightly longer routine as OSCLI is not available in Basic 1, and include the DIM statement at the start of the program:

DIM char 10

Listings 1 and 2 have a test line to show the operation of the procedure.

DIFFERENCES IN DEFAULT VALUES

MR DEAKIN of Warrington has written to suggest that in December 83's article the default value for @% of 10 was incorrect. The exact value can be found by asking the computer to PRINT `@% at switch-on. On a micro with Basic 2 this is &90A, and on a micro with Basic 1 it is &A0A. In the User Guide it says the maximum number of digits that can be printed before reverting to E format is nine. This has been in-



A BBC WORD PROCESSOR TO REALLY TAKE ADVANTAGE OF YOUR DISC DRIVE.

SCRIBE is a word processor which frees the user from the limitations of computer memory. Now it is possible to create a single document with as many pages as the disc will hold. These are automatically swapped between memory and disc at the touch of a key without you even knowing it's happening. This means that your disc is being used in the way it was intended and not just as a fast cassette. Why go to the expense of buying a disc system and then use simple software really only designed for cassette?



The superb features include:

- All functions menu driven - no knowledge of the computer system necessary.
- Edit in 80 column mode (40 optional) see it as it's printed! INCLUDING UNDERLINING.
- Create up to 255 pages, right justify, word wrap, insert, delete, move, copy and centre.
- Edit Basic programs, produce and merge basic and text files.

Plus many, many more professional features.

SCRIBE comes in ROM with five minute fitting instructions, printer utilities on disc and a comprehensive manual. (Currently recommended for Acorn & Watford DFS)

PRICE £59.95 (incl. VAT) (Post and packing 60p)


AVAILABLE SOON - a superb database to integrate with SCRIBE or to stand alone. Create over 2000 records on disc. One record equivalent to a screenful of information. Find any record in 2 seconds. Format printer output using SCRIBE. Link screens etc. etc.

MERLIN DISC DRIVES

ABSOLUTE TOP QUALITY Shinon drives - aluminium chassis, head load light, band stepper motor, silent operation, latest half height dimensions. Guaranteed fully compatible with the BBC.

40 track, double density specification; systems disc containing formatting routine plus ADDBOOK - a superb disc based address book program. Create any size address file up to the maximum capacity of your disc. Also acts as a teaching example on how to write random access files. Comes with a highly comprehensive manual plus all cables and connectors. GUARANTEE ONE YEAR!

PRICE 100K single £182.50 (incl VAT) 200K dual £325.00 (incl VAT)
(Securicor delivery £8.00)



MERLIN REAL TIME CLOCK/CALENDAR

Now - highly accurate time and date continuously available on your BBC - timing not interrupted when computer is switched off.

- Battery backup, connects to user port.
- Resolution 0.1 sec.
- Generates interrupts 1/min, 5 sec, 0.5 sec.
- Handles leap years automatically.
- Day/week calendar, software included for clock display etc.

PRICE £39.95 plus VAT (Post & packing 30p)

S-LOGO

A superbly comprehensive version of this educational asset. This is a graphics version - each instruction controls the movement of a pen on screen. Each program produces a picture.

- Vocabulary of over 50 instructions.
- 20 pre-set shapes (sprites).
- Printer screen dump and Program listing.
- Super editor.
- Colour and scale choice.
- Error diagnosis.
- Use variables.
- Use BASIC expressions.
- Show results of calculations.
- Draw on compass-bearings, colour-fill, draw circles etc.

PRICE £19.95 plus VAT (Post & packing 25p)
Includes full Instruction Manual with Teaching examples.



Merlin Computer Products (Bucon Limited)

35/36 Singleton Street, Swansea, SA1 3QN Tel (0792) 467980 (3 lines)



creased to 10 with Basic 2. Using a value of @% = 10 with Basic 1 works correctly, but not with Basic 2. Here @% = &90A needs to be used to keep the formatting the same as Basic 1.

Listing 3 was supplied by Mr Deakin to demonstrate the difference between the default values. In fact, the program will show a difference on a micro with Basic 2 but not on a micro with Basic 1.

A WORD TO THE WISE

HERE are a couple of simple but useful hints for users of Wordwise. Peter Helsdon of Chelmsford found a problem when trying to underline a centred heading. If the commands

f1 CE f1 OC27,45,1 f2

are used to drive a Star or Epson printer the underline starts at the beginning of the line instead of just under the heading:

HEADING

(f1 and f2 are the function keys for embedded commands).

The answer is to put a pad character between the commands as follows:

f1 CE f2 I f1 OC27,45,1 f2 HEADING f1 OC27,45,0 f2

```
10 REM listing 3
20 FOR A=1 TO 50
30 PRINT A/10
40 NEXT A
```

Listing 3.

It can be a tedious task using Wordwise to locate text accurately in the desired position because the edit and preview modes have a different line-length. The following simple procedure from J Westerman of Leeds expedites matters considerably.

Before entering Wordwise, define one of the function keys (eg, KEY0) as follows:

```
*KEY0"0.....10.....20.....
.30.....40.....50.....60....I
M"
```

When in edit mode, simultaneous pressing of SHIFT, CTRL and f0 will print the scale. It is of most use at the bottom of the page but it can, of course, be printed or deleted as often as desired.

SPACESAVER

KEVIN WRIGHT has come up with a further saving in memory in the user defined function key buffer (see this column, Acorn User, November 83). Instead of entering the Basic keywords in their abbreviated


```
&B00 10 67 67 67 67 67 67 67 67 .....
&B08 67 67 67 67 67 67 67 67 .....
&B10 67 68 22 45 6E 74 65 72 .."Enter
&B18 20 73 74 72 69 6E 67 3A string:
&B20 22 4E 24 3A 50 3D 90 28 "N$;P=..+
&B28 31 3A F5 4E 3D 32 35 36
&B30 2A 50 3F 3D 2B 50 3F 31 *P?0+P?1
&B38 3A 51 3D 50 2B 33 36 50
&B40 3D 50 2B 50 3F 32 3A E7 =P+P?2:.
&B48 A7 24 51 2C 4E 24 29 3E .,$Q,N$)>
&B50 30 F1 4E 3A FD 50 3F 30 0..N..P?0
&B58 3D 26 46 46 3A BB FD 50 =&FF1..P
&B60 3F 3D 26 46 46 C D ?0=&FF-
&B68 10 10 10 10 10 10 10 10 .....
&B70 10 10 10 10 10 10 10 10 .....
&B80 10 10 10 10 10 10 10 10 .....
&B88 10 10 10 10 10 10 10 10 .....
&B90 10 10 10 10 10 10 10 10 .....
&B98 10 10 10 10 10 10 10 10 .....
&BA0 10 10 10 10 10 10 10 10 .....
&BAB 10 10 10 10 10 10 10 10 .....
&BB0 10 10 10 10 10 10 10 10 .....
&BBC 10 10 10 10 10 10 10 10 .....
&BDD 10 10 10 10 10 10 10 10 .....
&BDB 10 10 10 10 10 10 10 10 .....
&BEE 10 10 10 10 10 10 10 10 .....
&BFF 10 10 10 10 10 10 10 10 .....
&BFB 10 10 10 10 10 10 10 10 .....
```

User-defined key buffer dump – compare with those in the November issue.

BINDER BARGAINS

From now until stocks last a free binder will be dispatched to anyone taking out or renewing a year's subscription to *Acorn User*.

Make sure of your free binder by placing an order with BKT (Subscription Services) Ltd at the address shown - enquiries: (0732) 351216.



**ACORN USER BINDERS
AT ONLY £2.50 EACH,
INCLUDING POSTAGE AND PACKING!**

To do justice to the increased size and quality of *Acorn User*, we are completely redesigning our binders.

This means we can now offer you, while stocks last, the existing green simulated leather binders at a very special price.

To get yours, just send a cheque or postal order for £2.50 per binder to:

**Acorn User
BKT (Subscription Services) Ltd
Douglas Road
Tonbridge
Kent TN9 2TS**

Which Disk Drive?


'Which disk drive should I choose for my BBC?...'

'Should I have a single or dual unit?...'

'Can I up-grade a single unit to a dual drive?...'

All these questions and more are now answered by the Microstyle OPTION drive. A system of disk drives designed to be flexible, cost conscious and practical. If you're after a single drive choose 'OPTION 1', however, if you feel that a dual system is really the answer, but might be too costly at present choose 'OPTION 2' now and add the

second drive later. 'OPTION 3' is easily installed within 'OPTION 2's' dual case at any time. As for 'OPTION 4'... well, what can we say? A superb, hi-performance dual disk system designed to expand the horizons of your BBC and to introduce you to a whole new world of computing.




OPTION 1

Single drive

100K 5 1/4" Single Slimline disk drive. Uses BBC power supply. Includes 'utilities disk', all leads and manual.

£185 inc VAT




OPTION 3

Single drive to fit OPTION 2

Additional single slimline disk drive, 100K turns OPTION 2 into 200K dual. (To ensure best possible results we recommend that this mod. is carried out by our own engineers.)

£149.95 inc VAT



OPTION 2


Single drive in dual case

100K 5 1/4" Single Slimline disk drive, in dual case. Complete package includes 'utilities disk', all leads and manual. Own internal power supply.

£245 inc VAT

Specifications

Running Current 12v 350mA
5v 350mA
Half height, single sided, 40 track
Unformatted capacity 250KB
Data transfer rate 250Kbit/sec
Track density 48 IPI
Number of tracks 40
Number of heads 1
Power on to ready 1 sec
Track-to-track access 6msec
Rotational speed 300rpm
Dimensions 41x146x210cm
Direct drive spindle motor
Steel band/stepper head positioning
Head load by closing door
Conventional door (like M2896)
Type: Chinon (competes with TEAC FD 55A etc.)



OPTION 4


Dual drive

200K dual disk drive - complete package, 'utilities disk', all leads, manual. Own internal power supply.

£375 inc VAT



...TAKE THE RISK OUT OF CHOOSING.



Shops: ■ Dealers: •

The network is spreading...

The Microstyle dealer network is growing all the time. Check out the list below for a dealer in your area.

Minehead Radio Ltd
Radiovision House,
Friday Street,
Minehead, Somerset.
Tel: 0643 5077

Microwise
21 Duke Street,
Reading, Berks.
Tel: 0734 591816

Eric Evans
84 Fleet Road,
Fleet, Hants.
Tel: 02514 7625

Frome Computers
21 Fromefield,
Frome, Somerset.
Tel: 0378 66883


Alan Sinclair
6 Church Street,
Basingstoke, Hants.
Tel: 0256 21307

Barbery Computers
89 Victoria Road,
Swindon, Wilts.
Tel: 0793 611487

Bridge Computers
23/25 New Street,
Lymington, Hants.
Tel: 0590 77001

Family Computers
40a Bell Street,
Henley-on-Thames,
Oxon.
Tel: 0491 575744

Trade only enquiries:
If you would like to see your company name featured here, please contact Lyn Farmer on Newbury (0635) 42570 for further details.



Branches:

The Aylesbury Computer Centre
52 Friar's Sq., Aylesbury.
Telephone: Aylesbury (0296) 5124

The Bath Computer Centre
29 Belvedere, Lansdown Road, Bath.
Telephone: Bath (0225) 334659

The Daventry Computer Centre
67 High St., Daventry.
Telephone: Daventry (03272) 78058

The Newbury Computer Centre
47 Cheap Street, Newbury.
Telephone: Newbury (0635) 41929

form, more space can be saved by entering them as the keyword tokens. Kevin has found a neat way of making the Basic interpreter do the work of converting the keywords to their tokens.

Listing 4 shows how any line of Basic can be inserted directly into the buffer using OSCLI. Listing 5 uses the command line interpreter to do the same thing for readers using Basic 1. The procedure scans the Basic program to find the line

number given. It then passes this line to the function key using OSCLI (or the command line interpreter). Note that the key definitions are placed at the end of the programs to ensure they are not executed during normal program running.

Compare this buffer dump with those presented in the earlier article. To make an exact comparison, only KEY0 has been defined. It is now only half as long as the original key definition.

```

10 REM listing 4
20 REM version for Basic 2
30 PROCdefkey(0,2000)
40 PROCdefkey(1,2010)
50 END
60
1000 DEFFPROCdefkey(number,line)
1010 P=PAGE+1
1020 REPEAT
1030 N=256*P?0+P?1
1040 Q=P+3
1050 P=P+P?2
1060 UNTIL N=line
1070 OSCLI ("KEY"+STR$(number)+" "+$0)
1080 ENDPROC
1090
2000 INPUT"Enter
string: "N$:P=PAGE+1:REPEATN=256*P?0+P?
1:Q=P+3:P=P+P?2:IFINSTR ($0,N$)>0
PRINTN:UNTILP?0=&FF:ELSEUNTILP?0=&FF:LIM
2010 MODE7!MLIST!M

```

Listing 4.

```

10 REM listing 5
20 REM version for Basic 1
30 PROCdefkey(0,2000)
40 PROCdefkey(1,2010)
50 END
60
1000 DEFFPROCdefkey(number,line)
1005 DIMC 256
1010 P=PAGE+1
1020 REPEAT
1030 N=256*P?0+P?1
1040 Q=P+3
1050 P=P+P?2
1060 UNTIL N=line
1070 $C="KEY"+STR$(number)+" "+$0
1072 X%=$C MOD 256
1074 Y%=$C DIV 256
1076 CALL &FFF7
1080 ENDPROC
1090
2000 INPUT"Enter
string: "N$:P=PAGE+1:REPEATN=256*P?0+P?
1:Q=P+3:P=P+P?2:IFINSTR ($0,N$)>0
PRINTN:UNTILP?0=&FF:ELSEUNTILP?0=&FF:LIM
2010 MODE7!MLIST!M

```

Listing 5.

LORDS OF TIME

Joins our range of acclaimed pure-text puzzle adventures, at £9.90, for:

BBC 32K COMMODORE 64 SPECTRUM 48K LYNX 48K NASCOM 32K ORIC 48K ATARI 32K

ADVENTURE REVIEWS

"Adventures which have a fast response time, are spectacular in the amount of detail and number of locations, and are available to cassette owners... I am extremely impressed... The Level 9 Adventures are superbly designed and programmed, the contents first rate. The implementation of Colossal Cave (Adventure) is nothing short of brilliant; rush out and buy it. While you're at it, buy their others too. Simply smashing!"

- SOFT, Sept 83

"I found Dungeon exceedingly well planned and written, with a fast response. There are well over 200 locations and the descriptions are both lengthy and interesting. The objects number about 100. It could therefore take some months to explore the whole network, giving many hours of enjoyment in the process."

- C&VG, Sept 83

"The descriptions are so good that few players could fail to be ensnared by the realism of the mythical worlds where they are the hero or heroine... great fun to play."

- Which Micro?, Aug 83

"My appetite has been whetted and I intend to get my own copy (of Snowball) to play."

- What Micro?, Dec 83

MIDDLE EARTH ADVENTURES

1: COLOSSAL ADVENTURE

A complete, full size version of the classic mainframe game "Adventure" with 70 bonus locations added.

2: ADVENTURE QUEST

Centuries have passed since the time of Colossal Adventure and evil armies have invaded The Land. The way is long and dangerous, but with cunning you can overcome all obstacles on the way to the Black Tower, source of their demonic power, and destroy it.

3: DUNGEON ADVENTURE

The trilogy is completed by this superb adventure, set in the Dungeons beneath the shattered Black Tower. A sense of humour is essential!

THE FIRST SILICON DREAM ADVENTURE

1: SNOWBALL

The first of Pete Austin's second trilogy. The giant colony starship, Snowball 9, has been sabotaged and is heading for the sun in this massive game with 7000 locations.



ADVENTURE REVIEWS

"This has to be the bargain of the year. If adventures are your game then this (Colossal Adventure) is your adventure."

- HCW, 5 Sept 83

"Colossal Adventure is simply superb. Anyone who wishes to use adventures in an educational setting really must use and see this program as it emulates Crowther and Wood's masterpiece so well. For those who wish to move onto another adventure of similar high quality, Dungeon Adventure is to be recommended. With more than 200 locations, 700 messages and 100 objects it will tease and delight!"

- Educational Computing, Nov 83

Colossal Adventure is included in Practical Computing's Top 10 games choice: "Poetic, moving and tough as hell."

- PC, Dec 83

"To sum up, Adventure Quest is a wonderful program, fast, exciting and challenging. If you like adventures then this one is for you"

- NILUG #1.3

"Colossal Adventure... For once here's a program that lives up to its name... a masterful feat. Thoroughly recommended"

- Computer Choice, Dec 83

"wholly admirable"

- Your Computer, Sept 83

THE LORDS OF TIME SAGA

7: LORDS OF TIME

Our congratulations to Sue Gazzard for her super design for this new time travel adventure through the ages of world history. Chill to the Ice-age, go roamin' with Caesar's legions, shed light on the Dark Ages etc. etc. We'll be selling this game mail-order from January 1st.

Price: £9.90 each (inclusive)

Level 9 adventures are available from good computer shops, or mail-order from us at no extra charge. Please send order, or SAE for catalogue, to:

LEVEL 9 COMPUTING

Dept A, 229 Hughenden Road, High Wycombe, Bucks HP13 5PG

Please describe your Computer

DISC TO TAPE TRANSFER by George Hill

A LETTER from Malcolm Andrews in the January issue of *Acorn User*, combined with my own needs, prompted program 2, the disc-to-tape copier.

Mr Andrews' need was for a method of transferring his disc programs to tape for backup purposes. Mine was to transfer chosen programs from disc to tape to send them in to the editor in an inexpensive and universally accessible form (he has 40-track discs, I have 80-track).

I followed Mr Andrews' suggestion and re-read Uncle Joe's 'Daring Deeds with Discs' article in the September 1983 issue. I modified his memory peeking program slightly, so that it gives a mode 3 screen version of any 'page' of memory. This is program 1.

I found the results of *CAT very inconvenient to use for copying purposes, as it replaces the \$ directory by the space character. I used *INFO ** instead. To see the difference between the two commands, load "PEEKMEM" (program 1), then type:

```
*CAT<CR>
RUN<CR>
```

and respond E00 to the prompt for a starting address.

You will see a copy of the catalogue in alphabetical order, but with bit 7 of the first letter of each file set (see Joe Telford's article for more detail). Thus the first letter of each filename has to be fiddled with before it can be displayed. Also the directory letters of the files are altered, so that \$ (ASCII 24) is replaced by space (ASCII 20). Also the directory letter of files in the current directory has bit 7 set.

Now repeat the process using *INFO ** in place of the *CAT command. The directory is now in correct ASCII form.

In *INFO the directory letter has bit 7 set if the file is locked. Thus the commonest directory letter \$ (ASCII 24) appears with bit 7 set (A4 instead of 24) on locked files. This must be corrected before display, but some fiddling with the directory letter is necessary anyway. An undesirable side-effect is that the files are not in alphabetical order when displayed this way, but in the order in which they are filed on the disc.


The program works as follows:

1. The user is asked whether he/she wants duplicate copies of each file (the editor likes two copies, in case of accidents, or bad tape blocks).
2. An invisible *INFO ** command is issued (hidden by *FX3,2), and the catalogue information is listed on the screen, with a number (1 to 31) for each file. PROCdisplay_cat does this.
- 3.) The files are chosen by number, and will be saved in the order in which they are chosen. The files to be transferred are marked by a colour change (no attempt is

made to stop you from choosing the same file twice). Typing ALL carries out a complete disc dump. This is all done in PROCchoose_files.

4. Each file in turn is transferred into a 'buffer' area (the whole of memory from &3000 to &7C00). OSFILE is called with A%=&FF and bytes 3 to 6 of the control block pointing to address &3000. This *LOADS the file at &3000, and transfers the load and execution addresses and the file length into the control block at the same time. It is now possible to calculate the start (&3000) and end (&3000 + length) addresses for saving and put them in the correct places in the control block. *TAPE transfers control to the tape filing system. *OPT1,0 has been selected previously, so no messages are issued, and transfer proceeds without user-intervention. A call to OSFILE with A%=0 saves the file on tape, with the original load and execution addresses preserved. This is accomplished in PROCTransfer_files. Note that files with \$ directories are saved on tape without any directory letter, files with blank

page 67 ►



IAN BIRNBAUM has, due to pressure of work, had to resign his position as 'chairman' of Beeb Forum - and he's a difficult man to replace! George Hill hosts this month's pages, and it is our aim to invite guest experts from various areas. Our thanks go to Ian for his work during the past year in establishing the Forum as an unrivalled magazine feature. Keep the ideas - original or building on other Forums - coming, and remember, at least £5 is paid for everything printed.

PASSING ARRAYS THE SIMPLE WAY

£5

THERE is a much simpler way of passing arrays to procedures than those described in the July (page 44) and November (page 61) issues by Robin Newman. Like Robin, I wished to handle matrices in 3D transformations for perspective displays. The example (program 13) is of lines taken from a graphics program and shows how we can pass two 4×4 matrices A and B to a multiplication procedure, and return the product C.

The trick is that, instead of dimensioning three separate 4×4 matrices, we define a $4 \times 4 \times 3$ matrix, in which the third dimension acts as an identifying digit: this is at line 70 in the example, and as usual dimensions are numbered starting from 0. The identifying digits are passed to the procedure in the usual way (as A,B,C in this example), and select the appropriate matrix as the last number of the array element identification, as Q(I,K,A) in line 2780, for example. This is possible on the BBC micro because it has no limit on the number of dimensions of an array (*User Guide*, page 236). There is one restriction in the procedure shown - you cannot write PROCMULT(A,B,A) to give an analogous result to $A = A \cdot B$.

The details of the matrix multiplication are adapted from program 6.4 of Ian O Angell's book *A Practical Introduction to Computer Graphics* (Macmillan, 1981). To avoid excessive use of memory (which tends to be in short supply with 3D graphics), it is easy to re-use the identifying

digits, for example:

```
[Define Q(X,Y,0)]
[Define Q(X,Y,1)]
PROCMULT(0,1,2) – puts the product in
Q(X,Y,2)
[Redefine Q(X,Y,0)]
PROCMULT(2,0,1) – puts the new pro-
duct in Q(X,Y,1)
```

The basic limitation of this method is that identification can only be by integer numbers, not names: but this seems a reasonable sacrifice to accept in return for simplification.

Nigel Balchin
Cambridge

```
70DIM Q(3,3,2)
.....
2700DEFPROCMULT(A,B,C)
2710REM 4X4 MATRIX PRODUCT
2720REM ANGELL 6.4
2730LOCAL I,J,K,D
2740FOR I=0 TO 3
2750FOR J=0 TO 3
2760D=0
2770FOR K=0 TO 3
2780D=D+Q(I,K,A)*Q(K,J,B)
2790NEXT K
2800Q(I,J,C)=D
2810NEXT J
2820NEXT I
2830ENDPROC
```

Program 3. Passing arrays to procedures.

GCC are gaining respect as one of the country's leading outlets for the BBC micro and compatible peripherals

BBC MODEL 'B'	£399.00	Printers	£251.85
BBC DISC INTERFACE KIT	£ 78.77	STAR 510 80 col	£277.15
A-B UPGRADE	£ 70.00	STAR 515 132 col	£256.75
Z80 2nd PROCESSOR WITH SOFTWARE	£431.00	SHINWA CP80	£256.75
GCC ROMEX 13 (Rom expansion)	£ 45.94	NEC PL 8032-C	£ 9.57
GCC EPROM PROGRAMMER FOR BBC	POA	Printer Cable for BBC	£437.00
BEEBASE (Data Base Rom)	£ 45.94	JUKI 6100 (Daisy-wheel)	£407.00
WORDWISE	£ 44.85	EPSOM FX80	
PASCAL ROM	£ 67.85		
FORTH ROM	£ 39.93		
 TEAC Slim-line			
Disc Drives			
GCC 55A 100K	£160.00	Sinclair Computers	£ 99.95
GCC 200K (ultra-slim)	£199.00	ZX Spectrum 16K	£129.95
GCC 55F 400K	£246.00	ZX Spectrum 48K	£ 39.95
GCC 55A2 200K (dual)	£325.00	ZX Printer	
GCC 55F2 800K (dual)	£505.00	 Other Products	
GCC 55A2 + PSU 200K (40/80 Switchable)	£345.00	TORCH Z80 Disc Pack	£839.50
GCC 55F2 + PSU 800K (40/80 Switchable)	£575.00	APPLE EPROM BLOWER	£ 86.25
Disc drive cables single	£ 12.00	GRAPH PAD	£143.75
Disc drive cables dual	£ 14.00	LIGHT PEN for BBC	POA
		 STOCK SUBJECT TO PRIOR SALE	
		ALL PRICES INCLUDE VAT.	

Trade and local authority enquiries welcome.
Prices correct at time of going to press.



GCC (Cambridge) Limited
66 High Street, Sawston, Cambridge CB2 4BG
Telephone: Cambridge (0223) 835330

◀ from page 65

directories are saved with the name beginning with ':', whereas other directory letters are preserved.

5. The process is repeated until transfer is complete, or until ESCAPE is pressed (or any fatal error occurs), when the tape filing system is converted back to its normal state, and the disc filing system reselected.

Files stored on disc, although 'correctly' transferred to tape, are not readable by BGET#, as no interblock gaps are inserted (at least, I think that is the reason).

As the catalogue is read from page E (&0E00 to &0EFF), this method is not, apparently, compatible with the Watford DFS.

The transfer program will not handle files exceeding &4000 in length.

program 2 on page 69 ►

£10 ECONET SPOILS THE GAME

IN THE school where I teach most of the BBC computers are fitted with the Econet interface, and we use the network fairly extensively. One problem which pupils have complained about is that many commercial games packages that are loaded into the computers by tape after selecting *TAPE and setting PAGE to &E00 are inclined to crash. I have investigated this problem, which does not occur when the same thing is tried on a machine fitted with a disk interface but no Econet interface, and believe I have found the solution, which I now offer to others who may have been frustrated by this problem.

```

10 REM FEEMEM
20 REM MODIFIED FROM JOE'S DISK WORKS
FACE EXAMINER
30 MODE3
40 VDU14
50 REPEAT
60 INPUT "INPUT start address. (RETURN
for next page) "a$
70 IF LEFT$(a$,1)<>"&" a$="&0"+a$
80 a=EVAL(a$)
90 IF a<>0 THEN start=a
100 FOR line=1 TO 32
110 PRINT:"start;" ";
120 FOR linepos=0 TO 7
130 content=linepos?start
140 IF content<>10 THEN PRINT"0";
150 PRINT:~content;" ";
160 NEXT
170 PRINT" ";
180 FOR linepos=0 TO 7
190 content=linepos?start
200 ascii=(content>31 AND content<127)
210 IF ascii THEN PRINTCHR$content: EL
SE PRINT"";
220 NEXT
230 PRINT
240 start=start+8
250 NEXT
260 PRINT
270 UNTIL FALSE
280 END

```

Program 1. A mode 3 screen version of any page

The problem occurs because some games programs make use of locations below &E00, and in particular use page &D00. This page is normally reserved for disc or Econet NMI routines, and for a table of extended vectors which point into the ROM selected for the current filing system. (Full details of these vectors are given in the excellent *Advanced Users Guide* recently published by Cambridge Micro Centre.) The tape filing system does not make use of these vectors, and so program writers have assumed that it is OK to make use of this page when *TAPE is selected. However, the Econet ROM does maintain one vector here even when it is not selected.

If this vector is corrupted, the program will crash when the vector is accessed. Unfortunately, it appears that the vector is accessed whenever the return key is

pushed in response to an input command, even if the machine is disconnected from a network. This can be shown by typing in program 5. More details of the use of this vector are given on page 260 of the *Advanced User Guide*.

However, there is a solution, which is effectively to disconnect this Econet extended vector.

In common with most filing system routines (eg, OSFILE, OSARGS, etc) this extended vector is not reached directly but via a defined vector, NETV, which is located at &224 and &225. On a non-Econet machine this vector contains &FFA6 (&A6 in &224, and &FF in &225), which points to an RTS instruction in the OS ROM. When the Econet interface is present it is altered to &FF36: ie, &224 changes from &A6 to &36. You have to alter the contents of this vector by typing ?&224=&A6 before loading the program from tape and running it. The vector can be reset afterwards by control break.

It is advisable to disconnect any machine running such games software while the program is running, as data packets received via the network may cause the machine to crash.

Type in the program and run it. Thereafter, whenever the return key is pushed in answer to an input prompt from Basic, or to terminate an input command to a program, the speaker will beep, showing that the vector at &224 (NETV) has been accessed.

The program works by redirecting the vector to point to the code at the label start. This first saves all the 6502 registers on the stack, and then outputs a beep (VDU 7), before restoring the registers from the stack and jumping to wherever the vector pointed originally. This works even if *TAPE or *DISC is selected, showing that the vector is still active. You should select the required filing system before running the program.

Robin Newman
Peterborough

```

10 REM VECTOR: demonstrates the
20 REM pervading effect of the Econet
30 REM vector at &224,&225!
40 REM
50 REM Push BREAK to reset
60 vec=&224:vecold=&70:oswrch=&FFEE
70 DIM code 50
80 FOR Z%=0 TO 2 STEP 2
90 P%=code
100 LOPZ%
110 LDA vec:STA vecold:LDA vec+1:STA vecold+1
120 LDA#start MOD256:STA vec:LDA #start DIV256:STA vec+1
130 RTS
140 .start PHP:PHA:TXA:PHA:TYA:PHA
150 LDA#7:JSR oswrch
160 PLA:TAY:PLA:TAX:PLA:PLP
170 JMP(vecold)
180 J:NEXT
190 CALL code
200 PRINT"Now that the program is running"
210 INPUT"type in any input..."A$
220 PRINT"The beep shows the vector was used!"

```

Program 4.

**BEEB
UG**

BEEBUG FOR THE BBC MICRO

DEVOTED EXCLUSIVELY TO THE BBC MICRO

MEMBERSHIP NOW EXCEEDS 20,000 MEMBERS BRITAIN'S LARGEST COMPUTER USER GROUP

20,000 members can't be wrong—BEEBUG provides the best support for the BBC Micro. BEEBUG Magazine—NOW 64 PAGES devoted exclusively to the BBC Micro.



Programs—Hints & Tips—Major Articles—News—Reviews—Commentary.

PLUS members discount scheme with National Retailers. PLUS members Software Library.


10 Magazines a year. First issue April 1982. Reprints of all issues available to members.

SCREEN SHOTS FROM PROGRAMS IN BEEBUG

ILLUSIONS
October 1983




MUNCHMAN
October 1983




3D SURFACES
October 1983



CHEQUERBOARD
Dec 1983



SPIDERS WEB
Aug/Sept 1983



COMPUTER AIDED DESIGN
PROGRAMME
Dec 1983

Magazine programs now available on cassette at £3.50 inc: VAT & p&p—see BEEBUG magazine for details.

October Issue: Games: *Munch-man*, a Snapper type game with super graphics, *Illusions* graphics and sound you won't believe. A versatile *Renumber* program for Basic, *Fabric Patterns*, an invisible *Alarm Clock*, Disc Sector *String Search* and a program for drawing *3D Surfaces*. Articles on the *Teletext Mode* for beginners, *Compilers and Interpreters*, using Joysticks, using the *Speech Synthesizer* and more. Reviews of two *Cassette Recorders* (Marantz Superscope C190 and Acorn Data Recorder), three *Printers* (NEC pc-8023B, STAR DP840 and CP-80), and lots of new games software (and we've arranged **SPECIAL OFFERS** for members). Plus a review of the new *Acorn Electron* and news of our new magazine for Electron users called *ORBIT*. Plus all our usual features like Hints and Tips, Postbag, and a new Brainteaser.

November Issue: Program Features: *Reversi*, a challenging board game, *Lunar Escape*, an addictive arcade type game, *SNARFER*, a very useful disc recovery program, *SHAPER* for defining multiple character shapes, *RAPIDS*, another short game, *DEMOLITION*, a sizzling display with matching sound effects. Plus articles on a *Clock Display*, the *Teletext Mode* (part 2 of a series), an Introduction to *Interrupt Programming*, a new *Mode 8* and The Beeb in Slow Motion. Plus Extension ROM Board Reviews, Games Reviews, Book Reviews, M-TEC Torch Basic Review. Plus News, Hints and a new Competition.

December issue: Program Features: *Killer Dice* game, *Galactic Invasion*, a fast moving space invasion game, *LINK*, a very useful disc utility for program development, *ASTAAD*, a really excellent program for Computer Aided Design, the *Percussion Machine*, moving *Chequer Board* display, *Screen Freezer*, a routine to freeze your favourite game in mid-play, and a musical rendering of the *Twelve Days of Christmas* to add a seasonal flavour. Plus articles on the *Teletext Mode* (part 3) and *Fitting an External Speaker*. Plus Disc Drive Reviews, Book Reviews, Hints and Tips.

Jan/Feb issue: Program Features: *Block Blitz*, an excellent arcade style game, *A Disassembler* for the BBC micro, the *Ray Box* game to test your powers of deduction, *Large Digital Displays in Mode 7*, *Dancing Lines*, an interesting visual demonstration of random numbers. Plus articles on *Machine Code Graphics*, the first of an introductory series, *Teletext Mode* (Part 4) with a set of useful procedures, *Protecting your own programs*, and an *Introduction to forth*. Plus reviews of *Double Density Disk Controllers*, *Graphics Tablets*, new *Software*, *Product news*, Post bag, Hints and Tips.

BEEBUGSOFT: BEEBUG SOFTWARE LIBRARY
offers members a growing range of software from £3.50 per cassette.

BEEBUG NEW OPERATING SYSTEM OFFER

BEEBUG members can now obtain the new **1.2 OPERATING SYSTEM ROM** at around **HALF PRICE**
As a result of BEEBUG negotiations with Acorn the ROM now may also be offered by other user groups to their members.

1. Starfire (32K)
2. Moonlander (16K)
3. 3D Noughts and Crosses (32K)
4. Shape Match (16K)
5. Mindbender (16K)
6. Magic Eel (32K)
7. Cylon Attack (32K)
8. Astro-Tracker (32K)

Utilities: 1. Disassembler (16K)

Redefine (16K)

Mini Text Ed (32K)

Applications: 1. Superplot (32K)

2. Masterfile (32K)

13% DISCOUNT TO MEMBERS ON THE EXCELLENT WORDWISE WORD PROCESSING PACKAGE—THIS REPRESENTS A SAVING OF OVER £5.00.

Send £1.00 & SAE for Sample

Membership: UK £5.40 for six months, £9.90 for one year.

Overseas one year only: Europe £16.00, Middle East £19.00, Americas & Africa £21.00, Other Countries £23.00
Make cheque to BEEBUG and send to: BEEBUG Dept 13, PO Box 109 Baker St, High Wycombe, Bucks HP11 2TD

Send editorial material to: The Editor, BEEBUG, PO BOX 50, St. Albans, Herts AL1 2AR

◀ from page 67 Program 2. Disc-to-tape copier

```

10 REM D_T
20 REM DISC TO TAPE COPIER
30 REM G.E.HILL (c) JANUARY 1984
40
50 MODE7
60 HIMEM=&3000
70 ON ERROR REPORT:PRINT" at line ";E
RL:GOTO 140
80
90 PROCset_up
100 PROConce_or_two
110 PROCdisplay_cat
120 PROCchoose_files
130 PROCtrtransfer_files
140 *TAPE
150 *OPT1,1
160 *DISC
170 END
180
190 REM *** PROCEDURES ***
200
210 DEFFPROCone_or_two
220 PRINTTAB(0,3)"One copy of each fil
e, or two??" "Type 1 or 2 ";
230 REPEAT:Z=GET:UNTIL Z=49 OR Z=50
240 IF Z=50 THEN two_copies=TRUE ELSE
two_copies=FALSE
250 CLS
260 ENDPROC
270
280 DEFFPROCset_up
290 *TAPE
300 *OPT 1,0
310 *DISC
320 DIM N(31)
330 DIM block 17
340 DIM name 8
350 X%=block MOD 256
360 Y%=block DIV 256
370 block?0=name MOD 256
380 block?1=name DIV 256
390 osfile=&FFDD
400 buffer=HIMEM
410 ENDPROC
420
430 DEFFPROCdisplay_cat
440 *FX3,2
450 *INFO **.
460 *FX3,0
470 file_number=0
480 REPEAT
490 file_number=file_number+1
500 name_start=&E00+8*file_number
510 end_of_cat=(?name_start=0 OR file_
number=32)
520 IF NOT end_of_cat THEN PROCdecode_
name(file_number):PROCprint_name(file_nu
mber,FALSE)
530 UNTIL end_of_cat
540 number_of_files=file_number-1
550 ENDPROC
560
570 DEFFPROCdecode_name(fn)
580 dir=?(&E07+8*fn)
590 dir=dir AND &7F
600 N$=CHR$dir+"."
610 name_start=&E00+8*fn
620 FOR n=0 TO 6
630 ch$=CHR$(name_start?n)
640 IF ch$<>" " THEN N$=N$+ch$
650 NEXT
660 ENDPROC
670
680 DEFFPROCprint_name(fn,save_it)
690 x=20*((fn-1) DIV 16)+1
700 y=1+((fn-1) MOD 16)
710 IF save_it THEN PRINTTAB(x-1,y);CH
R$131;TAB(x+15,y);CHR$135 ELSE PRINTTAB(
x,y);N$;TAB(x+11,y);fn
720 ENDPROC

```

```

730
740 DEFFPROCchoose_files
750 *FX15,1
760 LOCAL I
770 PRINTTAB(0,18);"Type in the number
of the files you""wish to transfer to
tape."
780 PRINTTAB(0,20);"Type ALL for compl
ete disc save""and press RETURN to star
t transfer."
790 I=0
800 REPEAT
810 number_to_save=I
820 I=I+1
830 INPUTTAB(0,22)file_number$
840 IF file_number$="ALL" THEN PROCall
850 file_number=VALfile_number$
860 done=(file_number=0)
870 OK=(file_number>0 AND file_number
<number_of_files)
880 PRINTTAB(0,22) "
890 IF NOT OK THEN VDU7:GOTO 830
900 IF NOT done THEN N(I)=file_number:
PROCprint_name(file_number,TRUE)
910 UNTIL done
920 ENDPROC
930
940 DEFFPROCcall
950 FOR I=1 TO number_of_files
960 N(I)=I
970 NEXT
980 number_to_save=number_of_files
990 ENDPROC
1000
1010 DEFFPROCtransfer_files
1020 LOCAL I
1030 CLS
1040 IF number_to_save=0 THEN PRINTTAB(
0,3)"Silly - can't transfer no files!":E
NDPROC
1050 PRINTTAB(0,3)"Press RECORD then RE
TURN"
1060 REPEAT:UNTIL GET=13
1070 FOR I=1 TO number_to_save
1080 CLS
1090 PRINTTAB(0,3);number_to_save;" fil
es to transfer - now on number ";I
1100 PROCdecode_name(N(I))
1110 *DISC
1120 IF LEFT$(N$,1)="$" OR LEFT$(N$,1)=
" " THEN save_name$=RIGHT$(N$.LEN(N$)-2)
ELSE save_name$=N$
1130 IF LEFT$(N$,1)=" " THEN save_name$=
"."+save_name$
1140 $name=N$+CHR$13
1150 A%=&FF
1160 block!2=buffer
1170 block?6=0
1180 PRINTTAB(3,6);CHR$131;"LOADING "
:CHR$135;N$:CHR$131;" FROM DISC
1190 CALLosfile
1200 *TAPE
1210 $name=save_name$+CHR$13
1220 block!&OE=(buffer+block!&OA)
1230 block!&OA=buffer
1240 A%=0
1250 PRINTTAB(8,6);"ED AS"
1260 PRINTTAB(3,8);CHR$134;"SAVING AS "
:CHR$135;save_name$:CHR$134;" ON TAPE
"
1270 IF two_copies THEN PRINTTAB(3,10)".
First copy "
1280 CALLosfile
1290 IF two_copies THEN PRINTTAB(3,10)".
Second copy":CALLosfile
1300 NEXT
1310 CLS
1320 PRINTTAB(0,3);CHR$133;"TRANSFER CO
MPLETE";CHR$133;"Press";CHR$135;"STOP"
:CHR$133;"button."
1330 ENDPROC

```

BBC
32K

AS SEEN
ON TV

FINANCIAL GAMES

'Three great games, enjoyed by thousands of BBC owners throughout the world'

Join them – don't delay order today.

GREAT BRITAIN LIMITED – £5.95

Ever thought you could run the country better?

Here is your chance!

As Prime Minister and Chancellor (of the party of your choice), you have to guide the country through its social and economic ills for 5 years, then put yourself up for re-election.

"Great Britain Ltd is easily as exciting and certainly more satisfying than any game of space invaders" – Micro User.

"A must for all budding politicians" – Computer Answers.

"Thoroughly enjoyable and worthwhile decision making activity and as such can be thoroughly recommended" – Educational Computing.

"Highly enjoyable" – Acorn User.

"A dream for Megalomaniacs" – Micro Update.

INHERITANCE – £5.95

Have you ever wondered what you'd do if you came into some money? Would you be able to invest it and watch it grow, or maybe start a small business and become a millionaire. With Inheritance you have the chance to find out.

"A great game, really two games for the price of one" – Micro User.

"Well presented and good value for money" – Personal Computer World.

WORLD TRAVEL GAME – £6.95

A game for 1 or 2 players. Rush around the world collecting souvenirs.

Keep your head and try to avoid Hijacks, Strikes, Thieves, Cash shortages, Bankruptcies, Bad Weather etc.

"Exciting, competitive and even educational – not to be missed"

ALL THREE GAMES NOW AVAILABLE IN A SPECIAL PRESENTATION
PACK – AN IDEAL GIFT

£17.95 complete

Available from your local computer shop or by 24hr despatch from:-

SIMON W. HESSEL SOFTWARE

(Dept. A), 15 Lytham Court, Sunninghill, Berkshire.
Telephone: Ascot 25179

Please add 30p P&P on orders for single games – UNLIMITED GUARANTEE.

Dealers – Reserve your Christmas stocks NOW.

Schools and Education Authorities – special deals on multiple orders.

THROUGH THE SOUND BARRIER

Commander Bruce Smith gives the order for some special effects that will make your bold interstellar exploits go with a bang

WHAT interstellar venture would be complete without at least a few reverberations on the Beeb's internal speaker as a Photon torpedo slides away from the SS *Hermaria*, devastating the Sinclairian fighter winking in the distance of the mode 4 screen? And all starships need to warp into hyperspace at some time, so a whoosh or two is an absolute must.

How do we go about producing these much sought after effects? The most obvious way is to use Basic's versatile SOUND and ENVELOPE commands, but at some stage you'll want to use the mnemonic assembler to create special super-fast graphics effects not possible within the constraints of an interpreted language – even one as fast as the BBC micro's Basic. So in this article we'll examine how to produce these two Basic commands in machine code.

To make life easier two OSWORD calls are included in the MOS to enable us to generate a sound and define an envelope. To select the appropriate call, the accumulator must contain the correct OSWORD call code, 7 for SOUND and 8 for ENVELOPE. The X and Y registers should

contain the low and high bytes respectively of the address of a parameter block which contains all the information required by either routine.

To generate a sound the OSWORD routine expects to find eight data bytes in the parameter block, which it treats as four double-byte values, giving:

Byte 0 – Channel	low byte
Byte 1 – Channel	high byte
Byte 2 – Amplitude	low byte
Byte 3 – Amplitude	high byte
Byte 4 – Pitch	low byte
Byte 5 – Pitch	high byte
Byte 6 – Duration	low byte
Byte 7 – Duration	high byte

If you are familiar with the SOUND statement you will realise that these parameters are similar to those used in Basic and you may not be surprised to learn that exactly the same effect is produced. Consider the statement SOUND 1,-15,100,20. To produce this in machine code we need only place the relative bytes, as two-byte numbers, into the parameter block and perform the OSWORD call. The only awkward point here is the representation of -15 as a two-

byte value. To do this we need to obtain its 'two's complement' value, which is the usual way of writing a negative number in binary form. First write 15 as a two-byte binary number, invert all the bits and then add 1 to derive the two's complement:

15	00000000 00001111
invert the bits	11111111 11110000

now add 1 to this value to get the two's complement

11111111 11110000
+ 00000000 00000001

-15	11111111 11110001
-----	-------------------

Converting this to hex we have &FFF1. Program 1 produces the sound defined above. A macro has been used in lines 60 to 110 to generate the necessary code. Basic's MOD and DIV functions are used to obtain the low- and high-byte address of the parameter block that is placed into the index registers. Note the use of the hash '#' to indicate immediate addressing in lines 80, 140 and 150; this is quite often omitted and a frequent cause of frustration during debugging.

An envelope can be defined in a similar manner. However the parameter block should now be 14 bytes long, containing all the usual information required by a Basic ENVELOPE definition, and again a macro can be incorporated into the program to assemble the machine code. Programs 2, 3 and 4 illustrate the technique.

Now for some useful routines that you might incorporate into your own programs. Program 2 provides *Defender*-type laser fire when run. The envelope definition is taken care of by lines 80 to 240. The envelope data is incorporated into the DATA statement of line 240 and is the direct Basic equivalent of:

ENVELOPE 1,129,-15,-8,-3,10,10,10,
126,0,0,-126,126,126

As before, the negative values -15, -8, -3 and -126 are represented as single byte two's complement values. On running, a zap will be provided every time a key is pressed. By incorporating an OSBYTE &81 call – more affectionately known as INKEY in Basic – a particular key can be detected and used to act as a fire button.

Program 3 provides a blast-off or hyper-drive sort of sound. The program is similar in many respects to program 2 for ENVELOPE and SOUND definitions. In this instance, however, the third SOUND parameter defining the note's pitch is incremented inside a loop (lines 400 to 460) to produce the increasing roar of the Starship's engines. By rearranging the loop to provide a decrementing pitch the craft can be made to land.

Program 4 is an absolute must and has probably been used on more space-orientated games than any other tunes – if you can't guess what it is from the introductory REM statements then I'm certain you'll recognise the tune itself. Good hunting! ●

Program 1.

```

10 REM ** SOUND 1,-15,100,20 ***
20 osword=&FFF1
30 Parameter=&70
40 P%=&1800
50 C.sound :J : REM mark start of code
60 FOR loop=0 TO 7
70 READ byte
80 C lda #byte          \ get read byte
90   sta Parameter+loop \ and save it
100 J
110 NEXT loop
120 C \ set up osword call
130   lda #7      \ osword call is number 7
140   ldx #Parameter MOD 256
150   ldy #Parameter DIV 256
160   JMP osword \ call osword and back to BASIC
170 J
180 DATA 1,0,&F1,&FF,100,0,20,0
190 REM 1, -15, 100, 20
200 CALL sound

```

Electronequip

in
Hampshire


SPECIAL OFFERS

PHONE FOR DETAILS

"We would like to apologise for any confusion that arose from our December advertisements. The BBC B's were sold at full price with £20.00 in discount vouchers redeemable against future purchases."

Authorised BBC Dealer & Service Centre


NORDMENDE




14" TV/Monitor £217.00 + VAT

Ref.	Monitors	Ex VAT	Inc VAT
MNB1401	BMC 1401 Colour Monitor	225.00	258.75
MNCE370A	Cable CE 370A Colour RGB Monitor	199.00	228.85
MNKVIS2	Kaga 12" RGB Monitor Vision II (Medium)	285.00	327.75
MNKVIS3	Kaga 12" RGB Monitor Vision III (Hi)	399.00	458.85
MNM1431	Microvitec 1431 14" Colour Monitor (BBC)	215.00	247.25
MNM1441	Microvitec 1441 High Res 14" BBC Monitor	440.00	506.00
MNM1451	Microvitec 1451 Medium Res 14" BBC Monitor	325.00	373.75
MNN1534	Nordmende 14" TV/Monitor	217.00	249.55
MNN3534	Nordmende 14" TV/Monitor with remote control	234.00	269.10
MNN4430	Nordmende 20" Prestige TV/Monitor remote	417.00	479.55
MNN4432	Nordmende 22" Prestige TV/Monitor remote	458.00	526.70
MNN4437	Nordmende 27" Prestige TV/Monitor remote	512.00	588.80

SIDEWISE




SIDEWISE FITTED



"SIDEWAYS" rom board for BBC Micro.
No soldering required £38.00 + VAT

EPSON



RX-80 £263.12 + VAT

FX-80 £365.09 + VAT

Printer price includes cable for BBC and screen dump rom.

TORCH
COMPUTERS

Perfectly Made in Britain

Ref.	Torch Computers	Ex VAT	Inc VAT
TDZ8DP	Torch Z80 Disc Pack (Dual 800K + Z80)	730.00	839.50
TC301	Torch Work Station (No monitor) (301)	1244.00	1430.60
TC303	Torch Work Station with TOSCA (No monitor)	1449.00	1666.35
TC401	Torch Computer twin 400K (new style)	2250.00	2587.50
TC403	Torch Computer twin 400K & TOSCA (grey)	2455.00	2823.25
TC68000	Torch Computer twin 400K Floppy & 68000	3550.00	4082.50
TC68020	Torch Computer 20Mb Hard Disc & 68000	5900.00	6785.00
TCF500	Torch Computer twin floppies (CF500)	2950.00	3392.50
TCFS500	Torch Computer twin 400K & TOSCA (CH500)	3150.00	3622.50
TCH520	Torch Computer 20Mb Winchester CH520	5650.00	6497.50
TCHS520	Torch Computer 20Mb Hard Disc & TOSCA	5850.00	6727.50
TMC240	Torch Colour Monitor (MC240)	575.00	661.25

TRADE ENQUIRIES WELCOME

Access & Barclaycard Accepted

Large Stocks - 24 Hour Despatch

Carriage 50p to £3.50



Electronequip

36-38 West Street, Fareham, Hants (0329) 230670

Kings Lynn Branch
Tel: 0553 3782



Program 2. 'Defender'-type laser fire

```

10 REM ** ZAP DEM ALIENS **
20 REM ** using OSWORD calls
to Perform **
30 REM ** ENVELOPE and SOUND
commands **
40 osword=&FFF1
50 env_Param=&70
60 sou_Param=&80
70 P%=&1800
80 E.envelope \ define envelope
90 ]
100 FOR loop=0 TO 13
110 READ byte
120 E
130 lda #byte \ Get read byte
140 sta env_Param+loop
150 ]
160 NEXT loop
170 E lda #8 \ osword code
180 ldx #env_Param MOD 256
190 ldy #sou_Param DIV 256
200 jsr osword
210 rts
220 ]
230 REM ENVELOPE DATA
240 DATA 1,129,&F1,&F8,&FD,18,
10,10,126,0,0,&82,126,126
250 E.sound \ define sound
260 ]
270 FOR loop=0 TO 7
280 READ byte
290 E
300 lda #byte \ Get READ byte
310 sta sou_Param+loop
320 ]
330 NEXT loop
340 E lda #7 \ osword code
350 ldx #sou_Param MOD 256
360 ldy #sou_Param DIV 256
370 jsr osword
380 rts
390 ]
400 REM SOUND DATA
410 DATA &11,0,1,0,255,0,5,0
420 CALL envelope
430 REPEAT
440 CALL sound
450 CALL &FFE0
460 UNTIL 0

```

Program 3. Blast-off or hyperdrive sound

```

10REM ** UFO BLASTOFF **
20REM ** using OSWORD calls
to Perform **
30REM ** ENVELOPE and SOUND
commands **
40osword=&FFF1
50env_Param=&70
60sou_Param=&80
70P%=&1800
80E.envelope \ define envelope
90]
100FOR loop=0 TO 13
110READ byte
120E
130lda #byte \ Get read byte
140sta env_Param+loop
150]
160NEXT loop
170E lda #8 \ osword code
180ldx #env_Param MOD 256
190ldy #sou_Param DIV 256
200jsr osword
210rts
220]
230REM ENVELOPE DATA
240DATA 1,1,6,6,2,2,1,126,
0,0,&82,126,126
250E.sound \ define sound
260]
270FOR loop=0 TO 7
280READ byte
290E
300lda #byte \ Get READ byte
310sta sou_Param+loop
320]
330NEXT loop
340E.ufo
350lda #7 \ osword code
360ldx #sou_Param MOD 256
370ldy #sou_Param DIV 256
380jsr osword
390rts
400.blastoff
410jsr ufo
420ldx &84
430inx
440stx &84
450cPx #220
460bne blastoff
470rts
480]
490REM SOUND DATA
500DATA 1,0,1,0,0,0,1,0
510CALL envelope
520CALL blastoff

```

◀from page 73

```

10 REM ** DA, DA, DA ,DA ,DAR! **
20 REM ** Close Encounters of the ** 
30 REM ** Acorn kind!           **
40 osword=&FFF1
50 sound=&1500
60 P%=&1800
70 E .contact : J
80 FOR outer=0 TO 14
90 FOR inner=0 TO 7
100 READ byte
110 E
120 lda #byte          \ Get read byte
130 sta sound+inner  \ and save it
140 J-
150 NEXT inner
160 E
170 lda #7
180 ldx #sound MOD 256
190 ldy #sound DIV 256
200 jsr osword
210 J

```

osword code

```

220 sound=sound+7
230 NEXT outer
240 E ~ and now back to you basic
250 rts
260 J
270 CALL contact
280 DATA 1,0,&F1,&FF,97,0,10,0
290 DATA 2,0,&F2,&FF,98,0,10,0
300 DATA 3,0,&F3,&FF,96,0,10,0
310 DATA 1,0,&F1,&FF,105,0,10,0
320 DATA 2,0,&F2,&FF,106,0,10,0
330 DATA 3,0,&F3,&FF,104,0,10,0
340 DATA 1,0,&F1,&FF,89,0,10,0
350 DATA 2,0,&F2,&FF,90,0,10,0
360 DATA 3,0,&F3,&FF,88,0,10,0
370 DATA 1,0,&F1,&FF,41,0,10,0
380 DATA 2,0,&F2,&FF,42,0,10,0
390 DATA 3,0,&F3,&FF,40,0,10,0
400 DATA 1,0,&F1,&FF,69,0,20,0
410 DATA 2,0,&F2,&FF,70,0,20,0
420 DATA 3,0,&F1,&FF,68,0,20,0

```


Program 4. It's that tune again!

PLANE SAILING


ALL
PROGRAMS
AVAILABLE
FOR THE
ELECTRON



Airline Hijacks, strikes, crashes and spiralling fuel costs must all be overcome if you are to turn your £3 million to £30 million in the time allowed, but your financial wizardry will enable you to take over British Airways, or will it?



Dallas Can you amass enough petro dollars to take over the Ewing empire. Cut throat business and an eye for the main chance may get you there but you'll need nerves of steel to overcome the oil king of Dallas.



Corn Cropper Limited cash and droughts are two of the problems facing the farmer. Planting, fertilizing and harvesting must all be done economically if you are to reap the rewards offered in Corn Cropper. You choose the methods that will bring you success.

BUSINESS STRATEGY GAMES—£6.95



Selected titles available from Greens, Boots, Rumbelows and all good computer shops or Cases Computer Simulations Ltd., 14 Langton Way, London SE3 7TL.

MICROPOWER MICROPOWER



GET ON THE RIGHT TRACK WITH MICRO POWER

NORTHWOOD HOUSE

Micro Power are an official service and information centre, and we are major suppliers to Government and educational establishments. We stock the complete range of Acornsoft and Program Power software as well as a wide range B.B.C. Micro and general computing books. Our expert staff are always on hand to provide advice and assistance in the relaxed atmosphere of our showroom.

COMPUTERS

BBC Model B 399.00
Acorn Electron 199.00
(phone for availability)

MONITORS

Philips TP200	89.95
Kaga Green Screen 12"	123.05
Ferguson TX Monitor/TV	316.25
Microvitec 14" Colour (Plastic Case)	286.35
Microvitec 14" Colour (Metal Case)	247.25
Plinth for above	5.75

PRINTERS

Epson FX80	453.85
Epson RX80 F/T	366.85
Mannesmann Tally Spirit 80 plus 1000 sheet plus cable	299.99
Epson MX80 111 F/T	401.35
Smith Corona TP-I	401.35
MCP 40	129.95
Juki	458.88

DISK DRIVES

Pace 40 track 100K	212.75
Pace 40 track double sided 200K	270.25
Pace 40/80 track double sided 200/400K	350.75
Pace 40 track double drive 200K	388.70
Pace 40 track double sided double drive 400K	516.35
Mitsubishi 40/80 track double sided double drive 400/800K	650.00
Torch Z80 Disk Pack 80 track double sided double drive (including Perfect Soft)	839.50


ACCESSORIES

Datex/Lloytron cassette recorders (inc. leads)	29.90
Acorn BBC cassette recorders (inc. leads)	33.90
Memorex S/S S/D Disks (Box of 10)	20.00
Scotch D/S D/D Disks (Box of 10)	32.50
Disk storage cases	17.95
Vinyl dust covers for computers, disk drives, monitors and printers	4.50
Sureshot self centering arcade joystick	18.22
Sureshot self centering double joysticks	34.44
Acorn joysticks	13.00
Nuvay Master Plug	9.95
System Sac	19.95
Computer labels (2000 off)	23.00
Printer paper (2000 sheets)	18.40
370mm wide paper (FX100 compatible 2000 sheets)	23.00
Printer cables (parallel or serial)	15.50
Stack light pen	28.75
Speech synthesiser plus cartridge socket (Free 1.2 if required)	55.00
Acorn Disk interface(Free 1.2 ROM if req.)	97.00
Pace disk interface kit	95.00
1.2 ROM upgrade	11.50
Econet (Free 1.2 ROM if req.)	70.00
Teletext adaptor (Free 1.2 ROM if req.)	225.00
View wordprocessor (Free 1.2 ROM if req.)	59.00
Wordwise wordprocessor	45.42
Beebcalc spreadsheet	39.25
Disc Doctor	33.35
Auto Prommers Eprom Programmer	138.00
Tutor Mate shelves	10.50

ALL PRICES INCLUSIVE OF V.A.T.

We provide free fitting for
all firmware.

**ALL ROADS LEAD TO
MICRO POWER!**



**MICRO
POWER**




Showroom: Northwood House
North Street
Leeds LS7 2AA
Tel: (0532) 458800

Mail Order:
8/8a Regent Street
Leeds LS7 4PE
Tel: (0532) 683186/
696343

Send an SAE for our complete listing of hardware, software and books.

CARRIAGE FREE for BBC,
printers, monitors and disk drives.
Carriage £5 for Electron. Books
and software only 55p per order.

SPECIALISTS
IN ECONET



A GREAT DEAL FROM

CARDIFF

MICRO

DISTRIBUTORS LTD

We've come up trumps by serving our dealer network with two conveniently located

distribution centres – Aylesbury and Cardiff. The best range of up-to-date products and ace after-sales service is on hand when you visit our appointed stockists. We'll make a bid that you'll find all your home-computing needs in one place!

PLAY YOUR CARDS RIGHT

There's no risk involved when you visit one of our dealers. They've been hand-picked because they really know their stuff. No poker-faced assistants – in fact you can take heart from their friendly professional advice. And there's no

need to gamble when making a purchase. You can try your hand at the systems in-store to see which one suits and when you order you won't be unlucky. And should you need it you'll be impressed by the fast and efficient after-sales service.

PICK FROM THE BEST SUIT OF PRODUCTS

Acorn Computers' BBC Micro and Electron are a pair of winners. Snap them up with a complete range of disk drives, printers, plotters,



joysticks and a host of other peripherals. They'll make you the winner in the computer game.

SOFTWARE...

- word processor ROM's from £199
- Datafile the first disk based data system, fully supported, easy to use. £399
- And the full range of games from £13

AND...

- the BBC Dust Cover at £3.95
- the single-sided 40-track TEAC 100K disk drive at £179.95
- the double-sided 80-track TEAC 200K disk drive at £304.75
- The Torch Z80 Dual Disc Pack at £839.50

(All prices include VAT)

HARDWARE...

- the amazing home computer, the Electron at
- the ever popular micro, BBC Micro B –
- joysticks/games paddles at

OUR DEALERS WILL GIVE YOU A HAND

K AVON Computa News, Walcot St., Bath. 0225 60541	K BERKS Berkshire Micros Ltd., High St., Crowtherne. 0344 772451	K BUCKS Computer Craft, (Claydon Computer Systems Ltd) Temple St., Aylesbury. 0296 5476	K BUCKS Alpha Scan, Chester House, Windsor End, Beaconsfield. 04946 71259	K OXON Computer Club, Evans Yard, Bicester. 927 248600	K OXON 'Computers', C.T. Maddison Ltd., 65 Hailey Rd., Witney. 0993 73145	K OXON Computers', C.T. Maddison Ltd., 1 Cinema Buildings, New High St., Headington, Oxford. 0865 69468	K GLOUCESTER Milequip, 7 Hare Lane, Gloucester. 0452/411010
K DORSET HANTS R.M.K. Electronics, Hinton House, Station Road, New Milton. 0425 616110	K WALES Cardiff Micros Ltd., 46-48 Charles St., Cardiff. 0222 373072	K WALES Merthyr Micros, 110 High St., Merthyr Tydfil, Mid Glamorgan. 0658 82230	K WALES Randall Cox, 18-22 High St., Arcade, Cardiff. 0222 31960	K WALES David Morgan Ltd., The Hayes, Cardiff. 0222 21011	K Dealers! Your name and address could be here.		

LEADERS OF THE PACK!

Cardiff Micro Distributors, Unit T4, Cardiff Workshops, Lewis Rd., East Moors, Cardiff. 0222 488 744 and Chiltern House, Oxford Road, Aylesbury. 0296 34812




AID at last!

Assembler Interactive Debug for the BBC Micro with DUALSCREEN

STOP PRESS . . . AID receives superb review . . . see below

AID has now established itself as the finest machine code monitor ROM for the BEEB. With its unique DUALSCREEN operation so far in advance of the competition, AID puts unprecedented debugging power into your hands. No other monitor can begin to tackle machine code graphics – something AID takes effortlessly in its stride! Beginner or expert, you cannot afford to be without DUALSCREEN AID.



Read what "The Micro User" thinks . . .

"My immediate impression of AID was that it was a very professional product . . . AID offers additional features far in advance of other monitors . . . I found it easy to use, particularly as the user guide is very thorough and accurate . . . I wish I had something like this when I first started dabbling in machine code . . . The last facet I explored was the DUALSCREEN facility, which is perhaps the pearl of the system . . . In conclusion, AID seems a must for the serious machine code programmer and a very useful learning aid for the novice. It is a highly professional product in every way and could prove to be the standard by which others are compared." "The Micro User" January 1984

The most advanced machine code AID for the BBC Micro

**LINCOLN
Microsystems**

Dept DP1, 22 Lagan Walk
Peel Hall
Manchester M22 5WG



ROM
plus manual
(OS 1.2 required)

£28

p&p add
UK £1.50
Europe £3.00
Outside Europe
£4.50

BEASTY

An introduction to Microrobotics



What is a Servo?

A Servo is a precision geared motor with a feed back mechanism to give positional accuracy. The motor rotates through 100° and allows you to twist, turn, push, pull, lift, lower, open, or close almost anything. A range of Servos are available for almost any application.

What is the "Beasty"?

The Beasty is an interface which connects directly into the BBC Micro Computer. It enables the computer to accurately control up to four Servos. The Beasty comes complete with all connection cables and comprehensive instructions.

What about the Software?

The Beasty is supplied with a demonstration program on tape which allows sophisticated control of up to four servos directly from the keyboard, in BASIC or Assembler

FOR DETAILS CONTACT YOUR DEALER

COMMOTION
COMPUTER OPERATED MOTION

241 Green Street, Enfield, Middx. EN3 7SJ Tel: 01 804 1378

"Beasty"
49.95
Servos
14.95
inc VAT

NEWARK VIDEO CENTRE
PRESENTS

SUPER CLEAR COMPUTER DISPLAY - AND A TV!!

AN RGB MONITOR - WITH TV RECEPTION

14" C2402/RGB	£275.00	20" B6100/RGB	£365.00
16" B3104/RGB	£299.00	22" C7100/RGB	£399.00
16" B3404/RGB with remote control, Teletext Extra,	£350.00		
26" B8400/RGB with remote control, Teletext Extra,	£465.00		

All prices include VAT, a 12 month guarantee, a 6 Pin Din lead, a mains plug and carriage to your door. All are Grundig TV's supplied with Grundigs consent.

Educational and quantity discounts are available.

What 'What Micro' said:

"The colours are just unreal like the 'simulated' pictures in TV advertisements. The best of all images came from this set."

"A very reasonable comparison could be made with colour monitors costing several hundreds of pounds."

NEW! 1 Input - 6 output. RGBS Distribution Amplifier - £250

For details of the full range contact:

**NEWARK VIDEO
CENTRE LTD**

108 LONDON ROAD, BALDERTON,
NEWARK, NOTTS. NG24 3AQ.
TELEPHONE: 0636 71475

Open 9 am - 6 pm Monday - Saturday



Eeprom Programmer for the BBC Micro

This compact, elegant unit programs 2764 & 27128 eproms and offers the following attractive features.

- high quality, low cost ● menu driven software incorporating the following commands: program, save, verify, testblank, checksum, select eprom, MOS call, ROM format ● optional conversion from Basic to ROM format ● free 2764 eprom containing programming software – no cassette loading problems ● easy to use 28 pin zero insertion force socket ● built-in voltage converter ● integral cable connecting to user port; no other connection needed ● comprehensive documentation plus one year's guarantee.

This product is available in quantity NOW!

**Programmer and data sheet from Softlife Ltd.,
87 Silvertown Way, London E16 4AH Tel: 01 474 0330**

INNOVATIVE SOFTWARE
from
SHUMWARI ASSOCIATES

WHAT'S TO EAT?—an invaluable aid for busy cooks.

Meal planner for everyday or special occasions. Over 20,000 possible combinations. Both simple and exotic dishes described. Mode 7 colour graphics. Menu, ingredients and shopping list can be printed. Easy to operate. User guide caters for beginners.

BBC Model B.

Cassette £10.45 40 track disc £13.45.

SPEC*—are your SSP payments correct? Sick Pay Entitlement Calculator. Free standing complement to most payrolls. Calculates all payments, recoveries, exclusions, transfers and linkages. Stores current record and running totals. Provides printout for DHSS required records and offsetting. Hotline support (free for first 30 days following purchase) and updates available to registered users.

BBC Model B.

40 track disc and full user guide £69.00.
All prices include VAT, postage and packing.

WHAT'S TO FOLLOW?—more unusual applications coming soon.

Dealer enquiries welcome
Tel. (06284) 5751

Royalties offered for good original programs.

SHUMWARI ASSOCIATES
12 Marlin Court, Marlow, Bucks SL7 2AJ



ATOMIC MACHINE CODE

A book containing 23 fully explained machine code programmes for the Atom.

DATA SORTS ● MODE 4 CHARACTERS ●

GAMES ● POOLS PREDICTION ● TOOL KIT ●

Over 50K of programmes in 1 book for £5.75 inc.
Book and Cassette (source code) £15.50.

Book and Cassette (ready to run) £15.50.
Cassette only £11.50.



TOOL KIT

20 useful programmes for the BBC on one cassette.

**BAD PROGRAMME LIST ● BAD PROGRAMME FIX ● FIND PROCS ● FIND DEFPROS
BIGLETTERS ● FIND BYTE ● FIND VARIABLE ● AND MANY OTHERS. ●**

£3.95 inc.

ECCE Productions, 3/73 Station Road,
Sidcup, Kent. DA15 7DR.
Tel: 01-302 1667. (Mail order only)



diamondsoft
A better way of computing

DISC OR TAPE SAME PRICE

HOME ACCOUNTS BBC 32K £13.95 (INC)

Complete home finance system packed with sensible facilities to help you maintain up to date records of your BANK, CREDIT CARD, LOAN and SAVINGS ACCOUNTS. Keep track of CHEQUES, RECEIPTS, AUTOMATIC BANKERS ORDERS, BILLS WAITING PAYMENT and much more.

An essential asset for home or club.

BUSINESS ACCOUNTS BBC 32K £17.95 (INC)

Easy to use with small businesses in mind. Facilities include – PURCHASES, SALES, CASH, LEDGER and DAY BOOK LISTINGS, VAT ANALYSIS, CONTROL TOTALS and BANK RECONCILIATION. A simple but effective aid to efficiency.

FLEXIFILE

BBC 32K £13.95 (INC)

A cassette based, powerful, general purpose, file handling system. Quickly create, maintain, sort, select, save and print your own data. Develop complex systems with ease. Invaluable for Home, Club, Schools or Business Records. Offers the use of advanced software techniques to beginner and expert alike.

Cheques or P.O. to Diamondsoft Ltd., FREEPOST,
Cheadle Hulme, Cheshire, SK8 5YB. Tel: 061-484 8705
(24 hrs).

MORE OUT OF THIS WORLD SOFTWARE FOR THE BBC MICRO AND ACORN ELECTRON FROM IJK SOFTWARE...

**CASSETTE EIGHTEEN:
CATERPILLAR**



Fantastic machine code version of this popular game. Base moves horizontally and vertically. Game features spider, fleas, scorpions etc.
For BBC 32K £7.50 inc.
Also available for Electron £7.50 inc.

**CASSETTE SEVENTEEN:
5-A-SIDE SOCCA**



At last!!! The 2 player m/c game you have all been asking for. Uses joysticks or keyboard. Really exciting - pass, dribble, tackle and shoot.
£7.50 inc.

**CASSETTE SIXTEEN:
PONTOON & PATIENCE**



Excellent rendition of the two very popular card games. Psst!! red six on black seven.
£7.50 inc.
Also available for Electron £7.50 inc.

**CASSETTE FIFTEEN:
LEAP FROG**



Superbly written m/c arcade type game. Beautifully presented, features lanes travelling at different speeds, skill levels, tunes, butterflies, parrots. For use with joysticks or keyboard.
£7.50 inc.

**CASSETTE FOURTEEN:
STRATOBOMBER**



Excellent graphics on this m/c arcade type game. Can you keep the enemy fleet at bay in order to destroy the rogue star ships nuclear reactor?
£7.50 inc.
Also available for Electron £7.50 inc.

**CASSETTE ELEVEN:
ATLANTIS**



The superb fast action m/c arcade type game. Guide your submarine Nautilus along the undersea landscape and through the caverns avoiding mines, depth charges, rockets, jelly fish, serpents etc. Features skill levels and user selected keys.
£7.50 inc.

OTHER TITLES AVAILABLE...

MODEL A/B

CASSETTE 1: Star Trek/Candy Floss (very popular). £6.50 inc.
CASSETTE 2: Family Games (hours of fun). £4.50 inc.
CASSETTE 3: Mutant Invaders/ Breakout. £6.50 inc.
CASSETTE 8: Model A Invaders (M/C). £5.50 inc.

MODEL B (or A+32K)

CASSETTE 4: Beep-Beep (Super Simon Game). £4.50 inc.
CASSETTE 5: Beebmunch (full colour Munchman). £6.50 inc.
CASSETTE 6: Super Hangman (animated, educational). £4.50 inc.
Also available for Electron £7.50 inc.
CASSETTE 7: 3D Maze (fast and intricate). £4.50 inc.
Also available for Electron £7.50 inc.

CASSETTE 9:

MODEL B Invaders (or A+32K) (M/C). £7.50 inc.
Also available for Electron £7.50 inc.

CASSETTE 10:

WORDPRO. (Cassette W.P. system). £10.50 inc.

CASSETTE 12:

FLAGS. (Countries and Capitals). £4.50 inc.

Also available for Electron £7.50 inc.

CASSETTE 13:

HYPERRIVE (M/C arcade). Destroy the Drone aliens in the caverns with your laser tank. £6.50 inc.

Also available for Electron £7.50 inc.

ALL PRICES FULLY INCLUSIVE OF VAT AND P&P - NO MORE TO PAY

All advertised software is in stock NOW and will be despatched within 48 hours of receipt of order.

All Programs will run on ALL current OS versions and basic roms.

Please state computer type when ordering.



**IJK
Software
Limited**



24 HOUR ANSAFONE

Unit 3c, Moorfields, Moor Park Avenue,
Bispham, Blackpool, Lancs FY2 0JY
Telephone (0253) 55282



SCROLL OF HONOUR

WHEN we ran the Micro Gallery Competition in the November issue, little did we know the results would turn out to be slightly embarrassing. Two of the three winners have written for *Acorn User*, and the third is the author of Beeb-Art!

However, these were hardly reasons for disqualification, and the three judges were unanimous in their choice of winner, with majorities on the other two places.

Among the entries as a whole, craft was far more in evidence than art. Copies of pictures made up the vast majority of entries – from David Bowie as pictured on the cover of his album *Aladdin Sane* to *The Lady of Shalott* by John William Waterhouse (you can see the original in the Tate Gallery). Engineering drawings or diagrams were the next most common type of entry. Only one person made use of any form of animation (a flashing ray gun on a War of the Worlds machine).

Now down to awarding the gongs.

Dave Mendes rolled in at number three... using his own package. His version of the famous BBC micro advert was used on the packaging for Beeb-Art. This picture is an excellent demonstration of the software, and, said one judge, would have made a better advertising picture than the original. Dave wins £10 worth of software.


Second prize (£20) went to one of our reviewers, Alan Pipes, for his *After Kandinsky (Swinging 1925)*. Salamander's EDG software produced a very good interpretation of the original, the vivid colours giving a fascinating layered effect.

Pride of place – and £30 worth of software – went to Malcolm Banthorpe for *Abstract Scrolls* (our title). One comment during the judging session was prophetic: 'He obviously has a feel for geometry'. Malcolm went on to write the two articles on Life, including the 3D version in this issue.


The colours on *Scrolls* were produced using the Gaelsett ECFG program, and the basic design was created using the author's own software.

Micro Gallery was judged by Robin Mudge, who worked on both BBC TV computer series and is now directing the new series on control, Phil Kanssen, *Acorn User's* art editor, and Tony Quinn, editor. Our thanks to Quicksilva and Acornsoft for sponsoring the competition.

Entries for the next Gallery should be sent to *Acorn User* at 53 Bedford Square, London WC1B 3DZ. Please send either a transparency, or a cassette/disc, with an SAE if the entry is to be returned. Don't forget to explain how the picture was created. The judging criteria are artistic content and technical excellence (just like ice-skating). Three prizes of software will be awarded worth £30, £20 and £10.



1. First



2. Second



3. Third

1. First: 'Abstract Scrolls' by Malcolm Banthorpe. Originality and artistic content made it a unanimous choice. Drawn using the author's own program and the ECFG software


2. Second: 'After Kandinsky (Swinging 1925)' by Alan Pipes. Salamander's EDG software used to give layered colour effect

3. Third: 'Micro Advert' by Dave Mendes using his Beeb-Art package distributed by Quicksilva. Better than the original?

4. 'Rocket' by C Rohsler. The best of the diagram-type entries. Drawing package by AB Designs put to good use

5. 'The Lady of Shalott' after John William Waterhouse, by David Mendes. Good use of colour using Beeb-Art

6. 'Bowie' by L Childs. Striking effect produced using the BBC micro's built-in commands only (0.1 OS)



4



5


6

ORLANDO'S BACK!

ZALAGA

Aardvark Software, creators of the Ultimate Atom Games, bring you NOW

THE ULTIMATE BBC SPACE-GAME



Seated at your computer, streams of multi-coloured aliens swirl past your laser-base into formation. The first squadron appears harmless, but later waves will avenge the deaths of their comrades with increasing ferocity. To combat the swooping bomb dropping meanies, you may try to link up a pair of laser-bases and **double your fire power!** Your progress through successive phases will be rewarded by challenge stages, where large bonuses may be earned. The game builds up to a dizzying crescendo of high speed motion where instant reflexes and pure technique are your only hope of survival. . .

One or two player game • Keyboard or joystick • Sound on or off • Escape facility
• Works on all OS's and Tubes • Ten name Hi-score table • Mode 2 full colour graphics • Continuous rolling twinkling stars • Multiple missiles • Full screen action • Attractively packaged in a collectable library case • High quality cassette • Full instructions • For BBC model B or A + 32K •

Send cheques/P.O.s for £6.90 to

**Aardvark Software,
100 Ardleigh Green Road,
HORNCHURCH, Essex.**

FRAK coming soon . . .

LEARN LISP

IN THIS series I hope to interest three groups of people: those with a general interest in computing who wish to know more about one of the most important languages in computer science over the last 25 years; those who have a BBC micro and wish to know more about Lisp before buying a copy; and those who already own Lisp for the BBC micro and wish to know more about it. I hope by the end of the series these last two groups will feel confident of their ability to program problems in Lisp, and, more important, that for many problems it is the most suitable language to use. Lisp is a valuable addition to the toolkit of the modern programmer.

Lisp is one of the oldest computer languages still in widespread use. It was developed around 1960 by John McCarthy and others at the Massachusetts Institute of Technology, just after Cobol appeared (1958). Not until later did languages like Algol (1960-62) and Fortran IV (1966) appear. Yet despite its age Lisp is now used more than ever before, and has become the leading language in Artificial Intelligence research.

The language has evolved over the years from McCarthy's rather inflexible Lisp 1.5. A number of dialects have developed around the world all based on the same basic ideas. The Acornsoft implementation, which I shall use throughout for my examples, is perhaps nearest to the approach used in the Cambridge Lisp system developed by Arthur Norman and John ffitch. The slight differences should not worry the user. Changing between systems is not usually difficult.

This series cannot cover every detail of Lisp, particularly for those actually learning to program in the language – they will need a reference book. The book to use (at least with the Acornsoft implementation) is *LISP on the BBC Microcomputer* by Arthur Norman and Gillian Cattell, published by Acornsoft. It is also suitable for the Electron – just read 'Electron' for 'BBC microcomputer' throughout. I shall attack Lisp from a slightly different angle, but the end result is the same, and two different slants on the same subject should help clarify the underlying concepts.

For those wishing to pursue Lisp further, possibly even to using large mainframe versions, I can recommend *Artificial Intelligence Programming* by Charniack, Riesbeck and McDermott, published by Lawrence Erlbaum Associates. This is a good general book on the practical

Stan Frooco presents a three-part series that will set you on the road to mastering one of the most powerful computer languages. The articles focus on the use of Lisp on the BBC micro and Electron, and assume that the Acornsoft implementation will be used. This introductory article emphasises the practical aspects of the language but, like the others, presents a complete program

aspects of using the language, although it is sometimes difficult to acquire in this country.

Lisp is an applicative language. It works by applying functions to values and getting results back. We are used to writing function applications in Basic such as:

```
Log (10)
CHR$ (65)
```

These return values of 1 and 'A' respectively. We could also write the ordinary arithmetic operators as functions. For instance:

```
2 + 3
```

could be written as

```
PLUS (2, 3)
```

This isn't particularly useful, and so Basic doesn't provide a built-in PLUS function.

'... A valuable addition to the toolkit of the modern programmer'

In Lisp only functions are allowed, and so we have to do everything as functions. Here are some items of Basic:

- i) A = 32
- ii) 3 + 5
- iii) 2 + 3 * 4
- iv) PRINT "HELLO"

Here are the same items written as functions (the funny names will be explained as we go on):

- i) SETQ (A, 32)
- ii) PLUS (3, 5)
- iii) PLUS (2, TIMES (3, 4))
- iv) PRINTC ("HELLO")

i) and iv) are a little different. While it is clear that ii) gives a result 8 and iii) gives a result 14, it is not clear what result SETQ and PRINTC will return. Their usefulness lies in that returning a result, as all functions must (and what that result is we shall see later), they have side-effects. The side-effect of SETQ is that it sets a variable, and the side-effect of PRINTC is that it prints something out.

Lisp uses a slightly different notation for its functions. Instead of:

```
PLUS (1, 2)
```

we write

```
(PLUS 1 2)
```

Since everything in Lisp is based on evaluating (or calling) functions, Lisp chooses to surround the whole function call in brackets, indicating that this is the basic unit of operation. In general:

```
(f a b c ...)
```

means a function f called with arguments a, b, c, ... Notice how Lisp uses spaces to separate items rather than commas.

In fact, the arguments to a function need not be numbers but can be function calls themselves. For instance, we saw earlier how:

```
2 + 3 * 4
```

can be written (using Lisp notation) as

```
(PLUS 2 (TIMES 3 4))
```

Before evaluating PLUS, Lisp evaluates its arguments by calling the TIMES function. This then leaves:

```
(PLUS 2 12)
```

which in turn will give a value 14 as a result. You can nest functions as deeply as you like. Lisp always starts by evaluating the innermost expressions first.

You may wonder how Lisp copes with expressions that in conventional notation need brackets, for example:

```
(2 + 3) * 4
```

Brackets are not needed in Lisp to express this (a good thing, since they're already being used to delimit function calls). The meaning is made clear by writing:

(TIMES (PLUS 2 3) 4)

The order of function nesting is used instead of brackets to make the order of evaluation clear. Lisp will start with the innermost function (PLUS 2 3) and evaluate that first. The rule is that things in brackets in conventional notation go into the innermost function call within a Lisp expression.

Now is the time to take your Lisp system, if you are using one, and experiment. Lisp

'Lisp has become the leading language in Artificial Intelligence'

is started up by

CHAIN ""

for tape,

SHIFT/BREAK

for disc, and

*LISP

for ROM

The Lisp system loads, relocating to make the maximum memory available for your machine and eventually comes up with the prompt:

Evaluate:

Try typing in:

(PLUS 10 32)

The system will respond with:

Value is: 42

Evaluate:

Try typing functions for evaluation and see what you get. You can find what functions and variables Lisp knows about by using the function call:

(OBLIST)

Let us return to the functions SETQ and PRINTC mentioned earlier.

(SETQ A 10)

is used to set the variable A to have the value 10. Now we could say:

(PLUS A 5)

and back would come the result:

15

If you try using (SETQ A 10) you will see that it does return a value, 10. This is extremely useful for setting several variables at once. In Basic we cannot write:

A = B = C = 10

However, in Lisp we just write:

(SETQ A (SETQ B (SETQ C 10)))

The PRINTC functions prints things out, for example:

(PRINTC A)

would print out the value 10, if we had just used the SETQ above to give the variable A a value of 10. The reason for calling the function PRINTC rather than PRINT will be explained in the next article (if you play around you may be able to work out what the difference is). We can also use PRINTC to print out text. For example:

(PRINTC 'HELLO)

would print out HELLO. Note that we use a single preceding quote before the text, rather than the enclosing pair of double quotes used in Basic. Lisp prints out all the characters after the ' until it encounters one of

' () . space

Printing these characters out is rather difficult. A way of printing spaces will be given later, and a general technique for printing special characters in the next article.

Textual items can be used as values in Lisp, just as numbers can be. Thus we can say

(SETQ A 'FRED)
(PRINTC A)

to print out the value FRED. PRINT is one of a number of functions in Lisp that can take any number of arguments (PLUS is another). For example:

(PRINTC 'THE 'CAT 'SAT 'ON 'THE 'MAT)

This doesn't have quite the right effect. What gets printed out is

THECATSATONTHEMAT

Fortunately, Lisp provides a variable, BLANK, whose value is the space character, and this gets round the problem of textual items not having space characters in them. We could use:

(PRINTC 'THIS BLANK 'IS BLANK
'BETTER)

to print out

THIS IS BETTER

If you have been experimenting you may by now have realised that PRINTC returns as its value the last item it printed. Thus in the above example it would return the textual item BETTER. This can prove useful for following what is going on. For instance, if we wanted to check what value was being given to the variable Z in a program we could do so by replacing each occurrence of:

(SETQ Z ...)

by:

(SETQ Z (PRINTC 'Z= ...))

We now have a good idea of how functions can be used in Lisp. In a while I'll describe more functions with which we can build up programs. First, however, we need to consider how Lisp programs handle data.

If you are experimenting while reading this next section, don't forget you can always find the value of a variable by typing its name when you get the evaluate prompt. Not surprisingly, the value of a Lisp variable when evaluated is its value.

The fundamental building block in a Lisp program is the *list*. Indeed, Lisp stands for List Processing Language. A list is just a sequence of items, separated by spaces and enclosed in brackets. For example:

(1 2 4 8 16 32)

(This is a sentence)

Lisp provides facilities for manipulating lists, changing their contents and structure. One of the reasons Lisp is so popular for natural language processing is that lists are a very useful way of representing sentences.

Lists can be as complex as you like. Here is a list of lists

((The first clause) (The second clause)
(The last clause))

We have, in fact, already seen some lists:

(PLUS 1 2)
(SETQ A 'FRED)
(PRINTC 'HELLO)

Here we have a fundamental property of Lisp. Its programs and data are identical in structure. We can have programs that modify programs. This is why Lisp is so useful in the field of formal verification of software. Programs in Lisp can easily be manipulated and hence (relatively) easily analysed and verified.

The normal action of the Lisp system when presented with a list is to try to evaluate it. Thus, if I want to use lists as data I have a slight problem – the system assumes they're programs (ie, functions for evaluation) and tries to evaluate them.

Suppose I wish to give the variable B the list

(THE FAT CAT)

as its value. I could try:

(SETQ B (THE FAT CAT))

'In Lisp you can nest functions as deeply as you like'

However, this will merely cause an error-expression in function position not a function. The system has tried to evaluate


(THE FAT CAT)

and has discovered that there is no function THE. This is perfectly reasonable. Consider the following almost identical expression:

(SETQ B (TIMES 2 2))

The invasion has begun... for BBC Model B

Let excitement invate your home computer!
Travel to Alpha Centauri. Enter the Vortex.
Command the ground missiles, or join the
shoot-out at the O.K. Corral!




...he punched the key, and the control monitor filled with the picture of bug-eyed wasps attacking from their volcanic nest; decisively he dived to the left and his laser gun burst into action...

3D ACTION, EXPLOSIVE SOUND EFFECTS
BBC MODEL B £7.95 CASSETTE
£11.95 DISK




...there was no escape, he had to enter the Vortex and bet on his skills! He grabbed the manual controls and with determination fired both upper deck guns...

KEYBOARD OR JOYSTICK,
EXCELLENT SOUND
BBC MODEL B
£7.95 CASSETTE
£11.95 DISK



...the continued thunder of the hissing ground missiles had long now deafened him - unless he had some of those bombers down, the fleet, in the small stretch of water was a sitting duck...

3D ACTION, SOUND EFFECTS, BEAUTIFUL GRAPHICS
BBC MODEL B £7.95 CASSETTE
£11.95 DISK



...the movement of the saloon-bar door was all the warning he needed! At the speed of light his hand moved toward his holster, while a sixth sense warned him of the upper floor window...

3D ACTION, SOUND EFFECTS, BEAUTIFUL GRAPHICS
BBC MODEL B
£7.95 CASSETTE
£11.95 DISK

SOFTWARE INVASION

50 Elborough St.,
Southfields,
London SW18 5DN
Tel: (01) 870 1197

● Distributors, Multiple Store and
Retailer Group Inquiries invited.

HOW TO ORDER

You may purchase any of the Games listed from most good BBC Software Stockists, WH Smiths, HMV or your nearest Spectrum Dealer.

To order direct, fill in the coupon below with your requirements, make cheque/P.O. payable to: SOFTWARE INVASION and post to us. Please allow 7 to 14 days for delivery.

Post to: SOFTWARE INVASION 50 ELBOROUGH STREET SOUTHFIELDS LONDON SW18 5DN

(Title) _____	(Qty.) _____	£
<input type="checkbox"/> (TAPE)	<input type="checkbox"/> 40 TRACK	
<input type="checkbox"/> (DISK)	<input type="checkbox"/> 80 TRACK (Please tick)	
(Title) _____	(Qty.) _____	£
<input type="checkbox"/> (TAPE)	<input type="checkbox"/> 40 TRACK	
<input type="checkbox"/> (DISK)	<input type="checkbox"/> 80 TRACK (Please tick)	
(Title) _____	(Qty.) _____	£
<input type="checkbox"/> (TAPE)	<input type="checkbox"/> 40 TRACK	
<input type="checkbox"/> (DISK)	<input type="checkbox"/> 80 TRACK (Please tick)	
(Title) _____	(Qty.) _____	£
<input type="checkbox"/> (TAPE)	<input type="checkbox"/> 40 TRACK	
<input type="checkbox"/> (DISK)	<input type="checkbox"/> 80 TRACK (Please tick)	
(Title) _____	(Qty.) _____	£
<input type="checkbox"/> (TAPE)	<input type="checkbox"/> 40 TRACK	
<input type="checkbox"/> (DISK)	<input type="checkbox"/> 80 TRACK (Please tick)	

I enclose my cheque/P.O. for £

NAME

ADDRESS

TEL: (Day) TEL: (Eve)

I am a Distributor/Multiple/Retailer/Dealer
Please contact me.

(Please delete whichever not applicable)

The BBC Micro can now give your children a private education.

The BBC Microcomputer now accounts for 80% of the computers being ordered under the current D.O.I. Primary School Scheme.

It's also the computer which a rapidly increasing number of people are choosing for their homes.

One of the reasons for its success is that it makes learning highly entertaining for everybody. From children who are getting to grips with the alphabet, to adults who want a gentle but intensive introduction to the complex world of computing.

Now, there's a substantial new catalogue of educational programs specially for the BBC Microcomputer.

It has been developed by Acornsoft, the software division of Acorn Computers who manufacture the BBC Micro.

Making faces without getting scolded.

With the new Facemaker program, your children can make over a million faces. It's like an identikit, allowing them to depict anyone they want. They start by choosing the eyes. Then they can choose the mouth, the ears, the nose, the facial outline and the hairstyle.

And if they really fancy dressing up, they can add earrings and hats.

In doing all this, they learn to read and spell, as well as developing their powers of description.





The money program, two games for the price of one.

Mr. T. is an engaging little figment of the microchip who can teach your children all the complexities of our coinage system.

His Money Box program has two games, each of which can be played at different levels.

In Money Match, the challenge is to collect a set of coins, matching them according to shape, size and value.

In Money Box, you can give your child and Mr. T. a helping hand to get all the coins on the screen into the box. (It's always different, because the coins on the screen are based on the small change you have to hand.)



A chance to teach the Micro a thing or two.

With the Animal, Vegetable, Mineral program, the children can get the computer guessing.

They think of an object. The BBC Micro has to decide what it is.

If it doesn't come up with the answer, the children can keep giving it hints.

In doing so, they are encouraged to question the difference between such things as crocodiles and alligators, or whether oil is vegetable or mineral.

The program also encourages them to consult refer-

ence books so that they can ask the computer increasingly tough questions.

Questions on Julius Caesar from J. Julius Norwich.

John Julius Norwich's History Quiz is one of the new BBC Micro Grandmaster quiz series which also covers theatre, crime and detection, music, science fiction and royalty.

On the history front, there are 300 brain-testing questions, covering all aspects of British history from Julius Caesar to Margaret Thatcher.

And to increase the educational value, Mr. Norwich has posed the questions from angles which will give a broader understanding of events.

For the full catalogue, clip the coupon.

There are thirty more new BBC Micro programs in Acornsoft's new catalogue.

For a free copy, complete the coupon, or telephone 0933-79300. Or ask your local BBC Micro dealer.

If you're not yet a BBC Micro owner, you can get full details of the computer at the same time.

To Acornsoft, c/o Vector Marketing, Denington Estate, Wellingborough, Northants NN8 2RL. Please send me the new Acornsoft catalogue "At Home With The BBC Microcomputer."


I would also like details of the BBC Micro (tick)

Name _____

Address _____

Postcode _____

AC.3.



ACORNSOFT

Presumably, we wish B to end up having the value 4, not the list (TIMES 2 2). There are two solutions. Lisp provides a function LIST which will build a list from its arguments. We could then use:

```
(SETQ B (LIST 'THE 'FAT 'CAT))
```

Notice how we put quotes in front. We don't want a list of the values of the variables THE, FAT and CAT, but a list of the three textual items. For example:

'A single quote really means don't evaluate the expression following'

```
(PRINTC B)
```

will now print out

```
(THE FAT CAT)
```

Another way is to use a generalisation of the quote symbol. A single quote really means don't evaluate the expression following. If applied just to a single string of letters this just gives us the textual item, otherwise we will get the list structure following the quote preserved. So we could have used:

```
(SETQ B '(THE FAT CAT))
```

Notice the difference from LIST – nothing inside the brackets is evaluated. If we did want something evaluated then we would have to use LIST. For instance, consider:

```
(SETQ X 5)
(SETQ Y 10)
(SETQ Z 15)
```

then

```
(SETQ B '(X Y Z))
```

would give B the value

```
(X Y Z)
```

and

```
(SETQ B (LIST 'X 'Y 'Z))
```

would also give B the value

```
(X Y Z)
```

but

```
(SETQ B (LIST X Y Z))
```

would give B the value

```
(5 10 15)
```

Try to build some lists and see what you get.

There are three basic functions for manipulating lists.

```
(CAR x)
```

will give the first item of the list x. For example:

(CAR '(THIS IS A SENTENCE))
gives as result the textual item

THIS

Conversely

```
(CDR x)
```

will give all but the first item of the list x. For example:

```
(CDR '(THIS IS A SENTENCE))
```

gives as result the list

```
(IS A SENTENCE)
```

The opposite is

```
(CONS a x)
```

This appends item a on to the head of the list x. For example:

```
(CONS 'A '(NEW SENTENCE))
```

gives

```
(A NEW SENTENCE)
```

You can probably see that

```
(CONS (CAR x) (CDR x))
```

gives a list that is identical to x.

There is one special list. This is the empty list

```
()
```

This is referred to by the special name NIL, and obviously it is not sensible to ask for the CAR or CDR of this list.

We now have most of the functions we need to write programs in Lisp. I wish to consider just one or two more, before I show a short example program.

Lisp has an equivalent of the IF...THEN...ELSE construct in Basic that is rather more powerful. It is the function COND which has the general form:

```
(COND
  (condition, function-call(s),)
  (condition2, function-call(s)2)
```

```
(conditionn, function-call(s)n))
```

Notice how I spread the expression over several lines – the system knows when I have finished because there are a matching number of brackets.

The conditions are functions or variables which return values true or false. Lisp has a rather strange concept of true and false. False is represented by NIL, and for convenience there is a variable NIL whose value is NIL. True is represented by anything whose value is not NIL, and for convenience there is a variable T whose value is T (ie, something not NIL).

COND works by going through the conditions until one evaluates to true. The corresponding function-call(s) are then evaluated and the result of the last one to be evaluated is given back as the result of the COND function. Should no condition prove true then COND returns the value NIL. Very often the last condition is the

variable T, which is of course always true, and so its function-call(s) will always be evaluated if no other condition is true. This is rather like ELSE in Basic.

Finally, it is useful to be able to define your own functions. In fact, since this is the way you build programs in Lisp, with functions calling functions calling functions and so on, it is essential that there should be a suitably powerful definition facility for functions. The function used for defining functions is called DEFUN. Here is a definition of a function to add two numbers and print out their sum.

```
(DEFUN addpr (a b)
  (PRINTC (PLUS a b)))
```

Notice how I can use lower case variables and functions. It is just that the system functions are defined in upper case. The general form of function definition is:

```
(DEFUN function-name (argument-list)
  (function-evaluation)
  (function-evaluation)
  (function-evaluation))
```

```
(function-evaluation))
```

In the example I gave above addpr is the name of the function. The argument list is (a b) and there is only one function to evaluate. A function always returns as value the result of the last thing it evaluated. In this case the result is the result of (PRINTC (PLUS a b)), which in turn is the value of the last item printed out, ie, (PLUS a b).

We could use our function as follows:

```
(SETQ X (addpr 2 2))
```

which will print out 4 and set the variable X to have the value 4. In fact, function definition is the same as giving a variable a value. A function definition is a special type of list. You will find that addpr now has the value:

```
(LAMBDA (a b) (PRINTC (PLUS a b)))
```

The relationship to the call of DEFUN

'It is useful to be able to define your own functions'


should be clear. The first argument to the call of DEFUN is the name of the variable which is to be set, and the rest of the arguments appear as a list headed by LAMBDA. LAMBDA is merely a special value, which means the rest of a list is a function definition. Why the name LAMBDA is used will be explained in the last article in this series.

Lisp functions are recursive, that is, they

BBC JOYSTICK ADAPTOR

USE THE BEST JOYSTICKS FOR GAMES ON THE BBC
E.g. ATARI, QUICKSHOT, COMMODORE, THE BOSS,
TRIGA COMMAND ETC.

YOUR BUD ADAPTOR WILL ALLOW ATARI-TYPE
JOYSTICKS TO BE USED WITH THE VAST MAJORITY
OF JOYSTICK GAMES SUCH AS:
HUNCHBACK....SUPERIOR SOFTWARE
KILLER GORILLA...MICROPOWER
ROCKET RAID...ACORN SOFTWARE
ZALAGA....ARDVAAK
CYLON ATTACK...A+F



JUST PLUG IN
AND GO!

No software needed

Bud
Computer
Products

Also Available

QUICKSHOT II JOYSTICKS

Suitable for use with your BUD adapter.

DISC DRIVES

Shugart 100K disc drives for the BBC Micro.
Cased with leads, manual and utility disc.
Delivered by Securicor

Dealer enquiries welcome.

FREE DELIVERY

PLEASE SEND ME...


JOYSTICK ADAPTOR at £10.95 Name,.....
 QUICKSHOT II JOYSTICK at £9.95 Address,.....
 100 K DISC DRIVES at £205 Postcode,.....
 BBC VINYL DUST COVER at £4.45 I enclose cheque for £

POST TO : BUD COMPUTER PRODUCTS 11 Newarke St., Leicester LE1 5SS
Telephone: Leics (0533) 559711


EuroBEEB – basically the best controller

How to make small control systems easy:-


1. Plug the EuroBEEB ROM and the EuroBEEB power lead into the BBC
2. Connect the BBC serial port to the EuroBEEB serial port
3. Switch on, and type *EURO. and press return
4. You now have control of the EuroBEEB through the BBC
5. You can now write BASIC programs directly into the battery-backed memory of the EuroBEEB, and upload or download from it to the BBC disk or cassette
6. You can program an EPROM, and use it to replace the CMOS RAM on the EuroBEEB (using CU-PROM)
7. You can program a "turnkey" line in the EuroBEEB's operating system EPROM so that it runs its program as soon as it is powered up
8. You can add an enormous range of CUBE modules through a backplane, including hi-res colour video, analog, digital and serial i/o, industrial i/o, printers, liquid crystal display, etc.,
9. You can use any RS-423 terminal instead of the BBC
10. EuroBEEB, complete with sideways ROM and cables, costs only £242 ext VAT (code CUU6592)



Send for free
150 page
Catalogue to:-



Control Universal Ltd
Anderson's Court
Newnham Road,
Cambridge CB3 9EZ
Tel 0223 358757 Telex 995801



can call themselves. Indeed recursive programming is the natural way of programming in Lisp. A recursive function that is in common use is the factorial function. This can be defined mathematically as:

$$n! = n * (n - 1) * (n - 2) * \dots * 2 * 1$$

and the special case

$$0! = 1$$

This works for non-negative whole

'Notice the use of indentation to make the meaning clear'

numbers. Note that $n!$ is read as 'factorial n '. However $n!$ could be defined in terms of the factorial function itself, as follows:

$$0! = 1$$

$$n! = n * (n - 1)! \quad \text{for } n \geq 1$$

So to work out $3!$ we would first work out $2!$ and then multiply by 3. To work out $2!$ we would first work out $1!$ and then multiply by 2. To work out $1!$ we would first work out $0!$ and then multiply by 1. However we are given $0!$ and so the recursion stops. In Lisp this is:

```
(DEFUN factorial (n)
  (COND
    ((EQ n 0) 1)
    (T (TIMES n (factorial (SUB1 n))))))
```

Notice the use of T to provide an ELSE for the COND. SUB1 is a built-in Lisp function that subtracts 1 from its argument. Notice also the use of indentation to make the meaning clear. The Acornsoft Lisp system will in fact force some indentation on you, but you may well wish to add more for clarity. Indentation also helps with counting brackets.

Here is another interesting function.

```
(DEFUN ncall (n)
  (COND
    ((LESSP n 2) 1)
    (T (PLUS 1
      (ncall (SUB1 n))
      (ncall (SUB1 (SUB1 n)))))))
```

LESSP returns T if its first argument is less than its second. The function ncall returns the number of evaluations of ncall it has done in recursively evaluating ncall (I am grateful to Peter Henderson and William Stoye of Cambridge University for drawing my attention to this function). Armed with a stop watch, you can test how fast Lisp can evaluate functions. Acornsoft Lisp will do about 160 evaluations of ncall per second. For comparison an IBM 3081D running compiled Lisp does more than 300,000 evaluations of ncall per second (and also costs well over a million pounds, so you get about the same cost of hardware per evaluation).

I have yet to explain the use of the editor, for the time being if you get an error just retype the troublesome function – they are all very small.

If something does go wrong Lisp will give an error message, trying to distinguish the fault. For instance:

(CAR 3)

will give error 14 – Attempt to take CAR or CDR of atom. An atom is essentially anything that isn't a list (all will be revealed in the next article). Since CAR and CDR work only on lists, it is not reasonable to give CAR an argument which isn't a list.

Having found an error, Lisp will try to tell you what it was doing at the time – which function argument it was evaluating at the time, and which function call had that argument. If it was evaluating a function that had that function as one of its arguments it will tell you which that function was, and so on until it gets to the function you originally typed in at the "Evaluate:" prompt. For example:

(PLUS 2 (TIMES 1 (CAR 3)))

will give a traceback

Error number 14

Arg: 3

Arg: (CAR 3)

Arg: (TIMES 1 (CAR 3))

Arg: (PLUS 2 (TIMES 1 (CAR 3)))

This says that trouble occurred when an argument of 3 was found. This was during an evaluation of (CAR 3), which expects a list as argument. This in turn was during the evaluation of (TIMES 1 (CAR 3)), which in turn was during the evaluation of (PLUS 2 (TIMES 1 (CAR 3))), the original expression we typed in.

The example program is fairly simple, but illustrates how Lisp is useful for implementing other languages. In the next two articles I'll show some more of the facilities in Lisp and give some more sophisticated programs. The program is based on an example in *LISP on the BBC Microcomputer*. It is sometimes tedious to have to type in long function names for simple arithmetic operations. It would at least be nice to say:

(+ (* 4 5) 6)

rather than:

(PLUS (TIMES 4 5) 6)

let us define a function to evaluate such expressions. We will only worry about operators with two arguments of the form:

(operator arg₁ arg₂)

To start with we will restrict ourselves to the operators +, -, *, and /. Arg₁ and arg₂ can themselves be expressions so we can have expressions of the form:

(operator (operator arg₁ arg₂) (operator arg₃ arg₄))

and so on. Some examples will make this clear:

(+ 2 2)
 (* (+ 1 2) (+ 3 4))
 (/ (+ 4 6) 5)

Clearly we must allow numbers on their own to be expressions. Thus

7

will not surprisingly give the value 7.

Let us now define a function myevaluator to take expressions and return their value. We would like

(myevaluator '(+ 2 2))

to return as value 4.

```
(DEFUN myevaluator (expression)
  (COND
    ((LISTP expression)
     (evaluate-operator)
     (CAR expression)
     (myevaluator (CADR expression)))
    (myevaluator (CADDR expression))
    (T expression)))
```

There are two types of expression to be evaluated: lists of the form

(operator arg₁ arg₂)

and numbers. We use LISTP to test whether an expression is a list. It returns T if its argument is a list. (The P after so many LISP conditionals – we saw LESSP earlier – is mnemonic for Predicate, ie something that is true or false). Having decided that expression is not a number we must now evaluate its two arguments (which may themselves be expressions). We do this by a recursive call to myevaluator, since each argument could itself be an expression. The function CADR is short for

(CAR (CDR . . .))

You should be able to see that applying this to a list will give us the second item in the list (the first argument for the operator), which we then give to myevaluator to evaluate. Similarly CADDR is short for

(CAR (CDR (CDR . . .)))

and picks out the third item in a list. Finally, these are passed with the operator to a

'With a stopwatch you can test how fast Lisp can evaluate functions'

function evaluate-operator which calculates the result for expressions of the form:

(operator number number)

Here is the definition of evaluate-operator:

```
(DEFUN evaluate-operator (op arg1
                                arg2)
  (COND
```

► page 155



'Dataplus have made their name supplying computer peripherals at competitive prices. I believe that we have now found the best price/performance daisy wheel alternative to dot matrix. The ideal printer for both data and word processing. Truly; a high quality machine at an affordable price. As Managing Director, I guarantee you won't buy better.'

So whatever your computer — BBC, Spectrum*, Commodore*, Dragon, Oric, Apple and many others — make the most of it and turn your computer into a quality printing system for home correspondence, documents, short stories and business use.

Use standard stationery or, for ONLY £79 (if ordered with your TP1) we will supply a tractor feed so you can use continuous or fanfold paper.

This is just one offer you can't miss. To avoid disappointment RING NOW on our 24 hour answering service 0242 527412 to place your order quoting your Access/Barclaycard No., expiry date and full name and address OR complete the coupon below and POST TODAY.

Please allow 28 days delivery. If not completely satisfied return goods in original packing within 10 days of receipt and we will replace or refund your money in full.

For technical queries telephone our Expert Hotline 0242 37373 or visit our showroom at 39-49 Roman Road, Cheltenham.

*CBM 64 & Spectrum Computers require a special interface cable kit. For assistance & price phone our Technical Hotline.

R. Brothwood

SPECIFICATIONS

Print Speed: 120 wpm
Character set 128 ASCII 88 printable
Character spacing: 12 CPI
Printing: Unidirectional
Paper width: 13" max.
Writing line: 10.5" 126 character line
Line spacing: 6 lines per inch
Paper Feed: Friction, single sheet or fanfold.
240 volts, 50Hz
Dimensions: (H) 6.4" (W) 19.5" (D) 12.4"
Weight: 18.5 lbs

Operator Controls: Power on/off, top of form, impression controls (5 levels)

INTERFACES

Parallel

Centronics compatible, 7 bit parallel data, 3 control lines (data, strobe, busy, acknowledge)

Serial

RS232C compatible, 50-19200 BPS, parity and character bit length all switch selectable.

Dataplus-PSI Ltd 39-49 Roman Road Cheltenham GL51 8QQ. Reg. No. 1715271 England.
Offer open to UK only while stocks last.

To DATAPLUS-PSI Ltd 39-49 Roman Road Cheltenham GL51 8QQ
Please send me:—

Qty	Description	Price	Total
1	TP1(s) with RS232 interface	£250	
1	TP1 with centronic interface	£250	
1	Interface cables serial/parallel*	£15	
1	Tractor Feed	£79	
	*Delete as applicable	Total	

I enclose my cheque for £_____ crossed and made payable to DATAPLUS-PSI Ltd or charge my Access/Barclaycard* Account No. _____

Expiry date of card _____

Signature _____

Name _____
Address _____

Postcode _____

Telephone No. _____
Make/Model of my computer. _____

AC1

ADDING A NEW DIMENSION TO LIFE

THE MAIN program featured here is a development of the 'life' routines in January's *Acorn User*. The programs in that article made use of Conway's Life algorithm (and variations of it) to generate patterns based upon groups of cells which evolve within a two-dimensional grid in accordance with various sets of rules. The program presented here attempts to expand the 'world' of the cells into three dimensions and hence to generate three-dimensional patterns. It should also demonstrate that 3D computer graphics are not necessarily much more difficult to program than two-dimensional ones. The screen display will be a two-dimensional projection showing the arrangement of the cell patterns in 3D space.

The recent proliferation of computer-generated or computer-inspired graphics in films – particularly in television commercials – has made the public aware of their potential. The most common examples have been 'wire-frame' graphics. This is the simplest form of 3D image and the most generally recognisable as having a computer origin. Wire-frame refers to the typical appearance of such images, in which solid objects are depicted solely by lines (usually glowing green lines when a high-tech image is being promoted) connecting their vertices (corners). As these images show no solid surfaces, only edges, they are effectively transparent and can be confusing, as it is not always obvious which lines are in front of others.

When presented with an image of this type, the human brain may make several interpretations of the information. Rotation or other movement of the image can provide some extra depth clues from the relative movement of the lines and help to decide which is the correct interpretation.

Although wire-frame images are now coming to be regarded as a visual cliché in the media, 3D graphics are still, on the whole, held somewhat in awe in the world of home computing. There is a general suspicion that they are difficult to implement, requiring an extensive knowledge of 3D co-ordinate geometry and a powerful (ie, expensive) computer. In fact, armed with a few general-purpose procedures and a little planning, quite elaborate images can be plotted by anyone with rudimentary programming skills.

Smooth 3D real-time animation of anything but the simplest wire-frame objects is not possible on the BBC micro because the 6502 microprocessor lacks the processing speed necessary to generate the information required to update images at around 25 frames per second. However, it

**Malcolm Banthorpe's
Life variations
crystallise into
cubic creativity**



is possible to set up a static scene and then view it from various angles. Programming 3D graphics can become much more complex where general-purpose routines are required for hidden line and surface removal or to take account of lines and surfaces which are wholly or partially behind the viewpoint. However, by restricting the choice of viewpoint, the latter problem can be ignored and the former is solved by making assumptions about what will be visible and employing tricks of programming.

At the simplest level, to draw wire frames, all you need is a new form of plotting command which takes three co-ordinates as its arguments, performs perspective transformation and displays the resulting two-dimensional screen co-ordinates. PROCplot, used in the main program and shown in its simplest form in listing 1, performs this function and takes four arguments. Movement of the viewpoint towards or away from the object is possible but its vertical and lateral positions are fixed. The use of PROCplot is similar to that of the Basic PLOT command, except that it deals with Z co-ordinates as well as X and Y.

The first parameter defines the precise plotting function, so PROCplot(4,X,Y,Z) moves the graphics cursor to absolute location X,Y,Z (or at least to the equivalent X,Y co-ordinate on the screen). The use of '5' as the first parameter draws a line to an absolute three-dimensional location. It is

also possible to use '85' to plot the two-dimensional perspective transformation of a solid triangle in three-dimensional space.

All three forms of PROCplot will be used in the main program. As an introduction to its use, listing 1 draws a simple wire-frame cube. The variable VZ% holds the distance of the viewpoint from the theoretical X,Y and Z origin, the viewpoint being at coordinates 0,0,VZ%. By varying its value, both image-size and perspective change. Reducing its absolute value and therefore moving closer to the cube will give a larger image and a more pronounced perspective effect – like that of a wide-angle lens. Increasing its value will give a more flattened perspective.

The variable S% is a scaling factor and can be used to vary the image size without changing the perspective. By maintaining a constant ratio of S% to VZ%, you can change the perspective while maintaining approximately the same image size.

The image given by this program is shown in figure 1 – not very impressive and highly ambiguous. Only one facet faces the viewer and without foreknowledge it is unlikely that it would be interpreted as a cube. It can be improved by rotating the cube slightly. For the purpose of the program, this involves rotating the co-ordinates of each of the eight vertices around the origin. Adding the lines in listing 1a rotates the cube around the Y and X axes, by 30 degrees in each direction (figure 2). In a more general-purpose graphics package, separate procedures to perform rotation around the three axes independently would be desirable but, for the purpose of the main program, the simple routine incorporated into PROCplot will suffice.

Try changing the angle of rotation in line 40. If the angle of rotation is fixed, or at least restricted to a narrow range, it becomes possible to predict which edges of the cube would be visible if the cube were solid. So one way of dealing with the 'hidden' edges is simply to plot the cube as if they didn't exist. If the program is now run with the angle at 30 degrees, and further modified so that line 140 becomes:

140 DATA 11

and lines 260 to 300 are deleted, the result is the more solid-looking cube of figure 3.

Proceeding to the main program (listing 2), the world in which the cells exist will be a $15 \times 15 \times 15$ cubic grid or matrix giving 3,375 possible locations. The future state of any empty location will be determined by the states of some or all of the 26 locations which immediately border it.

It is more difficult to visualise a 3D grid

than a two-dimensional one. Figures 4 and 5 should help clarify the situation. Figure 4 shows the $15 \times 15 \times 15$ matrix drawn in a perspective similar to that used in the program. The whole matrix is a cube, each location consisting of a smaller cube. Each of the 3,375 smaller cubes is a potential cell location and this is the sort of display obtained if each location is occupied. When the program is run, cubes will be drawn only at locations containing cells.

Figure 5 is a closer view of a $3 \times 3 \times 3$ section of the matrix. The darker cube at the centre, marked with an X, represents a target location, surrounded by the 26 neighbours which will determine its future state. Adjacent cubes are shown with space between them to make the structure clearer; in the program, adjacent cells will be drawn in contact, as in figure 4.


Rules to determine the creation and continuing existence of cells will be based on the variations given in my previous article. These have been chosen to provide sequences of patterns which, when applied to most initial cell groups, will generally (though not always) steadily increase in overall size from generation to generation. As shown in the main program listing, they are:

1. Each cell survives for exactly three generations and then vanishes.
2. Only those eight bordering locations shown in figure 6 are taken into account.
3. Any empty location with only one neighbour gives birth to a new cell.

For the purpose of rule 3, only first- and second-generation cells are included in the count. By not including third-generation cells, which are about to vanish in the next generation, the amount of array space required by the program is halved, permitting a larger maximum grid size.

Mode 1 is used to display the results so that a different logical colour can be assigned to each new generation. Three colours represent first, second and third-generation cells, while black indicates an empty location. The colour of an individual cell does not change as it progresses from first to third generation but at any time the three generations will be of different colours. Once a cell is created it remains the same colour throughout the three stages of its life.

Sequence 1 (this page) shows the first six generations that result from the application of these rules to a single cell. Cubes were chosen to represent the cells as they conveniently fit into the grid structure and are simple to represent in two dimensions. Two elementary forms of hidden surface removal have been employed to improve on the wire-frame cubes shown earlier and to make the display as unambiguous as



possible. As mentioned, it can safely be predicted that no more than three surfaces of any cube will be visible from any viewpoint. As the cubes are always drawn in the same orientation, you can predict which three surfaces will face the viewpoint – the other three are omitted.

The problem of cubes being partly or wholly obscured by nearer cubes is solved by plotting each generation from the furthest cube, the next furthest and so on. As each facet is plotted as a solid block of colour, it erases anything already plotted in the same screen position. Displaying the contents of the entire matrix in practice involves scanning the $15 \times 15 \times 15$ grid from the bottom left-hand location of the furthest 15×15 'slice' (which forms the rear, hidden, surface in figure 4) and then proceeding slice by slice to the front surface. If an occupied location is found a cube is drawn at the appropriate co-ordinates. This may be difficult to visualise but observation of the program in action, building up the display cube by cube, should clarify what is happening.

A $15 \times 15 \times 15$ grid was chosen as the largest that can conveniently be accommodated within the program and still leave enough memory for the use of mode 1. This grid size generally allows up to six generations to be processed before the results become invalid because the cell group is approaching the limits of the matrix. A normal integer array of this size, using four bytes per element, would take up more memory than is available and would in any


case waste memory, considering the limited range of values to be stored. One byte per element is more than adequate for this purpose and, although still somewhat wasteful, a single-byte array is easily set up and manipulated to be addressable as a three-dimensional array.

Line 60 reserves 3,375 bytes, starting at the address held in the variable Array%. Line 70 sets each element to zero since, unlike conventional arrays, this does not automatically occur when the array is dimensioned. PROCwrite takes four arguments: the three array dimensions and the value to be stored. FNread takes three array dimensions as its arguments and returns the stored value.

For those wishing to experiment with larger grids there are two possibilities: first, use of mode 5 allows a four-colour display to be retained, at lower resolution, and releases another 10k of memory for array



SEQUENCE 1



space; second, as only two bits per array element are required to store the values 0,1,2 and 3, more complex definitions of FNread and PROCwrite could be written to permit more compact storage of the data, with four elements compressed into each byte.

The following descriptions of the other procedures should help if you wish to make modifications to the program.


PROCdesign allows an initial cell pattern to be set up. The single value in the first line of data is the number of cells to be set up. The following line of data contains the X,Y and Z co-ordinates of each cell. The centre of the grid is location 7,7,7 and the initial pattern would normally be centred around this point.

PROCshow displays the current cell generation. It operates by scanning the grid in the manner described, starting with the location furthest from the viewpoint. To save time, it is possible to scan the part of the grid in which cells are known to exist – this has been implemented within the procedure as listed. G% is a variable containing the number of the current generation. If the overall size of the initial cell pattern doesn't exceed $3 \times 3 \times 3$ and is centred at

location 7,7,7 then, with the above rules, the overall size of the group will not increase by more than one location in any direction from one generation to the next. The procedure as shown assumes these conditions and, on finding an occupied location, calls PROCcube. If a larger initial cell group is required or if it is to be positioned off-centre, then PROCshow should be modified. If in doubt, scan the full extent of the grid (0 to 14) in all three directions.

PROCcube takes four arguments. The first three are the co-ordinates of the bottom left front corner of the cube and thus determine its position. The fourth is the logical colour in which it will be displayed. The procedure calls PROCfront, PROCtop and PROCside, which supply the data for the drawing of the parts of the cube suggested by their names. Each procedure in turn calls PROCfacet, which draws a solid facet by using 85 as the first argument of PROCplot (to obscure any previously plotted surfaces which should be hidden). An outline of the facet is also drawn.

PROCplot was described earlier. The angle of rotation can be varied to a limited extent to obtain different views, but too



STAR PRODUCTS FROM PACE!

TOOLSTAR - AN ESSENTIAL UTILITY FOR THE BBC MICRO

This exciting new toolkit ROM offers many extra facilities and will significantly reduce program development time. The new commands offered by Toolstar are:

★ CONV

Convert between Decimal, Hexadecimal and Binary in any combination.

★ DFORMAT

Format a disc to the Acorn standard with any number of tracks within the capabilities of the Drive.

★ DLOAD

Load the data from the specified sector on a disc to memory.

★ DSAVE

Save the data from memory to a specified area on the disc.

★ DVERIFY

Verify a disc.

★ FIND

Search a BASIC program for all occurrences of the specified string (mixed tokens/ASCII), and list all lines with string highlighted.

★ FIX

Repair a 'Bad Program' then list it.

★ FKEY

Display what is behind function keys in a format suitable for on-screen editing.

★ FLIST

List a 'Bad Program' with suspicious areas highlighted.

★ OPEN

Smart renumber parts of a BASIC program.

★ REPLACE

Selective replacement of one string by another in a BASIC program, including wild card options.

★ RESET

An unforgettable new!

The following commands are directed at the whole machine memory and complement the BBC micro's assembler:

★ MBRK

Installs a serial BRK handler giving CPU register and stack displays together with program counter and paged ROM value when BRK occurred — can be used in machine code or BASIC.

★ MCOMP

Compare memory areas and list those where memory contents are not the same.

★ MCOPY

Smart memory copy from one area to another.

★ MCRC

Calculate a Cyclic Redundancy Check for the specified memory area.

★ MDIS

Full feature disassembler with parallel ASCII display. Features include automatic labelling of Acorn O.S. calls and vectors, and on-screen editing.

★ MDUMP

Hexadecimal/ASCII dump of memory with on-screen editing.

★ MFIND

Search memory for all occurrences of specified machine code/ASCII string.

★ MROM

All the M (Memory) commands can be directed at the specified paged ROM, e.g. BASIC, DFS, TOOLSTAR, WORDWISE, etc.

★ MSEED

Fill the specified memory area with any value.

★ EXTEND

Expands the Toolstar to encompass RAM based utilities which then automatically appear under the ★HELP command. This feature ensures that Toolstar is capable of future expansion.

Any or all of the above commands can be used from within a BASIC program. This allows the user to develop many powerful utilities (ie. disc doctor etc.)

Also included are ★HELP menus with a list of the above commands and their correct syntax. Toolstar comes complete with a most comprehensive manual including many program examples.

COMMSTAR - ROM BASED INTELLIGENT COMMUNICATIONS FACILITY

Commstar is a unique intelligent communications facility, developed by Andy Hood, for the BBC micro. It will allow communication with other computer users and large data bases throughout the world via a suitable modem.

Commstar is extremely flexible, allowing full configuration of the RS 423 (RS 232) port of the BBC micro, full XON/XOFF protocol, and 'safe' file transfer by the use of enhanced 'Christiensen' protocols.

All commands are easily accessed from a main menu from which it is a simple matter to toggle into 'chat' mode (and vice-versa).

Menu options available:

B — Copy to buffer on/off; All input from the host may be copied into a memory buffer which is approx. 23K in mode 7.

C — Exit menu to 'chat' mode to allow conversational access to bulletin boards.

E — Echo on/off — set echo on when using host terminals which do not provide an echo.

F — File transfer using XMODEM protocols. High integrity via use of enhanced 'Christiensen' protocols.

Commstar also contains its own software clock in memory which is useful in displaying length of log-on time etc.

I — Initialise RS423 port for word length, parity and stop bits.

L — Load buffer from current filing system file for transmission to modem.

M — Issue any MOS command from within COMMSTAR

O — Output buffer to modem — speed may be varied to suit particular modem speeds.

R — Reset buffer pointers.

S — Save buffer to current filing system file for 'browsing' later.

T — Toggle screen mode : normally mode 7, 80 columns available in mode 3.

V — View current buffer contents on screen — display speed may be varied, or paused with optional dumping to printer.

W — Wipe buffer prior to use of other buffer commands if necessary.

X — Toggle XON/XOFF protocol.

TOOLSTAR and COMMSTAR ONLY £34.00 EACH inc. VAT
Details of the above products can be obtained from your nearest BBC dealer or direct from:

PACE DISC SYSTEMS
92 NEW CROSS STREET,
BRADFORD BD5 8BS.
Tel: (0274) 729306 Telex: 51564

much variation will foul the simple method of hidden surface removal. Surfaces and edges assumed not to be visible and therefore not plotted may now theoretically come into sight. Conversely, some surfaces and edges will be drawn which should not actually be visible.




Figure 1. Simple '3D' cube form of the kind produced by listing 1




Figure 2. Rotation of the cube




Figure 3. Unwanted 'invisible' lines not plotted

PROCmain is the procedure which examines the current state of the grid and determines the next generation. As in **PROCshow**, some time is saved in the earlier generations by scanning only the part of the grid known to contain cells. The same comments apply, but where the full

Listing 1. Simple wire-frame cube

```

10 MODE4
20 VDU29,640;512;
30 VZ%=-500:S%=1200
70 READ N%
80 FOR I%=1 TO N%
90 READ K%,X%,Y%,Z%
100 PROCplot(K%,X%,Y%,Z%)
110 NEXT
120 END
130
140 DATA 16
150 DATA 4,100,-100,-100
160 DATA 5,100,100,-100
170 DATA 5,-100,100,-100
180 DATA 5,-100,-100,-100
190 DATA 5,100,-100,-100
200 DATA 5,100,-100,100
210 DATA 5,100,100,100
220 DATA 5,100,100,-100
230 DATA 4,100,100,100
240 DATA 5,-100,100,100
250 DATA 5,-100,100,-100
260 DATA 4,-100,-100,-100
270 DATA 5,-100,-100,100
280 DATA 5,-100,100,100
290 DATA 4,-100,-100,100
300 DATA 5,100,-100,100
310
320 DEFPROCplot(K%,X%,Y%,Z%)
350 M=S%/(Z%-VZ%):PLOTK%,X%*M,Y%*M
360 ENDPROC

```

Listing 1a. Thirty degree rotation

```

40 Angle=30
50 Sin=SINRAD(-Angle)
60 Cos=COSRAD(-Angle)
320 DEFPROCplot(K%,X%,Y%,Z%)
330 x%=X%*Cos-Z%*Sin:z%=Z%*Cos+X%*Sin
340 y%=Y%*Cos-z%*Sin:z%=z%*Cos+Y%*Sin
350 M=S%/(Z%-VZ%):PLOTK%,x%*M,y%*M
360 ENDPROC

```

Listing 2. It's a cubic world

```

10 MODE1:VDU29,640;400;
20 VDU23;8202;0;0;0;
30 Angle=30
40 Sin=SINRAD-Angle:Cos=COSRAD-Angle
50 VDU19,1,1;0;19,2,5;0;19,3,3;0;
60 DIMArray%3375:VZ%=-2000:S%=1600
70 FORI%=0TO3375:I%?Array%=0:NEXT
80 PROCdesign
90 G%=1:colour=3
100 PROCshow
110 PROCmain:END
120 :
130 DEFPROCmain
140 C=2
150 REPEAT
160 G%=G%+1
170 C=C+1:colour=C MOD3+1
180 FORX%=7-G%TO7+G%

```

BBC Microcomputer System


OFFICIAL BBC
COMPUTER
DEALER



This is the best microcomputer currently on the market. 32K RAM, 32K ROM, 8 modes of operation, full colour, full-size keyboard, internal expansions such as disc interface, speech synthesizer, Econet interface - in short, it is a personal computer capable of expanding into a small business system.

BBC Microcomputer Model B	£348 + VAT	£399.00
BBC Mod B - disk interface	£409 + VAT	£469.00
BBC Mod B - Econet interface	£389 + VAT	£447.35
BBC Mod B and Econet interfaces	£450 + VAT	£517.50
BBC 100K disk drive	£230 + VAT	£264.00
BBC dual 800K disk drive	£699 + VAT	£803.85
Torch Z80 disk pack including Z80 2nd processor	£699 + VAT	£803.85
64K RAM and CPN operating system + Free Perfect Software	£196 + VAT	£225.40
BBC Teletext receiver (Aug)	£26 + VAT	£29.90
BBC Cassette recorder and lead	£86 + VAT	£96.60
Disk interface kit (free fitting)	£50 + VAT	£57.50
Mod A to Mod B upgrade kit	£20 + VAT	£23.00
Fitting charge for A to B upgrade kit	£20 + VAT	£23.00
16K memory upgrade kit	£11 + VAT	£12.65
Games paddles	£89 + VAT	£102.35
12" Monochrome monitor incl. cable	£209 + VAT	£274.85
16" Colour monitor incl. cable	£10 + VAT	£10.00
User guide	£60 + VAT	£69.00
Econet interface (free fitting)	£47 + VAT	£54.05
Speech interface (free fitting)	£30 + VAT	£34.50
BBC disk manual - formating disk	£10 + VAT	£11.50
Parallel printer cable	£52 + VAT	£59.80
BBC word processor (view)	£15 + VAT	£17.25
BBC fourth language cassette	£15 + VAT	£17.25
BBC Lisp language cassette	£15 + VAT	£17.25

100% BBC COMPATIBLE MITSUBISHI AND TEAC SLIMLINE DISK DRIVES



These drives are supplied ready cased with all the necessary cables, formating program and user disk system guide.

There are some useful utilities included, e.g. Epson Screen Dump Program, Memory Dump, Free, Duplicate, Merge and Relocate. Power consumption of these drives is very low (0.2A typ. at -12V, 0.4V typ. at -5V per drive). Power is taken from the BBC computer.

Single drive 100K 40 tracks	£169 + VAT = £194.
Dual drive 200K 40 tracks	£329 + VAT = £378.35
Single drive 400K 80 tracks	£239 + VAT = £274.35
Single drive 400K 40/80 tracks switchable	£259 + VAT = £297.85
Dual drive 800K 80 tracks	£449 + VAT = £516.35
Dual drive 800K 40/80 tracks switchable	£469 + VAT = £539.35


COMPLETE WORD PROCESSOR FOR ONLY £1,099 + VAT

This package consists of BBC Microcomputer, View 1 wordprocessor, 400K Slimline disc drive, High resolution 12" Green monitor, Juki 6100 18CPS Daisy Wheel printer and all the necessary cables and documentation. The above package can be supplied with components of your own choice, e.g. 800K disc drive or a different printer. Please phone us for a price for your particular requirement.

Special package deal

£1,099 + VAT = £1,263.85

PROFESSIONAL MONITORS




GREEN MONITORS

12" Green screen monitors with composite and sync input	Suitable for most computers
* 18 MHz band width, high resolution	£89 + VAT = £102.35
* 15 MHz band width, normal resolution	£69 + VAT = £79.35
COLOUR MONITORS	
* MICROVITE RGB input 14" - monitor supplied with RGB lead for BBC	£209 + VAT = £240.35
* SANYO SCM 14" Normal res. 14", 400 dots, RGB input supplied with RGB lead	£199 + VAT = £228.85
* SANYO SCM 14M Medium res. 14", 600 dots, RGB input supplied with RGB lead	£299 + VAT = £343.85
* SANYO SCM 14H High res. 14", 800 dots, RGB input supplied with RGB lead	£399 + VAT = £458.85

Akhter Instruments Limited
Dept. E.C.,
28 BURNTMILL, HARLOW, ESSEX CM20 2HU. UK.
TEL: HARLOW (0279) 443521 OR 412639
TELEX 818894

EPSON FOR RELIABILITY



EPSON FX80: 80 column, 160 CPS, normal italic and elite characters, 256 user definable characters, superscript, subscript, 11 x 9 matrix, bi-directional logic seeking, hi-res bit image printing (960 x 8 dots line), friction and pinfeed, 9 international character sets, Centronic parallel interface.

FX80 PRICE: £349 + VAT = £401.35

EPSON RX80: 80 column, 100 CPS, normal, italic and elite characters, 11 international character sets, hi-res bit image printing, bi-directional logic seeking, 4 to 10 adjustable pinfeed, Centronic parallel interface.

RX80 PRICE: £399 + VAT = £458.85

RS232 Interface for all above printers

EPSON RX80FT (friction & tractor)

FX100:

Roll holder for FX80:

Ribbon for MX80, FX80, RX80

Ribbon for MX100:

MX100: 136 column, 100 CPS, friction and tractor feed, up to 15" adjustable carriage, hi-res bit image printing, true descenders, Centronic parallel interface.

MX-100 PRICE: £399 + VAT = £458.85

MX-100: 136 column, 100 CPS, friction and tractor feed, up to 15" adjustable carriage, hi-res bit image printing, true descenders, Centronic parallel interface.

MX-100 PRICE: £399 + VAT = £458.85

RS232 Interface for all above printers

EPSON RX80FT (friction & tractor)

FX100:

Roll holder for FX80:

Ribbon for MX80, FX80, RX80

Ribbon for MX100:

GP-100A: 80 column, 50 CPS, dot addressable hi-res graphics, 10" wide, fully adjustable, tractor feed, 7 x 5 print matrix, Centronic parallel interface.

GP-100A 50CPS PRICE: £175 + VAT = £201.25

GP-250X: 80 column, 50 CPS, 10" wide, fully adjustable, tractor feed, true descenders, 64 user definable characters, double height and/or double width printing, 8 x 5 print matrix, Centronic parallel and RS232 interface both included.

GP-250X PRICE: £219 + VAT = £251.85

NEW GP-700A 7 COLOUR PRINTER:

This latest addition to Seikosha range gives you print in seven colours, 10" wide carriage, friction and tractor feed, 50 CPS print speed, dot addressable hi-res graphics, 4 hammer printing mechanism, 10 CPI or 13.3 CPI special Quite printing mode, Centronic parallel interface.

GP-700A SPECIAL INTRODUCTORY PRICE: £349 + VAT = £401.35

GUARANTEED LOWEST PRICES

We guarantee that our prices are the lowest on the market. If you can find any item advertised and in stock at less than our price we will match that price.

NEW LOW PRICES ON STAR



The most cost effective quality matrix printers to be launched this year. DP510 and DP515 features include friction and tractor feed and roll holders as standard. 100 CPS print speed bi-directional logic seeking 9 x 9 matrix gives true descenders, 2.3K buffer as standard hi-res bit image plus block graphics, sub and super script, italic printing, auto underlining, vertical and horizontal tabulation, left and right margins set, skip over perforation, back space and self test.

STAR GEMINI 10": carriage, 80 columns, 120 CPS.


SPECIAL PRICE: £219 + VAT = £251

STAR DPS15 15": carriage, 136 columns.

SPECIAL PRICE: £251 + VAT = £291

RS232 INTERFACE FOR ABOVE: £50 + VAT = £57.50

SHARP MZ 700 SERIES COLOUR COMPUTER



The new Sharp MZ 700 has the flexibility to run programs in BASIC, FORTRAN, MACHINE CODE, PASCAL, ASSEMBLER and many other languages. The 64K memory caters for advanced programming, and the MZ 700 gives you access to a wide choice of software.

£60 worth of software FREE — ten games

SPECIAL PRICE £199 + VAT = £228.85

ORDERING INFORMATION

All orders which accompany a cheque, cash or postal orders are CARRIAGE FREE (UK only). Please make cheques and postal orders payable to 'AKHTER INSTRUMENTS'. A carriage charge of 3% of invoice total is applicable to BARCLAYCARD and ACCESS orders. We accept official orders from Government and Educational establishments. We accept VAT FREE EXPORT orders, please phone or write to check shipping cost.

OPENING HOURS: MON-FRI 9am-5.30pm, SAT 10am-2pm.

We welcome callers, no parking problems.

TEXAS INSTRUMENTS TI 99/4A



This microcomputer is based on TMS9900 16-bit microprocessor. It includes 16K RAM, 16 colour high resolution graphic (192 x 256). The screen display is 32 characters, 24 lines TI-BASIC. Full-size keyboard. For Software there are about 1000 programs to choose from. There are a lot of peripherals available, e.g. Disk Drives, Disk Interface, Speech Synthesizer, Extra RAM, Additional Language (PASCAL, TI-LOGO, ASSEMBLER).

TI HOME COMPUTER HARDWARE

Title	Description	Price inc VAT
T199 4A	Complete with UHF modulator and power + free cassette lead.	£89.95

PERIPHERALS

Speech	When used with selected modules will reduce electronic speech.	£41.95
Synthesizer	This unit takes all card peripherals and one internal disk drive.	£89.95

Peripheral Expansion System	92K formatted drive, mounts internally in peripheral expansion system.	£179.95
Disk Drive - Internal	Controls up to 3 disk drives, complete with disk manager command module.	£124.95

Disk Controller Card	92K formatted capacity per side acts as 2 drives DSK1 & DSK2 total capacity 184K bytes	£219.95
Disk Drive Doubled	Complete with own case, power supply & connecting cables.	£259.95

Disk Drive External	Provides 2 serial RS232 ports, and one parallel port for interfacing.	£89.95
RS232	Adds 32K bytes extra RAM bringing total capacity to 48K bytes.	£89.95

Expansion Card P-Code Card	Includes the UCSD-PASCAL P-code interpreter.	£149.98
Matrix Printer	80 column matrix printer, printer GP-100A + cable.	£219.95

Matrix Printer GP250X	80 column matrix printer with RS232 and Centronic parallel interface.	£273.95
Epson RX80 Printer	80 column, 100 CPS matrix printer.	£320.85

Please send S.A.E. for software prices

THE AFFORDABLE DAISYWHEEL PRINTER

ONLY £369 + VAT

JUKI 6100 DAISYWHEEL

£369 + VAT = £424.35

★ 18 CPS - Bi-Directional Logic Seeking

★ 10, 12, 15 CPI - Proportional Spacing

★ *Drop in* Daisywheel - Triumph Adler Compatible

★ Supports all Wordstar features

★ Diablo protocols - IBM Selectric ribbon

★ 2K Buffer as standard - 100 character Daisywheel

SPECIAL OFFER JUKI 6100 DAISYWHEEL

£369 + VAT = £424.35

★ 80 CPS - Bi-Directional Logic Seeking 80 Column

★ Friction and Adjustable Tractor Feed

★ Patented Square Needles up to 9 x 13 matrix

★ Hi-Res Graphics and Block Graphics

SHINWA CP80 PRINTER

£228.85

£5 + VAT = £5.75

BROTHER HR-15 PRINTER



The Brother HR-15 high specification daisywheel printer RRP is £500

SPECIAL OFFER

3 FREE daisywheels supplied!

4 FREE spare ribbons.

ONLY £399 + VAT = £458.85



extent of the grid is to be scanned the range should be 1 to 13 in each direction (in lines 180 to 200) to prevent the program examining locations outside the grid. This procedure also determines which neighbouring locations are to be taken into account and the rules to be applied. Details for varying both are given below. The future states of all locations are determined before the screen is cleared and the next generation displayed.




Figure 4. Cubes in a cubic matrix




Figure 5. Close-up of a section of the cubic matrix

The sequence on the front cover shows the result of the following rules applied to the initial group of six cells arranged in the form of a 3D cross:

- As before, each cell survives for three generations and then vanishes.
- Only those six bordering locations shown in figure 7 are taken into account. As in figure 5, adjacent cells are shown separated for clarity.
- Any empty location with an odd number of neighbours gives birth to a new cell.

These rules are implemented by deleting lines 220 to 280, 310, 1090 and 1100 of the main program and adding the lines shown in listing 2a.

It has probably become obvious by now, in looking at the resulting displays, that

► from page 95

```

190 FORY% = 7-G% TO 7+G%
200 FORZ% = 7-G% TO 7+G%
210 count% = 0
220 FORY% = Y%-1 TO Y%+1 STEP 2
230 FORx% = X%-1 TO X%+1 STEP 2
240 FORz% = Z%-1 TO Z%+1 STEP 2
250 PROCcount (x%, y%, z%)
260 NEXT
270 NEXT
280 NEXT
290 thiscell% = FNread (X%, Y%, Z%)
300 IF thiscell% = colour PROCwrite (X%, Y%, Z%, 0)
310 IF thiscell% = 0 THEN IF count% = 1 PROCwrite
(X%, Y%, Z%, colour)
320 NEXT
330 NEXT
340 NEXT
350 PROCshow
360 UNTIL G% = 7
370 ENDPROC
380 :
390 DEFPROCcount (X%, Y%, Z%)
400 T% = FNread (X%, Y%, Z%)
410 IF T% > 0 THEN IF T% >> colour count% = count% + 1
420 ENDPROC
430 :
440 DEFPROCplot (K%, X%, Y%, Z%) LOCAL x%, y%, z%
450 x% = X% * Cos - Z% * Sin: z% = Z% * Cos + X% * Sin
460 y% = Y% * Cos - z% * Sin: z% = z% * Cos + Y% * Sin
470 M = S% / (z% - VZ%): PLOT K%, x% * M, y% * M
480 ENDPROC
490 :
500 DEFPROCside (X%, Y%, Z%)
510 RESTORE 520: PROCfacet (0)
520 DATA 4, 0, 0, 0, 4, 0, 0, 100, 85, 0, 100, 0, 85,
0, 100, 100
530 DATA 5, 0, 100, 0, 5, 0, 0, 0, 5, 0, 0, 100, 5, 0,
100, 100
540 ENDPROC
550 :
560 DEFPROCfront (X%, Y%, Z%)
570 RESTORE 580: PROCfacet (C)
580 DATA 4, 0, 0, 0, 4, 100, 0, 0, 85, 0, 100, 0,
85, 100, 100, 0
590 DATA 5, 0, 100, 0, 5, 0, 0, 0, 5, 100, 0, 0,
5, 100, 100, 0
600 ENDPROC
610 :
620 DEFPROCTop (X%, Y%, Z%)
630 RESTORE 640: PROCfacet (C)
640 DATA 4, 0, 0, 0, 4, 0, 0, 100, 85, 100, 0, 0,
85, 100, 0, 100
650 DATA 5, 100, 0, 0, 5, 0, 0, 0, 5, 0, 0, 100,
5, 100, 0, 100
660 ENDPROC
670 :
680 DEFPROCfacet (N)
690 GCOLO, N
700 FOR I% = 1 TO 4: READ K%, A%, B%, C%

```

page 98 ►

much of the inner structure of the cell groups is hidden by the outer cells (although it can be seen transiently while the display is being plotted). One way of remedying this without losing any real information (as long as the cell structure is symmetrical along the Z axis) is to display only the rear half of the grid so that any cells around location 7,7,7 are always visible in the final displays. This is




Figure 6. Target location and eight bordering locations (see sequence 1)




Figure 7. Target location and six bordering locations (see cover sequence)

achieved by changing line 930 of PROCshow to:

930 FOR Z% = 7+G% TO 7 STEP -1

With PAGE set to &1900, as is normal on a disc-based machine, there is just enough memory to run the program, provided no extraneous spaces are included. If you find that the program grinds to a halt with a 'no room' message, first make sure that you have saved a copy of the program, then set PAGE to &1200 and reload it. Most disc filing systems will still allow SAVE, LOAD and CHAIN operations at this PAGE setting. Alternatively, modify the first line of the program so that it runs in mode 5.

Finally, and as further food for thought,

► from page 97

```

710 PROCplot(K%, X%+A%, Y%+B%, Z%+C%)
720 NEXT
730 GCOL0,C EOR N
740 FORI%=1TO4:READK%,A%,B%,C%
750 PROCplot(K%, X%+A%, Y%+B%, Z%+C%)
760 NEXT
770 ENDPROC
780 :
790 DEFPROCcube(X%,Y%,Z%,C)
800 PROCfront(X%,Y%,Z%)
810 PROCsides(X%+100,Y%,Z%)
820 PROCTop(X%,Y%+100,Z%)
830 ENDPROC
840 :
850 DEFFNread(X%,Y%,Z%)=Array%?
(X%+(Y%+Z%*15)*15)
860 :
870 DEFPROCwrite(X%,Y%,Z%,N%)
880 Array%?(X%+(Y%+Z%*15)*15)=N%
890 ENDPROC
900 :
910 DEFPROCshow
920 CLS.
930 FORZ%=7+G%TO7-G%STEP-1
940 FORY%=7-G%TO7+G%
950 FORX%=7-G%TO7+G%
960 T%=FNread(X%,Y%,Z%)
970 IFT%<>0PROCcube(X%*100-700,Y%*100-700,
Z%*100-700,T%)
980 NEXT
990 NEXT
1000 NEXT
1010 PRINTTAB(2,28)"generation ";G%
1020 ENDPROC
1030 :
1040 DEFPROCdesign
1050 RESTORE1090
1060 READN%:FORI%=1TON%
1070 READX%,Y%,Z%:PROCwrite(X%,Y%,Z%,3)
1080 NEXT
1090 DATA 1
1100 DATA 7,7,7
1110 ENDPROC

```

Listing 2a.

```

220FORy%=Y%-1TOY%+1STEP2
225PROCcount(X%,y%,Z%)
230NEXT
235FORx%=X%-1TOX%+1STEP2
240PROCcount(x%,Y%,Z%)
245NEXT
250FORz%=Z%-1TOZ%+1STEP2
255PROCcount(X%,Y%,z%)
260NEXT
310IFthiscell%=0 THEN IF count%MOD2=1
PROCwrite(X%,Y%,Z%,colour)
1090DATA 6
1100DATA 7,7,6, 7,7,8, 7,6,7, 7,8,7, 6,7,7,
8,7,7

```

page 101 ►

THE DRIVE FOR QUALITY



In the rapidly expanding world of computer peripherals there is one company which continually leads the field — Cumana. Whether it is the best Japanese components used in our top quality designs, the rigorous training which all staff receive, or the superb technical service we offer, everything must be of the highest standard.

Cumana disk drives have an independent power supply, 12 months warranty, and are fully assembled and tested before packaging; and they are now available for the BBC and Dragon Micros — at unbeatable value for money prices — from selected branches of W. H. Smith and Spectrum UK in addition to Cumana's nationwide dealer network.

For further information on these and other Cumana products — including dual slimline disk drives for the BBC Microcomputer — contact:

Cumana Limited, Pines Trading Estate,
Broad Street, Guildford, Surrey, GU3 3BH.
Tel: (0483) 503121 Telex: 859380



Dragon is the registered trademark of Dragon Data Ltd.

For further information about Cumana disk drives, please complete and return this coupon.

Name

Address

Tel. No.

Note: If dealer, please attach this form to your letterheading


I am interested in Cumana disk drives for the BBC/Dragon* Microcomputer. *delete as necessary

Interests:
Home Use
Education
Dealer
Business

AU3/84

There must be more to a micro than zapping monsters

See how much more when you plug into Micronet 800 - a multi-million pound database that lets you play games as well.



Micronet 800 helps your micro come of age

It is the sophisticated network that many popular makes of micro can plug into via the telephone, giving home micro users new horizons to use and explore.

Micronet 800 lets you communicate through your micro...

... By linking you into a network of thousands of micro users who always have something new to say to each other. Through *Letters to the Editor*, *Clubspot* (for computer user groups), *Swapshop* (our electronic bulletin board) and electronic *Mailbox*, Micronet keeps you in touch with other people who want to do more with computers than just play games.

Micronet delivers to your micro our electronic newspaper and PRESTEL

Newsflashes give you news and reviews on new equipment, software and computer applications. A Microbase dedicated to your type of micro contains technical hints and tips. You also have access to other facilities on™ Prestel: Homebanking with *Homelink*, world and business news, teleshopping and much more.

Micronet 800 gives you software

Offering you some of the best software bargains around. Through your phone line and straight into your computer. Scores of educational and utility programs are included. And a wide range of terrific games software. Many of which are completely free and constantly changing every few weeks - just in case you want to take another zap at those monsters again.



Systems Innovation of the year

Please send me the full facts about Micronet 800. Not forgetting the games!

Name _____

Make/Model of Micro _____

Address _____

Telephone _____ AU3'

MICRONET 800, Scriptor Court,
155 Farringdon Road, London EC1R 3AD

micronet 800

MICRONET 800, Scriptor Court, 155 Farringdon Road,
London EC1R 3AD. Telephone: 01-278 3143.

It's enough to blow the mind of any micro!



One of the many faces on Prestel

© Prestel and the Prestel symbol are trademarks of British Telecommunications




Figure 8.
Perspective
lettering,
possible with
listing 3

listing 3 shows how the same sort of cube drawing routine can be used as a building block for more complex 3D displays. This program allows the creation of solid-looking lettering, drawn in perspective (figure 8). The variable W\$, defined in line 70, contains the string to be printed.

Taking each letter in turn, the program looks up the appropriate character definition in the operating system ROM and uses the stored pixel patterns to decide where the cubes should be placed. The cubes are in effect being used as three-dimensional pixels. Slightly different definitions of PROCcube and the procedures called by it are used because each of the three visible facets is a different colour and a separate outline of each facet is not required.

The cubes are rotated only about the Y axis this time so that vertical lines in the lettering will remain vertical. As before, hidden surface removal is achieved by starting the plotting at the furthest point from the viewpoint – in this case the leftmost, lowest pixel of the first letter – and proceeding forward along the string. To accommodate longer strings than the one shown the scaling factor and viewing distance must be varied. Other orientations of the display are possible by varying the angle of rotation, but some will require a different selection of cube facets to be drawn, as explained earlier, to achieve the correct hidden surface effect.

► from page 98

Listing 3.

```

10 MODE1:VDU29,440;900;
20 Angle=60
30 VDU23;8202;0;0;0;
40 Sin=SINRAD(-Angle):Cos=COSRAD(-Angle)
50 VDU19,1,6;0;19,2,2;0;19,3,4;0;
60 VZ%=-4000:S%2000
70 W$="ACORN"
80 FOR H%=1 TO LENW$
90 LZ%=&BF00+8*ASCMID$(W$,H%,1)
100 FOR I%=7 TO 0 STEP-1
110 FOR J%=7 TO 0 STEP-1
120 IF (LZ%?I% AND 2^J%) THEN PROCcube(-2400+800*
H%-J%*100,-500-I%*100,0)
130 NEXT
140 NEXT
150 NEXT
160 END
170 :
180 DEFPROCplot(K%,X%,Y%,Z%)
190 x%=X%*Cos-Z%*Sin:z%=Z%*Cos+X%*Sin
200 y%=Y%
210 M=S%/ (z%-VZ%):PLOTK%,x%*M,y%*M
220 ENDPROC
230 :
240 DEFPROCside(X%,Y%,Z%)
250 RESTORE260:PROCfacet(3)
260 DATA4,0,0,0, 4,0,0,100, 85,0,100,0,
85,0,100,100
270 ENDPROC
280 :
290 DEFPROCfront(X%,Y%,Z%)
300 RESTORE310:PROCfacet(1)
310 DATA4,0,0,0, 4,100,0,0, 85,0,100,0,
85,100,100,0
320 ENDPROC
330 :
340 DEFPROCtop(X%,Y%,Z%)
350 RESTORE360:PROCfacet(2)
360 DATA4,0,0,0, 4,0,0,100, 85,100,0,0,
85,100,0,100
370 ENDPROC
380 :
390 DEFPROCfacet(N) LOCAL I%
400 GCOL0,N
410 FOR I%=1 TO 4:READK%,A%,B%,C%
420 PROCplot(K%,X%+A%,Y%+B%,Z%+C%)
430 NEXT
440 ENDPROC
450 :
460 DEFPROCCube(X%,Y%,Z%)
470 PROCfront(X%,Y%,Z%)
480 PROCside(X%+100,Y%,Z%)
490 PROCTop(X%,Y%+100,Z%)
500 ENDPROC

```

EXTENDED VIEW

VARIOUS comparisons have been made between the relative merits of Acornsoft's View and Computer Concepts' Wordwise (for example, Paul Beverley's detailed review in the June issue of *Acorn User*). Having had access to both word processing packages, I admit to a personal preference for View, mainly because I can see the formatted text as it is created, regardless of the mode. Having to save a text file before being able to print it is time-consuming with tapes, although it does encourage good housekeeping. With discs, of course, the time penalty is much reduced.

View differs considerably from Wordwise in the way the information is sent to the printer and a 'printer driver' is needed to gain access to the various printer facilities, such as underline, emboldening and superscript. Without this driver routine View simply sends the text to the printer via a default routine that does not support any of the facilities. Printer commands are inserted into the text as highlight codes with ASCII values from 128 upwards, and the printer driver has to recognise these codes and send the necessary commands to the printer.

Acornsoft can supply a tape with a

Tony Rudkin creates a driver routine which supports a wide range of printer functions and provides the pad character missing from the View facility

collection of six driver routines for different printers for just under £10, but the company also includes some brief information in the *Into View* booklet (page 74) to enable the enthusiast to create his or her own driver. Since I have only one printer to consider (an Epson MX-80F/T III) I decided to write my own routine, which in addition to supporting a wide range of printer functions will also provide the vital 'pad' character facility that is missing from View.

The two-page section in the Acornsoft manual which deals with printer driver formatting provides general guidelines for

creating the driver and makes the programming appear relatively straightforward. The assembly language routine resides at location &400 and can be up to 256 bytes long, with addresses &400 to &40E reserved for a jump table which transfers command to the required area of the driver. The addresses and instructions are:

&400 JMP Character Output routine
 &403 JMP Turn Printer On instruction
 &406 JMP Turn Printer Off instruction
 &409 JMP Set Horizontal Motion Index
 &40C JMP Return Option Byte

Since the Epson MX-80 does not support proportional spacing the last two instructions are not needed and simply point to a return command in the assembly code. The remaining jump instructions pass control to three routines which control output of data to the printer.

The Basic program listed (program 1) creates machine code routines which are used by View to implement a number of useful highlight codes and also to provide the pad character facility. The description of the machine code which follows is provided for experienced programmers, but since an understanding of the principles is not essential, anyone who simply wants to use the facilities of the routine can omit this section and move on to the description of the Basic program.

The Printer On routine is called by the jump instruction at address &403, and the first time it is called the printer output is enabled and a general printer initialisation is done by sending the equivalent of ESC @. This clears any existing printer conditions that may have been set up by a previous printing session (eg, a Basic program). The paper-end detector is then disabled so that single-sheet printing is possible. A flag is then set at address &4FF which prevents the printer from being re-initialised next time it is turned on by View. This is necessary because in the single-sheet printing mode View turns the printer off at the end of a sheet and back on again at the start of the next sheet.

Re-initialising the printer would clear any highlight commands that had been set to apply to the whole document (for example the use of the condensed character set to obtain 132 characters per line).

The Printer Off routine is called by the jump instruction at address &406 and simply disables the printer output by sending a command equivalent to CTRL C (or VDU 3) in Basic. No flags are affected and existing highlight commands are preserved.

The major routine is devoted to handling the output of characters to the printer and detecting any highlight instructions. Char-

Program 1. Printer driver in machine code, with check routine in Basic

```

>LIST
10 REM ****
20 REM *
30 REM *  PRINTER DRIVER FOR EPSON MX-80  *
40 REM *
50 REM *      (c) A.M. RUDKIN 1983  *
60 REM *
70 REM ****
80 MODE7
90 :
100 REM ****
110 REM * Assembly Code Section *
120 REM ****
130 :
140 FOR PASS=0 TO 3 STEP 3
150 P%=&3200:REM Set start address of machine code to &3200
160 LOPT PASS
170 .Printer JMP Print \ Normal entry point for passing characters
180 :
190 .PrinterOn JMP EpsonOn \ Routine used to turn on the printer. &
initialise
200 :
210 .PrinterOff JMP EpsonOff \ Routine used to turn off the printer
220 :

```


COLOURJET

7 COLOUR INK JET PRINTER

Logic seeking in
dot address mode

£499 + VAT

With Centronics parallel interface
and free BBC Micro dump listing.



from BBC Micro screen - $\frac{1}{2}$ size mode

Options available:

- Buffered RS232 interface.
- Viewdata & RS232 interface.
- Apple II interface.
- IBM PC dump.

Specifications:

640 dots/line.

84 dots/inch both axes.

Friction feed rollpaper with single sheet
feed A4.

37cps in full colour.

Ink cartridges, 4 million character life.



INTEGREX LTD.

Church Gresley, Burton-on-Trent, Staffs DE11 9PT
Tel: 0283 215432 Telex: 377106

Dealers, OEM & Educational
enquiries welcome

Small business can now stop going by the book.

For under £1,000 a small business can now equip itself with a BBC Microcomputer, a disc drive, a word processor and printer.

(All tax deductible by the way.)


Once you've parted with that money, you'll find that business has never been brisker.

Because now, there's a new series of floppy disc software specially for the smaller business.

It has been developed by Acornsoft, the software division of Acorn Computers who are the manufacturers of the BBC Micro.

For only £24.95, each disc can store volumes of vital bookwork which can be updated and amended in a fraction of the conventional time.

And there is a disc to cover most aspects of paperwork and book-keeping.



The Invoicing package.

This program stores details of products, VAT numbers and, of course, the names and addresses of your customers. As orders come in, you simply record them. Then, when it's time to invoice, you just press a few keys and each invoice or credit note is printed automatically in seconds.

The logo for the Invoicing package, featuring the word "Invoicing" in a stylized script font above three vertical bars of increasing height.

Allowing for variable terms of trading, the system calculates and prints discounts. And it should help to improve your cash flow dramatically.

The Order Processing package.

With this program, you can confirm your customers' orders, prepare and print despatch notes and make fast analyses of individual orders or of all the orders stored on disc.



The Accounts Receivable package.

Now, it couldn't be easier to keep your customer accounts under control.

In an instant, you can analyse debtors, produce statements, keep a check on any credit limit and calculate VAT output automatically.



Using this package in conjunction with the invoicing package, you can also keep tabs on payments received against payments outstanding.

The Accounts Payable package.

This package will keep you fully up-to-date on how much you owe and who to. In addition, it calculates



input VAT and, used with the Accounts Receivable package, produces instant VAT returns.

It also highlights settlement discounts, produces remittance advices and provides an immediate analysis of all creditors.

The Stock Control package.

Touch a few keys and you have instant access to stock status and automatic analysis by quantity and value.

Consequently, it's easy for you to maintain correct stocking levels, having an early warning of out-of-stock situations or the likelihood of over-stocking.



The Purchasing package.

All your suppliers' names and addresses go onto the disc. Then they can be retrieved instantly for preparing and printing orders.

All order data can be recalled in seconds, allowing you to check on orders, and suppliers' invoices and to record all deliveries.



The Mailing package.

Instead of the shotgun method of sending mailshots, this package enables you to refine each mailing down to the customers who are most likely to respond.

It gives you a rapidly accessible mailing file of your customers, according to any criterion you choose. Size of company, for instance, or type of business.



Average value of the business they do with you, or whether they are good or bad payers.

Then, when you are doing a mailing, you simply choose the group or groups of customers you want.

At £24.95 each, these packages could be priceless.

Each package comes with clear instructions on how to get the program running so that you can devote much more of your time to more profitable activities.

If you're a credit card holder, you can order any or all of the packages by ringing: 01-200 0200 anytime. Or 0933 79300 during office hours.

(By ringing the same number, you can get the address of your nearest stockist, or full details of the BBC Microcomputer system if you don't already have one.)

Alternatively, you can order the packages by sending the order form below to: Acornsoft, c/o Vector Marketing, Denington Estate, Wellingborough, Northants NN8 2RL. Please allow 28 days for delivery.

Credit card holders, phone 01-200 0200, anytime. Or 0933 79300, during office hours.

To: Acornsoft, c/o Vector Marketing, Denington Estate, Wellingborough, Northants NN8 2RL.

Please send me the following business software packages at £24.95 each.

PROGRAM	QUANTITY	TOTAL
Invoicing		(Code Acornsoft use only.)
Order Processing		SNB 08
Accounts Receivable		SNB 12
Accounts Payable		SNB 10
Stock Control		SNB 13
Purchasing		SNB 11
Mailing		SNB 14
		SNB 09
	TOTAL	

I enclose PO/cheque payable to Acornsoft Ltd. Or charge my credit card.

Card Number _____

Amex/Diners/Visa/Access (Delete) _____

Please send me details of the BBC Microcomputer System

Name _____

Address _____

Postcode _____

Signature _____


Registered No. 1524763

VAT No. 215 8123 85


AC.3.

ACORN SOFTWARE

BREATHTAKING IMAGES FROM DISC OR CASSETTE



BREATHTAKING IMAGES FROM DISC OR CASSETTE



-SPOT THE DIFFERENCE

Happily for prospective purchasers of the Microvitec CUB RGB/PAL colour monitor there is no difference.

This superb machine produces brilliant pin-sharp images when used with a micro computer, thanks to a screen resolution of 585 pixels by 452, plus a bandwidth in excess of 15MHz. Yet the RGB/PAL also gives the highest quality pictures from laser discs, V.C.R.'s and video cameras. This is because the signal is not

modulated and then remodulated, as happens with an ordinary T.V. set.

Add to this an audio facility and the result is a colour monitor which sounds as good as it looks.

Finally, perhaps the best news for

purchasers is that the CUB colour monitor represents a real investment. However dramatically computers or video systems may change in the coming years the means of displaying their output is unlikely to alter - you can't improve on the best.

Find out just how inexpensive quality can be by calling at your local computer dealer. Alternatively, contact Microvitec direct for full details of the breathtaking range of CUB colour monitors.

MICROVITEC
cub
COLOUR DISPLAYS

Microvitec Ltd., Futures Way, Bolling Road, Bradford BD4 7TU. Tel: (0274) 390011. Telex: 517717

acters are transferred from View as ASCII values in the range 32 to 126 and these can be passed directly to the printer for normal printing, but to provide a pad character (ie, one which prints a space on the printer but is handled by View as a real character) the unused '£' character on the same key as the underline symbol is detected and replaced by a space.

Pad characters are very useful in preventing extra spaces from being inserted during formatting or words from being split at the end of a line. Unlike Wordwise, View does not provide a pad character facility and putting one into the printer driver routine adds a useful feature to this powerful word processing package.

Any ASCII value higher than 127 represents a highlight command, and these are passed to the section of the program that determines the action to be taken and sends the required command to the printer.

Highlight codes supported by the printer driver are:

128	Underline
129	Emphasised characters
130	Double-height characters
131	Condensed characters
132	Superscript
133	Subscript

Each command has a 'toggle' action – the first time the command is received the facility is turned on, and the second time it is turned off. For this reason flags are

allocated within the program and an important section of the printer driver checks the status of these flags to determine the action required.

The underline facility is controlled by code 128. Having detected this code the underline flag is checked; if it is not set underlining is switched on by sending the command ESC 45,1 to the printer. The flag is set and the routine exits. The next time the 128 code is received the command ESC 45,0 is sent to the printer to switch off the underline and the flag is reset.

Receipt of code 129 causes the emphasised flag to be checked. If it is not set the emphasised command, ESC 69, is sent to the printer and the flag is set. On receipt of the next 129 code the ESC 70 command is sent to the printer and the flag reset.

Code 130 controls the wide character facility and when first received causes the command ESC 87,1 to be sent to the printer and the double-width flag to be set. On receipt of the next 130 code the flag is reset and the command ESC 87,0 passed to the printer. The double-width mode gives a line length of 40 characters when applied to the normal character set. ESC 87 is used in preference to the SI and DC4 commands as it allows double-width condensed characters (66 characters per line).

Condensed characters are selected by code 131, which when first applied causes the command SI (15) to be sent to the printer and then sets the condensed char-

KEY	FUNCTION
A	Underlined text
B	Emphasised text
C	Double-width characters
D	Condensed characters
E	Superscript characters
F	Subscript characters
G	Underline & Emphasised
H	Underline & Double-width
I	Underline & Condensed
J	Underline & Superscript
K	Underline & Subscript
L	Emphasised & Double-width
M	Double-width & Condensed
N	Condensed & Superscript
O	Condensed & Subscript
Z	Modify and save the printer driver

Figure 1. Key functions used in testing the machine code routines

acter flag on. Next time the 131 code is received the command DC2 (18) is sent to the printer to disable the condensed character mode and the flag is reset. The condensed mode gives a line length of 132 characters.

When the superscript command (code 132) is first sent, it causes the command ESC 53,0 to be sent to the printer to select the superscript mode and also sets the superscript flag. The next time this code is received the superscript mode is terminated by resetting the flag and sending ESC 84, followed by ESC 72, to the printer. The latter code cancels the double printing mode, which is automatically selected by the Epson printer when the superscript facility is requested. The subscript mode (code 133) works in exactly the same way as the superscript mode but sends the printer command ESC 53,1 to select the subscript facility.

The area used by View for its printer drivers (&400 to &4FF) is normally used by the Basic language ROM, and attempting to write directly to this area from a Basic program will cause problems. The first section of the program therefore creates a printer driver package in the &3200 to &32FF region, which a later section modifies so that it can be stored on tape (or disc) for loading to the &400 address in View. This two-stage approach has the advantage that de-bugging can take place without the need to leave Basic and enter the View facility.

Keys are assigned within the first program for test purposes and check the printer driver by sending commands and text to the printer. The key functions are shown in figure 1.

In creating the machine code routine the program assumes that the auto line-feed switch inside the Epson printer has been set to the 'on' position as described on page 46 of the handbook. In this position the printer will automatically insert a line-feed instruction whenever a carriage-return character is received. Failure to select this switch will result in all the text being

◀ from page 102

```

230 .HMI JMP Return \ Horizontal Motion Index not supported, so re
turn :
240 :
250 .Option JMP Return \ Sets option bytes - not needed for Epson
260 :
270 .EpsonOn LDA#2:JSR&FFEE \ Allows output to printer
280 LDA&32FF:BNE Return \ Has printer been selected before ?
290 LDA#64:JSR Escape \ If not then initialise printer
300 LDA#56:JSR Escape \ and switch off paper end detector.
310 INC&32FF \ Set printer bit on
320 .Return RTS \ Return from Setting Epson On
330 :
340 .EpsonOff LDA#3:JSR&FFEE:RTS \ Disable printer and return
350 :
360 .Print STA&32F0:STX&32F1:STY&32F2 \ Store contents of Register
      BMI Highlight \ Branch to 'Highlight' if Character value >=128
380 CMP#96:BNE CharOut:LDA#32:STA&32F0 \ Allows Found symbol to be
used as a pad character
390 :
400 .CharOut JSR &FFE3 \ Print character to screen & printer
410 :
420 .Highlight CMP#128:BEQ Underline \ Code 128 = Underline on/off
430 CMP#129:BEQ Emphasized \ Code 129 = Emphasized Characters on/o
ff
440 CMP#130:BEQ DoubleWidth \ Code 130 = Double Width characters

```

page 109 ►

ROMS


SOFTWARE FOR THE BBC MICRO

DISC DOCTOR

```
DISC DOCTOR 1.09
DISC TYPE <dest> <cols>
DOWNLOAD <fsp> <adr>
DSEARCH <str> <trk> <trk><sct><drv>
DZAP <trk> <trk><sct><drv>
EDIT <key no>
FILE <ext>
FORM <drv> <no. trks> <ext><s>
JOIN <fsp> <afsp> <afsp>
MENU <drv>
MOVE <dest page> <src page>
RENAME <src> <adr>
M2A& <adr>
PARTLOAD <fsp> <ofs> <ext> <adr>
RECOVER <trk> <sct> <sct> <adr> <drv>
RESTORE <trk> <sct> <sct> <adr> <drv>
SWAP <src> <dest> <ext>
TAPEDISC <fsp>
VERIFY <drv> <no. trks> <ext>
```

Following on from WORDWISE this utility ROM is the ideal way to get the most out of your computer system. This ROM adds 20 new commands to the Machine Operating System. Most of these are concerned with DISC operation although some of the commands are totally general purpose. Disc Doctor allows up to 60 files per side of a disc and includes its own disc formatting and verifying commands. Three search commands will find any string in memory or on disc, or will list all the line numbers in a BASIC program that contain the string. Many other features include disassemblers, disc/memory editors, function key listing etc. Works with all versions of the Acorn DFS, and other Acorn compatible DFS's. £28 plus £1 p&p plus VAT.

Because the above programs are in ROM they are always available, and usually take no user memory when operating. All the commands can be used from within BASIC programs and the ROMs includes a help menu listing the syntax of all commands.



WORDWISE

This ROM based word processor is simple to fit and simple to operate. Its greatest strength lies in its ease of use, yet it is a fully fledged text processing system, with all the features you would expect to find in many more expensive programs.

Once entered the user has total control over the text. Any section may be marked, this may be a word, sentence or any larger piece of text. The marked section may then be instantly deleted, moved or copied to any other point in the document. The more complex operations are menu driven so that the user is always prompted when necessary. When printing a document the user may specify the line length, line spacing, page length etc. WORDWISE even handles automatic page numbering, centering of text, justification and many more powerful features.

This word processor has become the best selling program for the BBC machine. In the year since its launch it has outsold all other available ROM, cassette or disc based word processors and continues to outsell them. £39 plus £1 p&p plus VAT.

Computer Concepts specialise in writing quality software for the BBC machine. We have been involved with the BBC Micro since its inception and write for no other machine. We are not dealers, nor are we involved in selling anything other than software.

All the above products and further details are available either directly from us or from all good BBC dealers.



COMPUTER
CONCEPTS

16 Wayside, Chipperfield, Hertfordshire. WD4 9JJ Telephone: Kings Langley (09277) 69727



new
release

Printmaster

Joining our already extensive range comes PRINTMASTER a sophisticated printer handling utility ROM. PRINTMASTER will be released in several versions catering for each of the most popular printers on the market. This first PRINTMASTER ROM supports a range of EPSON printers: MX80, RX80, FX80 etc. All commands in the ROM must be preceded by an asterisk and can be used like all normal operating system commands from within BASIC programs etc. It is also possible to use them from WORDWISE and other language ROMs.

PRINTMASTER supports three types of screen dumps. The most flexible (★GDUMP) allows any graphics on the screen to be dumped onto the printer. This will operate in any mode, the colours being displayed as shades. Any part of the screen may be printed at any position on the paper in any one of four orientations. It is also possible to magnify the screen dump by any factor x2, x3, x4 etc.

A special feature allows true Mode 7 screen dumps with TELETEXT text and graphics, colours (as shades), double height etc.

★TDUMP allows any text mode to be dumped and ★FDUMP will automatically print the contents of a file on disc to the printer WHILE the BBC machine is doing other things, running other programs etc.

★WINDOW allows the user to interactively define a graphics window, this controls the part of the screen printed in

★GDUMP. A very much easier method of defining graphics windows than the normal VDU statement.

The above list is only a fraction of the commands in the PRINTMASTER ROM. Others include ★CENTRE, ★UNDERLINE, ★ITALIC, ★MARGIN etc. etc. which provide total control over the printer in the easiest possible manner. Order as PRINTMASTER (Epson), £28 plus £1 p&p plus VAT.

available
now

◀ from page 107

```

450  CMP#131:BEQ Condensed \ Code 131 = Condensed characters
460  CLC:CMP#132:BCS SuperSub \ Codes 132 & 133 affect super- & sub
-scripts
470  :
480  .Exit LDY&32F2:LDX&32F1:LDA&32F0:RTS \ Recall Register content
s & return
490  :
500  .Underline JSR OnOrOff \ Y=1 for U/L to go on (else 0)
510  LDA#45:JSR Escape:LDA&32F3:JSR SendChar \ Sends U/L on/off com
mand
520  JMP Exit \ Terminates U/L section
530  :
540  .Emphasized JSR OnOrOff \ Check and set/reset flag
550  LDA#70:SBC&32F4:JMP Out
560  :
570  .DoubleWidth JSR OnOrOff \ Y=1 for Enlarged to go on (else 0)
580  LDA#87:JSR Escape:LDA&32F5:JSR SendChar \ Sends Enlarged comma
nd
590  JMP Exit \ Terminates Enlarged section
600  :
610  .Condensed JSR OnOrOff \ Check & set/reset flag
620  LDY&32F6:CPY#0:BEQ CondOff
630  .CondOn LDA#15:JMP Out
640  .CondOff LDA#18
650  .Out JSR Escape:JMP Exit
660  :
670  .SuperSub JSR OnOrOff \ Check &set/reset flag
680  BNE SuperSubOn:LDA#B4:JSR Escape:LDA#72:JSR Escape:JMP Exit \
Switch off Super- & sub-script and cancel double printing mode
690  .SuperSubOn LDA#B3:JSR Escape:SEC:LDA&32F0:SBC#132:JSR SendCha
r \ Switches on Super- or Sub-script
700  JMP Exit \ Terminates Super/Sub section
710  :
720  .Escape PHA:LDA#27:JSR SendChar:PLA:JSR SendChar:RTS \ =VDU1,2
7,1,<A>
730  :
740  .SendChar PHA:LDA#1:JSR&FFEE:PLA:JSR&FFEE:RTS \ Sends characte
r to printer
750  :
760  .OnOrOff SBC#128:TAX:LDA&32F3,X:BEQ Off \ Determines offset va
lue from code
770  .On DEC&32F3,X:RTS \ Sets Flag for OFF (was ON)
780  .Off INC&32F3,X:RTS \ Sets Flag for ON (was OFF)
790  ]
800  NEXT PASS
810 PROCZero
820 CLS:PRINT"Final Address value was &"&~(P%-1)
830 :
840 REM*****REMARKS*****
850 REM* BASIC Program to check m/c code *
860 REM*****REMARKS*****
870 :

```

printed on a single line.

Load and run the program and note the final address value that is displayed. This should be &32EF – if it is not then the assembly codes have been entered incorrectly and should be checked against the listing. When the correct final address value is displayed press in turn keys A to O and check that the text printed out is correct. Finally, when the program testing is complete, press Z to modify the assembly code to the form required by View and the block will be saved in a file called EPSON.

After entering the View facility (by typing *WORD) type PRINTER EPSON and View will load the printer driver to address &400 and will display 'Printer EPSON' in the command mode. The highlight codes 128 and 129 (underline and emphasised) correspond to the default highlight codes and represent the most frequently used facilities.

Selecting an alternative highlight code requires the use of an Edit command – for example HT 1130 would redefine highlight 1 to select the double-width character printing facility. With View, only two highlight codes are allowed on any one line, but there is no objection to selecting a control code on a previous line as this will not be cancelled.

All control codes selected should be cancelled after use, otherwise the printer will have the relevant commands set when it is next used (the initialisation takes place only the first time the printer is used in any View printing session). The paper-end detector of the Epson is disabled by the printer driver, and you should ensure that paper is present in the printer before requesting a printout.

Some combinations of control codes are incompatible (as detailed in the Epson printer handbook on page 94) and must not be selected as they will cause unexpected effects. For example, attempting to select double-width characters and superscript (or subscript) will result in normal-height double-width characters being printed in the double printing mode.

The pad character facility is simply used by typing the £ symbol each time a fixed (or hard) space is required. For example, typing A£B£C£D ensures a printout of A B C D which would not be split by formatting or have additional spaces inserted when View justifies the text.

The £ symbol will be seen during text editing but will be replaced by a normal space when printing.

Program 1 gives access to the most useful facilities of the Epson, but some users will no doubt want access to other features which affect line spacing, and so on, and if this is done then the driver preparation program will need to be modified. The simplest technique would be to prepare a suite of driver routines with the special requirements built into them and file them as EPSON1, EPSON2, etc, calling the relevant driver file when printing text. ●

◀ from page 109

```

880 REPEAT
890   PRINTTAB(0,10) "Select Test (Keys A to O)"
900   PRINTTAB(0,14) STRING$(10," ")
910   PRINTTAB(0,12) "or Z to save file"
920   REPEAT K$=GET$:K%=INSTR("ABCDEFGHIJKLMNOZ",K$):UNTIL K%>0
930   CALL PrinterOn
940   IF K%<1 THEN PROCUnderline:PROCPrint:PROCUnderline
950   IF K%>2 THEN PROCEmphasise:PROCPrint:PROCEmphasise
960   IF K%>3 THEN PROCDoubleWidth:PROCPrint:PROCDoubleWidth
970   IF K%>4 THEN PROCCondensed:PROCPrint:PROCCondensed
980   IF K%>5 THEN PROCSuperscript:PROCPrint:PROCSuperscript
990   IF K%>6 THEN PROCSubscript:PROCPrint:PROCSubscript
1000  IF K%>7 THEN PROCUnderline:PROCEmphasise:PROCPrint:PROCEmphasise
1010  IF K%>8 THEN PROCUnderline:PROCDoubleWidth:PROCPrint:PROCDoubleWidth
1020  IF K%>9 THEN PROCUnderline:PROCCondensed:PROCPrint:PROCCondensed
1030  IF K%>10 THEN PROCUnderline:PROCSuperscript:PROCPrint:PROCSuperscript
1040  IF K%>11 THEN PROCUnderline:PROCSubscript:PROCPrint:PROCSubscript
1050  IF K%>12 THEN PROCEmphasise:PROCDoubleWidth:PROCPrint:PROCDoubleWidth
1060  IF K%>13 THEN PROCDoubleWidth:PROCCondensed:PROCPrint:PROCCondensed
1070  IF K%>14 THEN PROCCondensed:PROCSuperscript:PROCPrint:PROCSuperscript
1080  IF K%>15 THEN PROCCondensed:PROCSubscript:PROCPrint:PROCSubscript
1090  AX=13:CALL Printer:CALL Printer
1100  CALL PrinterOff
1110  UNTIL K%>16
1120 FROCSave:REM Redefine addresses and save m/c code
1130 END
1140 :
1150 REM BASIC Procedures
1160 DEFFPROCSave
1170 PROCZero
1180 REM Re-assign addresses for use in page 4 (400 to 4FF)
1190 FOR I%=&3200 TO &32FF
1200  IF ?I%=&32 THEN ?I%=4
1210  NEXT I%
1220 *SAVE "EPSON" 3200 3300
1230 ENDPROC
1240 :
1250 DEFFPROCZero
1260 REM Set remaining memory locations to 0
1270 FOR I%=&F% TO &32FF: ?I%=0:NEXT
1280 ENDPROC
1290 :
1300 DEFFPROCUnderline
1310 AX=128:CALL Printer
1320 ENDPROC
1330 :
1340 DEFFPROCEmphasise
1350 AX=129:CALL Printer
1360 ENDPROC
1370 :
1380 DEFFPROCDoubleWidth
1390 AX=130:CALL Printer
1400 ENDPROC
1410 :
1420 DEFFPROCCondensed
1430 AX=131:CALL Printer
1440 ENDPROC
1450 :
1460 DEFFPROCSuperscript
1470 AX=132:CALL Printer
1480 ENDPROC
1490 :
1500 DEFFPROCSubscript
1510 AX=133:CALL Printer
1520 ENDPROC
1530 :
1540 DEFFPROCPrint
1550 FOR AX=65 TO 71:CALL Printer:NEXT:REM Prints ABCDEFG
1560 ENDPROC

```

ARIES-B20

Add 20K to your BBC micro in five minutes

Features

- ★ Adds 20K of useable RAM to your BBC Micro
- ★ Run programs up to 28K long in ANY SCREEN MODE
- ★ Extra memory can be used directly from BASIC I and II, VIEW 1.4, FORTH, LISP, and many other existing programs
- ★ ARIES-B20 is compatible with all correctly written BBC Micro software, on cassette, disc, sideways ROM or cartridge
- ★ Don't be deceived: this product is unique - no other expansion unit has these capabilities
- ★ Complete compatibility - ARIES-B20 uses only documented MOS facilities
- ★ Fitted in 5 minutes using only a screwdriver
- ★ Simply plugs in inside the case
- ★ No soldering or cutting
- ★ (Unlike some add-on products) will cause no damage to your

BBC Micro - can be removed at any time

- ★ Incredibly simple to use
- ★ Patent applied for

- ★ Designed in Cambridge by BBC Micro experts
- ★ Top quality manufacture
- ★ Unquestionably the most important add-on ever produced for the BBC Micro
- ★ Top software houses are racing to produce the "super-programs" made possible by the extra capacity

- ★ 1 year guarantee.
- ★ Available mail-order only
- ★ Official purchase orders accepted from bona-fide educational establishments, all other trade cash-with-order

- ★ Price £99.95 including post, packing and VAT
- ★ If not completely satisfied with your purchase, we will refund your money in full providing you return the ARIES-B20 in good condition in its original packaging within 14 days

Machine requirements:

- ★ BBC Micro model B
- ★ MOS 1.2 or later
- ★ Plugs into CPU socket and 1 sideways ROM socket

Also available IEEE-488 interface.
Coming soon: Compatible ROM expansion board.

How to Order:

Send cheque or postal order made payable to: Cambridge Computer Consultants Ltd and forward to:
Cambridge Computer Consultants Ltd, FREEPOST,
Cambridge CB1 1BR.
Telephone Cambridge 0223-210677

Please send me (Qty). ARIES-B20(s) at £99.95 (incl. p.p. & VAT).

I enclose a cheque/postal order made payable to Cambridge Computer Consultants Ltd for £.

Signed

Name (block letters)

Address

Post Code

ONE UP FOR BASIC

BASIC II provides several desirable additional features, but the Basic I user can simulate many of these with functions and procedures and avoid the expense of changing the ROM. An added bonus of this approach is that the programs will run in both versions of Basic (software houses please note).

OSCLI is a very useful Basic II command. It can occur in an applications program, such as a word processor, allowing the user to give MOS printer control and other commands, for example:

```
INPUT LINE COM$  
IF LEFT$(COM$,1)=="*" THEN OSCLI  
(COM$)
```

If an entire data file must be loaded or saved at one step it is much faster (and on cassette more reliable) to use *SAVE than to OPEN the file and use BPUT#. In fact, Acornsoft's *Philosopher's Quest* program allows the state of the game to be saved on file in just this way. Unfortunately the filename is always "INIT". Wouldn't it be nice to allow the user to choose?

```
INPUT "SAVE FILENAME?" FILE$  
OSCLI("SAVE "+FILE$+" "  
+STR$~STATE%+" "+"+STR$~LTH%)
```

This Basic II code does the job neatly. STATE% points to the byte-array to be saved, LTH% is the number of bytes and STR\$~ converts the numbers to hex character-strings. (*SAVE and *LOAD are described on page 392 of the *User Guide*).

How can OSCLI be implemented in Basic I? The *User Guide* describes on page 463 a MOS call to the command line interpreter. The following PROCedure uses this call to create an exact substitute for the OSCLI command of Basic II:

```
DEF PROCL(A$)  
LOCAL X%,Y%  
:REM all variables local  
DIM X%-1  
:REM X% is string address  
REM (at end of variables)  
Y%=X%DIV256  
:REM Y% is the high order byte  
$X%=A$  
:REM store command  
CALL &FFF7  
:REM call MOS routine  
ENDPROC
```

There is one subtle feature of this PROCedure worth mentioning: the statement DIM X%-1 means that the procedure is completely self-contained because it allocates space for the command string only as required. When the procedure ends the space is freed. Any other dimension would leave surplus (and thereafter useless) bytes still allocated.

Basic I already has an OPENIN keyword, but it performs the same function as OPENUP in Basic II. In fact, if you take a program written in Basic I and load it into a

How to simulate Basic II in Basic I without changing ROMs, by David Barnett

Basic II computer, you will find when you LIST it that all the OPENINs have miraculously transformed into OPENUPs. (This is because the keyword is represented by a one-byte token - &AD - which is expanded to "OPENIN" by Basic I's LIST command, and to "OPENUP" by Basic II.)

So what is the difference? For cassette files there is no difference, but on disc (and any other system allowing random access to files) it can be important.

OPENIN opens a file for *read-only*. That is, if you then try to write to it an error will be generated. Because the file is read-only it is permissible to open it more than once (with two different 'file handles'). This latter feature can sometimes be used to improve the efficiency of file access when frequent accesses are made to widely separated parts of a file.

OPENUP, on the other hand, allows both reading and writing. As its name suggests, its purpose is to allow an existing file to be read and updated. (OPENOUT also allows both reading and writing but it always creates a new file - deleting an old one of the same name - so it is only possible to read back data written since the file was opened.)

The following function provides an exact replacement for OPENIN which can be used in Basic I. It uses the MOS call OSFIND. Note that the 'file handle' is returned in A (and not in Y, as described on pages 451 and 452 of the *User Guide*.)

```
DEF FNOPENIN(NAME$)  
LOCAL X%,Y%,A%  
DIM X%-1:Y%=X%DIV256  
:REM X%,Y% - address of filename  
$X%=NAME$  
A%=&40  
:REM code for OPENIN  
=USR(&FFCE) AND &FF  
:REM MOS call returning handle
```

You might also want to define FNOPENUP so as to avoid confusion:

```
DEF FNOPENUP(NAME$)  
=OPENIN(NAME$)
```

Several pseudo operations have been added to the Basic II assembler concerned with the allocation of constants. The ones

of most concern to 'hybrid' Basic-assembler programmers (like me) are EQUS, EQUB and EQUD. They are used to allocate strings, bytes and four-byte words respectively. EQUS allocates a string without the CR terminator of Basic's \$ operator. As an example here is the code for a BRK error message (see *User Guide*, pages 464 and 446 for an explanation):

```
BRK  
EQUB 255  
;error number  
EQUS "You are an IDIOT!"  
EQUD 0
```

These can be simulated with FNEQUS, FNEQUB and FNEQUD and are used as follows:

```
BRK  
OPT FNEQUB(255,0)  
OPT FNEQUS("You are an IDIOT!",0)  
OPT FNEQUD(0,0)
```

This makes use of the only pseudo-op in Basic I (OPT) that requires a number between 0 and 3 as an argument. This is the 0 used for the second argument of each function. I do not know of a clean way to discover the existing value of OPT (ie, without PEEKing some obscure location) and so cannot make my functional substitutes totally transparent.

```
DEF FNEQUS(A$,Z):$P% = A$:P% =  
P% + LEN A$ = Z  
DEF FNEQUB(B%,Z):?P% = B%:P% =  
P% + 1 = Z  
DEF FNEQUD(W%,Z):!P% = W%:P% =  
P% + 4 = Z
```

The Basic II OPT feature for OPT>3 for relocating the assembled code, which Paul Beverley described in *Acorn User*, May 1983, cannot be easily simulated.

Most of the Basic I bugs are fairly minor but the INSTR bug is one which I find particularly annoying. If the second argument is longer than the first some garbage is left on the basic stack. If this happens inside a PROCedure the program will crash. This function corrects the bug (with only a time penalty):


```
DEF FNINSTR(A$,B$)  
IF LEN A$ < LEN B$ THEN =0 ELSE  
=INSTR(A$,B$)
```

Clearly, any other function bugs can be dealt with in like manner. Errors in the coding of control structures (such as ON . . . ELSE) cannot be dealt with, merely avoided.

Most responsible software houses will, I suspect, make sure their software runs in both Basics. If it works in Basic I it will almost certainly still work in Basic II. Those who insist on calling subroutines in the Basic ROM from their own machine code programs, however, will be in trouble because the addresses will have changed.

EASIPLOT

'The professional graph program for the BBC Micro (Model B) & Acorn Electron'



These are some of the comments made to us by users of EASIPLOT over the last few weeks... 'A Masterpiece... Works Beautifully... A joy to use... An excellent package... A remarkable piece of work... I am extremely pleased with the package... thank you for your professional and rapid response' etc... etc (see below for magazine reviews).


NOW we are offering our new IMPROVED range of EASIPLOT and Data Plotter programs.

Easiplot 1 ... An upgraded version of the original cassette program which was rated by the leading 'Educational Computing' Magazine among the best 20 Educational Packages (14th) and rated by A&B Computing Magazine value for money 85%... Overall 92%. A highly educational and user friendly graph plotting package... lines, bars and pies with many features. NOW AVAILABLE FOR THE ELECTRON.

Easiplot 2 ... A far more powerful and sophisticated disk based business and administration version, with many additional features and Econet compatible.

Easiplot 3 ... Easiplot 2 and Data Plotter combined at a bargain price.
Note... ALL EASIPLOT PROGRAMS COME COMPLETE WITH A 50 PAGE OPERATING MANUAL.

Data Plotter ... A fast and efficient number charting program with colour/magnification/moving average facilities etc... ideal for share price analysis and Educational use. ALSO AVAILABLE FOR THE ELECTRON.



All the above programs will produce hard copy on the following printers:-
EPSON (entire range), Shinwa CP80, Star DP 510, Seikosha (GP80A & GP100A).

At the moment EASIPLOT CAN ONLY BE OBTAINED DIRECT FROM US so send in your order for our prompt and efficient service.

Data Plotter (cassette) ... Model B & Electron	£7.00
Data Plotter (disk) ... Model B only	£8.00
Easiplot 1 (cassette) ... Model B & Electron	£15.95
Easiplot 2 (disk only) ... Model B only	£19.95
Easiplot 3 (including Data Plotter - disk only)	£22.95

Disk orders... please state 40 or 80 track (add £1 for 80 track and £1.50 for overseas orders). We will upgrade Easiplot 1 to Easiplot 2 for £7 (£10 to Easiplot 3).

Send S.A.E. for full specifications of all our programs or leave your name and address with our 24 hour Answerphone service (Luton 33838). All programs are normally despatched within 24 hours. If you are not entirely satisfied with your purchase we will refund your money.

Send cheque/P.O. etc to

SYNTERGY SOFTWARE, 7 St Andrews Close, Slip End, Luton, LU1 4DE.

★ ASTRONOMY ★

'SKY-BABY' is a highly sophisticated scientific program running on BBC-B (cassette loading). It caters for astronomers ranging from complete beginners to advanced amateurs and aspiring professionals, and for educational institutes.

'SKY-BABY' 's many features include:

- ★ Colour and brightness coded display of stars, planets, sun and moon in selected area of sky
- ★ View from any position on earth, any date and time specified by user
- ★ A library of all stars down to magnitude 4.0 (i.e., 469 stars) including coordinates, magnitudes and names
- ★ Orbital parameters of planets: sun and moon positional formulae
- ★ Star sizes plotted to indicate brightness; sun, moon and planets colour coded
- ★ Moveable 'space probe' to identify name and details of any object displayed on screen
- ★ Details of current position, rising and setting times of any selected object: provision for an additional user-specified object, e.g., known comet, galaxy, radio source, etc.
- ★ Detailed User Guide: sections on program use, astronomical nomenclature and positional astronomy, formulae used, fully annotated expanded program listing, etc., etc.
- ★ Auxiliary program to analyse and list contents of stellar library
- ★ Unhindered access to Author by phone most times: callers welcome

'SKY-BABY' package, consisting of C10 Cassette containing three files (program itself, stellar library, auxiliary program), and 35-page User Guide £12.50 inclusive

payable to:

STELLAR ENTERPRISE, 84 Dudsbury Road, Ferndown, Wimborne, Dorset, BH22 8RG
Phone Bournemouth (0202) 575234




Software News

INNOVATIVE
BBC SOFTWARE

from the professionals



JUMBO



Fantastic flying simulation

NOW IN COLOUR FOR DISK!

Jumbo, the 747 aircraft flight simulation, after a tremendous success on the TRS-80 and Genie machines, went on to gain great popularity on the BBC machine.

Jumbo is flown, as is the original, purely on instruments. There is no display of the outside world. It achieves its popularity because of the exactitude of its flying characteristics, as compared to the original. Many 747 pilots throughout the world have commented that flying the Jumbo simulation is, so far as the feel of the aircraft is concerned, close to indistinguishable from the original.

The one comment that has come from BBC owners, however, is the lack of colour in the display. This, of course, was due to the length of the program, which made it necessary that only two colours be used. Black and white were chosen for clarity.

Jumbo is now available in a new version which features colour. It is on disk because the only way in which colour could be brought in was to split the program up into separate modules and, of course, it takes too long to load another section of tape whilst a program is running. The original tape version is also still available.

Jumbo is fully described in our Catalogue, but briefly it features twelve instrument representations on the display panel and eight airports are available to you: London, Birmingham, Manchester, Prestwick, Edinburgh, Belfast, Shannon and New York. A map of England is included so that you may trace your course as you proceed. A practice function is also featured. This puts you some 11 or 12 miles out of London airport, approaching for an instrument landing.

The effect of wind is included in the program. That is to say, wind both on the ground and aloft. Crabbing of the aircraft to make allowances for wind is also featured.

Tape £15.00 + VAT = £17.25
Disk £17.00 + VAT = £19.55
Plus 75p P & P please.

TEL: [0424] 220391 / 223636

MOLIMERX™ LTD
A J HARDING (MOLIMERX)

TELEX 86736 SOTEX G

1 BUCKHURST ROAD, TOWN HALL SQUARE, BEXHILL-ON-SEA, EAST SUSSEX.

SOFTWARE CATALOGUE

A4 size stamped addressed envelope for 17p.

HOW TO GET FULL 12-BIT VALUE FROM YOUR ADC

Discovering that the Beeb's analogue-to-digital converter chip does not live up to its specification for scientific measurement, Paul Beverley took up the challenge of improving its accuracy.

WHEN I first saw the engineering specification for the BBC microcomputer and heard that it was to have a four-channel, 12-bit analogue-to-digital converter, I became extremely excited about the possibilities in the realm of automatic scientific measurement. Twelve bits represents a potential accuracy of 0.025% on full-scale readings, which would be more than ade-

quate for a lot of scientific experiments. Having taken the readings, one could then get the computer to work out some results and perhaps draw a graph on the screen.

The conversion speed seemed to be fairly slow at 10 milliseconds per channel, but at that sort of accuracy one would be prepared to put up with the relative slowness of the conversions, especially since it was to be software-switchable to a faster 8-bit conversion.

When I eventually got my hands on my first BBC micro, nearly two years ago, I was disappointed to discover that in practice the ADC system was noisy. This means that, even with a constant voltage applied to one of the channels, the value given by the ADVAL command is by no means constant. My first reaction was to try to reduce the noise level with the use of coaxial cables and by adding capacitors. Neither of these made more than a slight difference to the amount of noise on the signal.

If you want to see this for yourself, type in program 1 and run it with joysticks attached to the ADC port. You'll see that, even with a constant voltage applied, the bottom three or four bits of the 12-bit number appear to be twinkling on and off. You might have expected that with a constant input voltage you would have seen a constant binary number being produced, but no such luck!

Let's try to be a little more scientific

about this. If you want to get a measure of how much random error there is in a set of scientific measurements, you first calculate the mean of the values and then work out what is known as the standard deviation of the results. Program 2 will do all the measurements and calculations for you.

To make sense of the numbers that this program will give you, you need to look in more detail at what the ADVAL command does. By using ADVAL, you get a number between 0 and 65520 in steps of 16. This is because the number returned by ADVAL is a 16-bit number, the bottom four bits of which are all zero. Therefore if you divide the ADVAL number by 16, using the DIV command to give an integer division, you get a whole number between 0 and 4095, representing a 12-bit binary number.

In all the succeeding discussion I shall refer to the ADVAL value as if it were a number between 0 and 4095. The value of

the chip changes. On a long run, starting with a cold machine, the standard deviation increased by about 15% from its 'cold' value to the steady 'warm' value which it reaches after about an hour or so, though this will obviously depend on the ambient temperature and the operating conditions.

But what is the significance of these values of standard deviation? My scientific colleagues assure me that, for a normal set of readings, about 90% of the values obtained will lie in the range covered by two standard deviations either side of the mean. In other words, for a standard deviation of 2.0 then, 90% of the time, the ADVAL value will lie within plus or minus four units of the mean (on the scale of 0 to 4095). Even so, this does not give a very clear idea of just how accurate or otherwise the ADC really is.

Let us therefore look at it from a different point of view. If the manufacturer of an ADC chip claims that his chip will produce a 12-bit conversion, then you would expect the accuracy to be plus or minus one half of the least significant bit. If we compare this with what we are getting in practice, ie, that 90% of the readings are coming within plus or minus four times the value of the least significant bit, then what we really have is only one-eighth of the accuracy we would have hoped for. In other words, the converter is giving an accuracy equivalent




Figure 1a. Histogram of un-averaged values from the analogue to digital converter




Figure 1b. Histogram of values from the analogue to digital converter when averaged in sets of four

the standard deviation given by program 2 gives some idea of the variation in the results obtained using this scale of values.

If you run this test you will find that the value of standard deviation which it gives you varies from one end of the ADVAL range to the other. It is highest, as you might expect, at the upper end of the scale, but it does decrease slightly as you reach the extreme end of the scale, simply because you are 'hitting the stops'. As you go down the scale the value drops steadily until at the bottom end the standard deviation reaches about 60% of its maximum value. I have run this test on a number of different machines in a number of different conditions, and I generally get a maximum value for the standard deviation of somewhere between 1.8 and 2.5.

Not only does the value vary from machine to machine, and over the ADVAL range, but also it varies as the temperature




Figure 1c. Histogram of values from the analogue to digital converter when averaged in sets of 16

to only a 9-bit conversion. So where has the accuracy gone, and how can we regain it?

When I first realised how poor the accuracy was, I investigated further and discovered, by probing around the chip with an oscilloscope, that the earth line had 40 millivolts of noise on it. Now, 40 millivolts out of 1.8 volts represents an accuracy of only 5 or 6 bits. Therefore it seems fairly

MEASUREMENT

```

10 INPUT "Number of bits displayed", BITS%
20 IF BITS% = 0 BITS% = 12
30 *FX16,4
40 MODE 6
50 PROCinit
60 REPEAT
70 VDU30
80 FOR N% = 1 TO 4
90 REPEAT
100 UNTIL ADVAL(0) DIV 256 = N%
110 PROCdisplay(ADVAL(N%))
120 NEXT
130 UNTIL 0
140 END
150
160 DEFPROCdisplay(M%)
170 T% = &8000
180 PRINT CHR$253;
190 FOR H% = 1 TO BITS%
200 IF (M% AND T%) VDU255 ELSE VDU32
210 T% = T%/2
220 NEXT
230 PRINT CHR$254
240 ENDPROC
250
260 DEFPROCinit
270 LOCAL N
280 VDU19;4;0;23;10,32,0;0;0;
290 N = 1
300 VDU23,253,N,N,N,N,N,N,N,N
310 N = 128
320 VDU23,254,N,N,N,N,N,N,N,N
330 N = 126
340 VDU23,255,0,N,N,N,N,N,N,0;
350 ENDPROC

```

Program 1. Monitoring the ADC values in binary - you can display up to 16 bits

impressive that the chip is capable of producing as much as a 9-bit conversion!

I have to confess that at this point I suspected that bad circuit-board layout was causing this large earth noise. However, on further investigation, I discovered that this was not the case at all. Even by improving the earth line, it made no difference to the noise on the earth line or to the standard deviation of the results. The problem lies with the chip itself. The manufacturer originally called it a 12-bit converter but later had to change the entry in its catalogue to say that it was a 10-bit converter.

If you look at the data sheet produced, you will find the manufacturer offers two versions of the chip: the UPD7002-1, which is said to have an accuracy of 0.1% of the full-scale reading (equivalent to a 10-bit conversion), and the one used in the BBC micro, the UPD7002-2, which has an accuracy of only 0.2% (representing a 9-bit conversion). This then ties in with the experimental results.

Having obtained one of the higher-specification chips, I discovered that, contrary to my expectations, it was not twice as good as the normal chip, but gave a standard deviation of approximately 1.4. I have been told that the manufacturer is at present developing a new 12-bit device which should be pin-compatible with the present chip, but there is no mention made of when it will become available or its price.

Having seen that there is a problem with

the chip itself, is there any solution? The converter is producing 12 bits of information, so is it possible to make them all significant? The answer is that it is possible, by averaging, but at the expense of extra time being taken to produce the more accurate ADVAL value.

If you look at the statistical theory behind taking a reading a large number of times and averaging the values, you will discover that taking N readings should reduce the standard deviation by a factor of the square root of N. Thus by taking four readings at a time, the standard deviation on the averaged values should be one half of the original value, and if you take the averages of sets of 16 readings, you will get one quarter of the standard deviation. By taking the averages of four readings at a time, you effectively increase the accuracy from nine to 10 bits, and by taking 16 readings you increase it from nine bits to 11 bits. In order to increase it to the full 12-bit accuracy you would need to take the averages of 64 readings at a time.

The histograms in figure 1 show how averaging reduces the spread of values. Figure 1a shows what happens with no averaging at all; figure 1b shows the effect of using sets of four values, and figure 1c shows the averages of 16 readings. If you work out the standard deviations of these results, you will find that they give standard deviations which are almost exactly one half and one quarter of the original values, as predicted by the theory.

```

10 ON ERROR GOTO 360
20 INPUT "HOW MANY SAMPLES", T%
30 goes% = 0
40 VDU12
50 *FX16,1
60 @% = 12
70 DIM V%(T%)
80 REPEAT
90 tot% = 0
100 MAX% = 0
110 MIN% = 65535
120 FOR N% = 1 TO T%
130 REPEAT UNTIL ADVAL(0) DIV 256
140 K% = ADVAL1
150 IF K% > MAX% MAX% = K%
160 IF K% < MIN% MIN% = K%
170 V%(N%) = K%
180 tot% = tot% + V%(N%)
190 NEXT
200
210 mean = tot%/T%
220 sq = 0
230 FOR N% = 1 TO T%
240 di = V%(N%) - mean
250 sq = sq+di*di
260 NEXT
270
280 StDev = SQR(sq/T%)/16
290 goes% = goes%+1
300 PRINT TAB(0,goes%) mean, StDev;
310 @% = 6: PRINT MAX%,MIN%: @% = 12
320 total = total + StDev
330 UNTIL 0
340 END
350 PRINT "Average = "; total/goes%

```

Program 2. Calculating the mean and standard deviation of ADVAL(1)

Obviously, if we were using Basic to do the averaging, it would slow down the process even more, so we need a machine code program to do the averaging for us. The versatility of the operating system on the Beeb makes it very easy to link in such a routine (note, however, that this whole idea depends on facilities which are not available in the 0.1 operating system). All you have to do is to *RUN the appropriate machine code routine from cassette or disc, the source code of which is shown as program 4, and then by using the *FX 1 command, you can switch between either normal divide by four, or divide by 16. This is done with *FX 1,0 or *FX 1,4 or *FX 1,16.

Actually, for divide by 16 you can use any number other than 0 or 4, eg, *FX 1,1 would do. To read the averaged values, all you need do is use the original ADVAL (1), ADVAL (2) etc commands. This will give you the latest averaged value for the particular channel. If you want to be sure of catching the latest value as soon as it is averaged, then you can use:

```

REPEAT
  X% = ADVAL(0) DIV 256
  UNTIL X%
  value%(X%) = ADVAL(X%)

```

or if you are using only one channel you could use:

```

REPEAT
  UNTIL ADVAL (0) DIV 256
  value% = ADVAL (1)

```

In order to select how many channels are to be in use at any stage, you simply use the *FX 16 command as normal.

I have not implemented the facility for averaging by 64 to give 12-bit accuracy, firstly because it would have increased the complexity of the routines, and secondly because the time for a full averaged conversion would be 640 milliseconds, and at that sort of speed it would be fast enough to use Basic to do the averaging, using four consecutive values from the divide-by-16 averaging routine.

How then does this automatic averaging routine in program 4 actually work? The operating system can generate events when various bits of hardware interrupt the processor – such as a key having been pressed on the keyboard. The event that we want is caused by the end-of-conversion signal from the ADC. If this event is enabled by *FX 14,3 or its equivalent as an OSBYTE routine in machine code, we are then able to use the event vector (EVNTV) at &220 to point to our own routine. This is then performed as an extension to the operating system's own interrupt routine.

If you are not using averaging (ie, you have executed a *FX 1,0) then these events are still enabled, and the processor still takes a small extra time to come out through the event vector, discover that your routines are inactive and go back and carry on as before. This adds something like 0.1% to the processing time for any program that is running in the computer, but this does not seem significant. If you do want to disable these events again, you can do so with the *FX 13,3.

The routine itself has to extract the value which has just been produced by the ADC, and has been put, by the operating system, into a table of values which is later to be used by the ADVAL command. Our routine then adds this value into its running total for the particular channel, and checks whether there have been enough readings taken. If so, it divides the number by either

4 or 16, as appropriate, and puts this value back into the ADVAL table. If a set of readings has not just been completed then, before returning from the routine you have to put a value into the ADVAL table. Otherwise, using the ADVAL command would pick up the single A to D conversion value which had just been produced. Therefore we have to replace it with the previous value which was stored in a table within the routine's own working space the last time an average was completed. The program is thoroughly annotated, so you should be able to work out in detail the finer points of its operation.

All that we have said so far refers to the relative accuracy of the A to D converters. We have been using the internal voltage reference – the voltage drop across three silicon diodes – and a potentiometer to feed a proportion of this voltage back into the ADC input. Because we are using proportions, variations of this reference voltage are immaterial. However, if you want to measure a voltage from some piece of apparatus then you are interested in the absolute accuracy of the conversion, ie, the accuracy of the three diodes as a voltage reference. On tests that I have done, over a period of a few hours the value of the reference voltage varies by just over 6%, and only after about four hours did the value become more or less constant.

There are two ways round this problem. One is to use an external voltage reference connected to one channel with which you can do a comparison – a Weston standard cell at 1.018 volts would be quite suitable. Since the input impedance of the ADC is 10 megohms, there is no danger of damaging the cell.

The other option is to attach an external voltage reference device such as a band gap diode between Vref and analogue ground. As long as its reference voltage is less than 1.8 volts then the internal diodes will not conduct and should not affect the

accuracy of the reference. I hasten to add that I have not actually tried this myself, but I have been told that it works. A suitable device would be the 9491 low current band gap device available from RS Components (Catalogue no. 283-283), costing 70p + VAT.

Obviously the ideal would be to have a true 12-bit converter which converted each channel in 10 milliseconds as suggested in the original engineering specification. Until the new chip comes on to the market we will have to be content with having to use averaging to improve the accuracy. You can use software selection of the various modes to trade off the accuracy against the measurement time. With these automatic averaging routines in operation, the options available to you are:

8-bit conversion: This takes 4 milliseconds per channel, though this speed cannot be realised in Basic since ADVAL(0) is updated only every 10 milliseconds. You use *FX 190,8 to select this mode and *FX 190,0 to switch back to normal.

9-bit conversion: This takes 10 milliseconds per channel and is the default value, but having used averaging you must then use *FX 1,0 to switch back to it.

10-bit averaged conversion: This takes 40 milliseconds per channel – use *FX 1,4.

11-bit averaged conversion: This takes 160 milliseconds per channel – use *FX 1,16 or *FX 1,1.

12-bit averaged conversion: This takes 640 milliseconds per channel – use *FX 1,16 and do your own averaging of four sets of ADVAL values.

See the comments about *RUNning programs from cassette into a machine that has only just been powered up in last month's article on the Electron printer port.

```

10 *FX16,1
20 DIM FREQ%(300)
30 MODE0
40 B% = 62000
50 REPEAT
60  REPEAT UNTIL ADVAL(0) DIV256
70  S% = ADVAL(1)
80  N% = S%-B%
90  IF N%<0 N%=0
100 IF N%>300 N%=300
110 FREQ%(N%) = FREQ%(N%)+1
120 X% = N%*4
130 MOVE X%,0
140 DRAW X%,FREQ%(N%)*4
150 UNTIL 0
160 END

```

Program 3. Plots histograms of values given by ADVAL(1), irrespective of whether automatic averaging is in operation


```

10 PROCsetup_variables
20 PROCCassemble (&C00,2)
30 PRINT" *SAVE ADC "; ~start"
"; ~P%+1 " "; ~start
40 CALL start
50 END
60
70 DEFPROCcassemble (M%,N%)
80 FOR opt = 0 TO N% STEP N%
90 P% = M%
100 LDPT opt
110
120 .start
130 LDA #newEVNTV MOD 256
140 STA EVNTV
150 LDA #newEVNTV DIV 256

```

Program 4. Source code for automatic averaging routine.
This works only with OS 1.0 onwards

A DOUBLE-SIDED 3" DISC DRIVE AT A SINGULAR PRICE.



THE OPUS
SUPER 3 MICRODRIVE.
£229·95 (INC.
VAT)

FOR USE WITH YOUR BBC MICRO.

For only £229.95 (and that includes VAT, and all the necessary leads) you can have an OPUS 500k double-sided disc drive. And remember 3" disc drives are fast becoming the standard for home and business use.

This is an even bigger bargain than it sounds. For you're getting a double sided drive at the price that other company's sell single sided drives for. It reads and writes to the disc cartridge from both sides, giving you twice the on-line capability of other 3" drives. And there's no need to flip the disc over!

STATE OF THE ART TECHNOLOGY FEATURING:

- Easy to connect to the BBC Micro
- Double sided
- Compatible with most other makes
- One touch cartridge load
- Comprehensive manual
- 3 ms access time
- Free disc cartridge
- Portable, compact and reliable
- Format, verify and other utilities provided
- One year's full guarantee
- Direct Drive
- Totally compatible with 5½" drives

TECHNICAL PERFORMANCE.

	Single Density	Double Density
Capacity	250K Bytes	500K Bytes
Recording density	4,915 BP1	9,830 BP1
Track density	100 TP1	100 TP1
Total number of tracks	40 (each side)	40 (each side)
Recording method	FM	MFM
Rotational speed	300 RPM	300 RPM
Transfer rate	125K Bits/Sec	250K Bits/Sec
Access time track to track	3 ms	3 ms
Access time settling	20 ms	20 ms
Motor start time	0.5 sec	0.5 sec

The Opus Super 3 Microdrive is now available from W. H. Smith's and leading specialist shops.

Dual disc drives are also available for £460.

OPUS SUPPLIES LTD.

158 Camberwell Road, London SE5 0EE.

Opening hours: 9.00-6.00 Monday-Friday,

9.00-1.30p.m. Saturday.



01-701 8668

01-703 6155

To: Opus Supplies Ltd., 158 Camberwell Road, London SE5 0EE. Please rush me the following: (ALL PRICES INCLUDE VAT & CARRIAGE.)

Quantity	Description	Price
	Single drive(s) at £229.95 ea.	
	Dual drive(s) at £459.95 ea.	
TOTAL		

I enclose a cheque for £_____
Or please debit my credit card account with
the amount of £_____
My Access/Barclaycard (please tick) No. is _____

Name _____

Address _____

Telephone _____

AC. 9.

Opus.
Opus Supplies Ltd.

```

160 STA EVNTV + 1
170 LDA #14           \ Enable events on ADC conversion
180 LDX #3
190 JSR OSBYTE
200 RTS
210
220 .newEVNTV
230 LDA FX1flag        \ Is averaging required?
240 BEQ return
250
260 JSR add_value_to_total
270 STA channel_just_converted \ A = 0, averaging not complete
280 .return
290 RTS                \ End of event service routine
300
310 .add_value_to_total
320 CLC
330 LDA adval_table_low,X \ Add low byte into total
340 ADC low,X
350 STA low,X
360 LDA adval_table_high,X \ Add high byte into total
370 ADC high,X
380 STA high,X
390 BCC restore_last_value
400 INC top_byte,X      \ Only if a carry occurs
410
420 .restore_last_value
430 LDA last_value_low,X \ Put previous averaged....
440 STA adval_table_low,X \ value back into....
450 LDA last_value_high,X \ table for ADVAL to read.
460 STA adval_table_high,X
470 DEC count,X         \ Count down no. of samples
480 BMI find_average   \ count < 0
490
500 LDA #0              \ i.e. new averaged value not ready
510 RTS
520
530 .find_average
540 LDA FX1flag        \ Divide by 4 or 16?
550 CMP #4
560 BNE divide_by_sixteen \ If not 4 then 16
570
580 .divide_by_four
590 LDA low,X           \ Calculate low byte of result
600 LSRA:LSRA
610 STA adval_table_low,X
620 LDA high,X
630 ASLA:ASLA:ASLA:ASLA:ASLA:ASLA
640 ORA adval_table_low,X
650 STA adval_table_low,X \ Store in ADVAL table
660 STA last_value_low,X \ Store also as "previous value"
670
680 LDA high,X          \ Calculate high byte of result
690 LSRA:LSRA
700 STA adval_table_high,X
710 LDA top_byte,X
720 ASLA:ASLA:ASLA:ASLA:ASLA:ASLA
730 ORA adval_table_high,X
740 STA adval_table_high,X \ Store in ADVAL table
750 STA last_value_high,X \ Store also as "previous value"

```

```

760 LDA #3
770 BNE reset_totals
780
790 .divide_by_sixteen
800 LDA low,X \ See above - divide by 4
810 LSRA:LSRA:LSRA:LSRA
820 STA adval_table_low,X
830 LDA high,X
840 ASLA:ASLA:ASLA:ASLA
850 ORA adval_table_low,X
860 STA adval_table_low,X
870 STA last_value_low,X
880
890 LDA high,X
900 LSRA:LSRA:LSRA:LSRA
910 STA adval_table_high,X
920 LDA top_byte,X
930 ASLA:ASLA:ASLA:ASLA
940 ORA adval_table_high,X
950 STA adval_table_high,X
960 STA last_value_high,X
970
980 LDA #15
990 .reset_totals
1000 STA count,X \ Reset count value

1010 LDA #0 \ Zero all totals
1020 STA low,X
1030 STA high,X
1040 STA top_byte,X
1050 TXA \ Channel just converted in acc
1060 RTS
1070 ]
1080
1090 Count = P%
1100 low = P%+4
1110 high = P%+8
1120 top_byte = P%+12
1130 last_value_low = P%+16
1140 last_value_high = P%+20
1150 NEXT
1160 ENDPROC
1170
1180 DEFPROCsetup_variables
1190 adval_table_low = &2B5
1200 adval_table_high = &2B9
1210 channel_justConverted = &2BE
1220 FX1flag = &2B1
1230 EVNTV = &220
1240 OSBYTE = &FFF4
1250 ENDPROC

```



A set of commands to assist in writing BASIC programs.
Add these commands to your series 1 Operating System.

```

*BLIST    >*BLIST 180 200
           180 PROC FLUSH
           190 PRINT " "
           :MS=GET$
           :UNTIL MS=""Y"
           :PRINT " "
           :PROC_DELAY(2)
           :CLS

*B FIND   >*B FIND C
           >*B PROTECT
           >*B PROTECT_FLUSH
           >*B PROTECT_DELAY(2)

*LIMITS   Defines default line numbers in
           *BLIST

*BSR      Search and replace for any
           string including keywords

*BREPORT  Indicates the exact position
           within a line at which a program
           fails

*BRPOFF   Disables reporting (default
           setting)

*BMOVE    Moves a segment of a BASIC
           program to another location.
           Automatically renumbers

*BMEND    Repairs bad programs

*BMERGE   Merges two BASIC programs

*BCOMPACT Selectively removes spaces and
           REM's from a BASIC program

*BPAGE    Moves an entire program to a new
           page. Resets top and page

*BOVERLAY Allows very simple overlaying of
           BASIC sections of program

*BVERIFY   Compares recorded version of
           XOS software with version in
           RAM.

*LOCK/    Locks and unlocks the keyboard.
           For use from within a BASIC
           program
*UNLOCK

*STRM40   *STRM80   *REST40   *REST80
           Writes/Reads entire disc to/from
           tape

*ALARM    Uses the OS elapsed time clock
           to sound an alarm tone after a
           specified time

*CANCEL   Cancels alarm


All the above plus other features including
*HELP, and password protection (requires a
password to be entered on power up) with
your name and address on ROM.

```

TOOLKIT ROM plus manual £22

Send your name, address, machine serial number and password required. Note: password may include up to ten alpha numeric characters.

Please allow 28 days for delivery.



The spelling checker for use with your BBC micro and WORDWISE word processor. SPELLWISE diligently checks every word in your text against the SPELLWISE data file. When it has finished you will be left with a list of words which are incorrectly spelt or typed, or are not in the base vocabulary of more than 6000 words (3000 in the tape version). Software is included to enable you to create your own data files. The tape version requires a recorder with motor control.

SPELLWISE tapes plus manual £12

Extended version on DISC £18

State 40 or 80 Track

LANGUAGEWISE

LANGUAGEWISE will allow you to prepare text on WORDWISE in any of the following languages:-

FRENCH	GERMAN	WELSH
ITALIAN	SPANISH	PORTUGUESE
DUTCH	CZECH	DANISH
FINNISH	HUNGARIAN	CROATIAN
NORWEGIAN	POLISH	RUMANIAN
SLOVAK	SWEDISH	TURKISH
YUGOSLAV	IRISH	

LANGUAGEWISE will print on an Epson FX80 (or compatible) printer and preview your text with ALL the necessary accented characters included.

Qu'est ce que c'est? la grève, la fête, à la hâte, la gîte, le rideau, en outre, le garçon, Noël, naïve, une œuvre, Edipe

LANGUAGEWISE on DISC only with machine readable manual ready for printing £18

DATAWARE

FREEPOST SWINDON SN3 4BR

MICROWORLD



SCOTLAND'S ACORN DISTRIBUTOR

EDINBURGH Microworld

12 Leven Street
Tollcross
Edinburgh
031-228 1111
Telex 72355 CLACON G



Model B

with latest 1.2 Operating System £399.00
Model B with Disc Interface £469.00
Model B with Econet £446.00 ALL EX-STOCK

GLASGOW Microworld

11 Bath Street
Glasgow G2
041-221 2135

ABERDEEN Microworld

77-83 Holborn Street
Aberdeen
OPEN SOON!

DISC DRIVES

ALL TEAC SLIMLINE UNITS

Single Drives

40 track 100K Cumana CS100 £225.00
40 track 200K £245.00
40/80 track 200K £207.00
40/80 track 400K £345.00
80 track 200K Cumana CS200 £259.00

Dual Drives

40 track 200K £375.00
40/80 track 400K £430.00
40/80 track 800K £600.00

Prices include leads, formatter and manual

MICROWORLD DISC DRIVES

MW 400K 40/80 track switched £345.00
 MW 800K 40/80 track switched £515.00

Above include P.S.U. format disc manual
 and fit under BBC (Torch style)

PRINTERS


Shinwa CP80 Special offer £249.00
Seikosha GP100A £215.00
Seikosha GP250X £271.50
Seikosha GP700 4-colour £425.00
Epson FX80 £415.00
Epson RX80 £279.00
Epson RX80F/T £315.00
Juki 6100 £415.00
Silver Reed Daisywheel only £315.00
MCP40 colour printer/plotter £119.95
Interface Cable for above £15.00

ONLY £259
 INC. VAT,
 CARR. £6




FULL ONE YEAR WARRANTY

MCP40 ONLY £119.95



4 COLOUR GRAPHIC PRINTER/PLOTTER



MAIL ORDERS TO:
MICROWORLD
 (Authorised BBC Dealer and Service Centre)
12 LEVEN STREET, EDINBURGH,
 (Nr. Kings Theatre, Tollcross)
TEL: 031-228 1111 (M-S 9-5.30)

Carriage £6 per item, all prices include VAT. Cheques must be made payable to Andrew Whyte and Son Ltd.

Whyte and Son Ltd.


EDUCATIONAL & BULK DISCOUNTS AVAILABLE, ALSO COME AND SEE ECONET IN OUR SHOWROOM



MONITORS

Sanyo 14" colour £225.00
Sanyo 14" colour med. res. £313.00
Sanyo 14" colour high res. £479.00
Microvitec 14" colour £239.00
Novex 12" amber £105.00
Zenith 12" green £85.00
Sanyo 12" green £82.50
BMC 12" green £110.00
BMC Turntable £15.00

SOFTWARE: Full range of ACORNSOFT, IJK, MICRO-POWER, SUPERIOR SOFTWARE, ALLIGATA, GEMINI, plus good range of EDUCATIONAL software. Please call or SAE for list. (Add 50p post per order.)



Barry Pickles hosts this cash-for-tips column. Here's a chance to show off your talents – and earn some crinkly green stuff into the bargain.

What we're looking for are those little routines, tips and hardware mods you've discovered. Don't worry if your little wrinkle seems too simple – it's probably just what someone else has been looking for. The same rules apply here as in **Beeb Forum. Short, sweet and as original as possible is the name of the game.**

Send your ideas to Atom Forum, Acorn User, 53 Bedford Square, London WC1B 3DZ. If you want it returned, enclose a SAE. It should be typed or printed and any program should be sent on cassette (with listing if possible).

DISC DELIGHT

IN THE December issue Vincent Fojut showed you how the Atom and Beeb may be made to communicate. If you have the Atom disc pack, program transfer is surprisingly easy.

As noted in issue 2 of *Acorn User*, the DOS supports *SPOOL and *EXEC. The former creates an ASCII file on disc just by typing LIST – this is untokenised. *EXEC reads such a file from disc as if it had been typed from the keyboard, and the Beeb will tokenise it in the normal way. The disc format is identical on the Atom and BBC DOS (40 track) so, by using these two commands, the Atom will read Beeb discs and vice-versa.

If the Atom file was written in BBC Basic, the Beeb will be able to execute it, otherwise it will flag an error. However, an AtomBasic program will still be there and may be listed, so that conversion can be attempted.

Note that text files created using Atom's Wordpack or the Beeb's View are already in ASCII format and you may transfer from one machine to the other by using the normal load commands. However, you should remove all formatting commands, before saving to disc.

£20

EASY-TO-READ ASSEMBLER LISTINGS

by D P Tweed

ANYBODY who writes much machine code will be aware of the importance of comments. It is also helpful to arrange for the assembler listing to be tabulated for ease of reading. Although tabulation can be achieved by padding the source code with spaces, it can be very tedious to key in, and it takes up a lot of space in the source file, which makes both saving and loading time-consuming.

A solution to these drawbacks is suggested here. It takes the form of a short machine-code routine which intercepts the print data coming from the assembler, and treats any spaces as tab codes, padding out the fields to a fixed length, except when in the comments field or the 'preamble'.

It is usual to express lines of source code as shown in figure 1.

Each line of printed output from the assembler has the format in figure 2.

It consists of a 20-byte 'preamble', followed by whatever was typed in for that source-code line.

Thus, using this machine code routine,

the tabulated listing shown in figure 1 would be produced from the following source code.

```
10:LL1 STA LL2 SAVE CONTENTS OF 'A'; STA LL3; TXA MOVE 'X'
```

This is a considerable saving of file space and effort over manual tabulation.

In line 10 of listing 1, M is set to the address where the routine will be assembled; L is set to the number of the highest label.

In line 1000, !PP5 sets the width of the label, operation and operand fields to 6,4 and 9 respectively.

Once the routine is in memory, link to PP1 before running any assemblies; link to PP0 to remove the linkage when the assembly is finished. These commands can be placed in the Basic surrounding the machine code.

If you happen to use a printer driver other than the Atom's, link that routine in first. This ensures that any print data is sent to your routine for printing.

```
>LIST
10M=£3000;L=12
20DIMPL;F,X=0T0L;PPX=M;N.
30P,$21$3;GOS.95
40P,$2
50GOS.95;P,$6$3;E.
95P=M#E

100:PP0 JMP FP4 DE-LINK THIS CODE
110:PP1 LDA £208 SAVE; STA PP8+1 EXISTING; LDA £209 VECTORS
115 STA PP8+2
120 LDA QPP2/256 RE-DIRECT; STA £209 O/P TO; LDA QPP2&255 PP2
125 STA £208 AND; RTS BACK TO BASIC
130:PP4 LDA PP8+1 .. STA £208 .. LDA PP8+2 DE-LINK; STA £209 .
135 RTS
140:PP2 PHP SAVE STATUS; STX £E4 AND X; CMP @32 PRINTABLE?
145 BMI PP3 NO
150 DEC PP6 DECREMENT PREAMBLE COUNTER
155 BMI PP10 JUMP IF NOT IN PREAMBLE:ELSE PASS DATA THROUGH
160:PP9 LDX £E4 RESTORE; PLP ENVIRONMENT; JMP (PP8+1) & EXIT
170:PP10 LDX PP7 GET FIELD COUNTER; BEQ PP9 PASS THROUGH
175\ IF COMMENT FIELD
180:PP11 DEC PP5 DECREMENT CURRENT FIELD LENGTH
185 BMI PP12 JUMP IF COMPLETED
190 CMP @32 BLANK?; BNE PP9 NO-PRINT WHATEVER IT IS
200:PP8 JSR 65535 PRINT A BLANK(CORRECT ADDRESS IS SET BY INIT)
210 JMP PP11 UNTIL TAB FIELD COUNTER=-1
220:PP12 DEC PP7 DEC FIELD COUNTER
230 LDA PP5,X TO GET NEXT; STA PP5 FIELD LENGTH; LDA @32
235 JMP PP9 PRINT LAST BLANK OF FIELD
240:PP3 LDX @3; STX PP7 INITIALIZE FIELD COUNTER; PHA SAVE A
245 LDA PP5,X GET LABEL FIELD LENGTH
250 STA PP5 AND SET PP5; PLA RESTORE A; LDX @20 INIT
260 STX PP6 PREAMBLE COUNT; BNE PP9
270:PP5 BRK CURRENT FIELD LENGTH; BRK OPERAND FIELD LENGTH
280 BRK OPERATION FIELD LENGTH; BRK LABEL FIELD LENGTH
290:PP6 BRK PREAMBLE COUNTER;:PP7 BRK FIELD COUNTER
1000];!PP5=£06040900;!PP6=£314;REM SET UP DEFAULT CONSTANTS
2000R.
```

Listing 1. The source code (£=#)

label	operation	operand	comments
LL1	STA	LL2	SAVE CONTENTS OF 'A'
	STA	LL3	
	TXA		MOVE 'X'

Figure 1. Source code in fields

line no	addr	machine code					
XXXXX	XXXX	XX XX XX	:LL1	STA	LL2.	SAVE CONTENTS OF 'A'	

Preamble

Figure 2. Assembler output format

```

95 3000
100 3000 4C 1A 30 :PP0 JMP PP4 DE-LINK THIS CODE
110 3003 AD 08 02 :PP1 LDA £208 SAVE
110 3006 BD 48 30 STA PP8+1 EXISTING
110 3009 AD 09 02 LDA £209 VECTORS
115 300C BD 49 30 STA PP8+2
120 300F A9 30 LDA @PP2/256 RE-DIRECT
120 3011 BD 09 02 STA £209 O/P TO
120 3014 A9 27 LDA @PP2&255 PP2
125 3016 BD 08 02 STA £208 AND
125 3019 60 RTS BACK TO BASIC
130 301A AD 48 30 :PP4 LDA PP8+1 .
130 301B BD 08 02 STA £208 .
130 3020 AD 49 30 LDA PP8+2 DE-LINK
130 3023 BD 09 02 STA £209 .
135 3026 60 RTS
140 3027 08 :PP2 PHP SAVE STATUS
140 3028 86 E4 STX £E4 AND X
140 302A C9 20 CMP #32 PRINTABLE?
145 302C 30 30 BMI PP3 NO
150 302E CE 76 30 DEC PP6 DECREMENT PREAMBLE COUNTER
155 3031 30 06 BMI PP10 JUMP IF NOT IN PREAMBLE:ELSE
    PASS DATA THROUGH
160 3033 A6 E4 :PP9 LDX £E4 RESTORE
160 3035 28 PLP ENVIRONMENT
160 3036 6C 48 30 JMP (PP8+1) & EXIT
170 3039 AE 77 30 :PP10 LDIX PP7 GET FIELD COUNTER
170 303C F0 F5 BEQ PP9 PASS THROUGH
175 303E \ IF COMMENT FIELD

```

```

180 303E CE 72 30 :PP11 DEC PPS DECREMENT CURRENT
FIELD LENGTH
185 3041 30 0A BMI PP12 JUMP IF COMPLETED
190 3043 C9 20 CMP #32 BLANK?
190 3045 D0 EC BNE PP9 NO-PRINT WHATEVER IT IS
200 3047 20 FF FF :PP8 JSR 65535 PRINT A BLANK(CORRECT
ADDRESS IS SET BY INIT)
210 304A 4C 3E 30 JMP PP11 UNTIL TAB FIELD COUNTER=-1
220 304D CE 77 30 :PP12 DEC PP7 DEC FIELD COUNTER
220 3050 AE 77 30 LDX PP7 AND USE AS AN INDEX
230 3053 BD 72 30 LDA PP5,X TO GET NEXT
230 3056 BD 72 30 STA PPS FIELD LENGTH
230 3059 A9 20 LDA #32
235 305B 4C 33 30 JMP PP9 PRINT LAST BLANK OF FIELD
240 305E A2 03 :PP3 LDX #3
240 3060 BE 77 30 STX PP7 INITIALIZE FIELD COUNTER
240 3063 48 PHA SAVE A
245 3064 BD 72 30 LDA PP5,X GET LABEL FIELD LENGTH
250 3067 BD 72 30 STA PPS AND SET PPS
250 306A 68 PLA RESTORE A
250 306B A2 14 LDX #20 INIT
260 306D BE 76 30 STX PP6 PREAMBLE COUNT
260 3070 D0 C1 BNE PP9
270 3072 00 :PP5 BRK CURRENT FIELD LENGTH
270 3073 00 BRK OPERAND FIELD LENGTH
280 3074 00 BRK OPERATION FIELD LENGTH
280 3075 00 BRK LABEL FIELD LENGTH
290 3076 00 :PP6 BRK PREAMBLE COUNTER
290 3077 00 :PP7 BRK FIELD COUNTER

```

Listing 2. The assembler output obtained by running the program

```

95 3000
100 3000 4C 1A 30 :PP0 JMP PP4 DE-LINK THIS CODE
110 3003 AD 08 02 :PP1 LDA £208 SAVE
110 3006 BD 48 30 STA PP8+1 EXISTING
110 3009 AD 09 02 LDA £209 VECTORS
115 300C BD 49 30 STA PP8+2
120 300F A9 30 LDA @PP2/256 RE-DIRECT
120 3011 BD 09 02 STA £209 O/P TO
120 3014 A9 27 LDA @PP2&255 PP2
125 3016 BD 08 02 STA £208 AND
125 3019 60 RTS BACK TO BASIC
130 301A AD 48 30 :PP4 LDA PP8+1 .
130 301B BD 08 02 STA £208 .
130 3020 AD 49 30 LDA PP8+2 DE-LINK
130 3023 BD 09 02 STA £209 .
135 3026 60 RTS
140 3027 08 :PP2 PHP SAVE STATUS
140 3028 86 E4 STX £E4 AND X
140 302A C9 20 CMP #32 PRINTABLE?
145 302C 30 30 BMI PP3 NO
150 302E CE 76 30 DEC PP6 DECREMENT PREAMBLE COUNTER
155 3031 30 06 BMI PP10 JUMP IF NOT IN PREAMBLE:ELSE
    PASS DATA THROUGH
160 3033 A6 E4 :PP9 LDX £E4 RESTORE
160 3035 28 PLP ENVIRONMENT
160 3036 6C 48 30 JMP (PP8+1) & EXIT
170 3039 AE 77 30 :PP10 LDIX PP7 GET FIELD COUNTER
170 303C F0 F5 BEQ PP9 PASS THROUGH
175 303E \ IF COMMENT FIELD

```


```

180 303E CE 72 30 :PP11 DEC PPS DECREMENT CURRENT
FIELD LENGTH
185 3041 30 0A BMI PP12 JUMP IF COMPLETED
190 3043 C9 20 CMP #32 BLANK?
190 3045 D0 EC BNE PP9 NO-PRINT WHATEVER IT IS
200 3047 20 FF FF :PP8 JSR 65535 PRINT A BLANK(CORRECT
ADDRESS IS SET BY INIT)
210 304A 4C 3E 30 JMP PP11 UNTIL TAB FIELD COUNTER=-1
220 304D CE 77 30 :PP12 DEC PP7 DEC FIELD COUNTER
220 3050 AE 77 30 LDX PP7 AND USE AS AN INDEX
230 3053 BD 72 30 LDA PP5,X TO GET NEXT
230 3056 BD 72 30 STA PPS FIELD LENGTH
235 305B 4C 33 30 LDA #32
240 305E A2 03 :PP3 LDX #3
240 3060 BE 77 30 STX PP7 INITIALIZE FIELD COUNTER
240 3063 48 PHA SAVE A
245 3064 BD 72 30 LDA PP5,X GET LABEL FIELD LENGTH
250 3067 BD 72 30 STA PPS AND SET PPS
250 306A 68 PLA RESTORE A
250 306B A2 14 LDX #20 INIT
260 306D BE 76 30 STX PP6 PREAMBLE COUNT
260 3070 D0 C1 BNE PP9
270 3072 00 :PP5 BRK CURRENT FIELD LENGTH
270 3073 00 BRK OPERAND FIELD LENGTH
280 3074 00 BRK OPERATION FIELD LENGTH
280 3075 00 BRK LABEL FIELD LENGTH
290 3076 00 :PP6 BRK PREAMBLE COUNTER
290 3077 00 :PP7 BRK FIELD COUNTER

```

Listing 3. The assembler output of the program after linking in the tabulator program

It's Magic!



These cassettes, written and tested in schools, are the first in a comprehensive series, aimed to cover a wide spectrum of ages and subjects.

All cassettes retail at £6.95 (inc. VAT)

FUN TO LEARN (BBC B/Dragon)

Education for 6-12 year olds. Menu driven and including space hangman, counting, mixer, code-breaker and calculator.

MONSTER MATHS (BBC B/Dragon)

Education for 8-14 year olds. Menu driven with 9 levels of difficulties. Covers area estimation, mental arithmetic, times tables, arithmetic skills and logical thought.

SCIENCE 1 (BBC B)

Physics education for 11-16 year olds. Covers lenses, mirrors, balances, meters and thermometers. All in Hi-res graphics.

Available now from selected branches of Boots and W.H. Smiths and all good stockists,
or send cheque/PO to us at:

SHARDS SOFTWARE 189 ETON ROAD, ILFORD, ESSEX IG1 2UQ


New Release

GOLDEN CHALLENGE SOFTWARE ^(N)

Present

CALIGULA I [©]

New Release



'If you had ultimate power
what would you do?'

He made his horse a General, he ridiculed the Senate, smashed his enemies and worse! He was ruler of the greatest, most decadent empire the world had seen, the glory that was Rome. "What would you have done . . . ?" Well now you can find out. Deploy your Centurions and battle against (from among others) the Greeks, the Judeans and the (unbeatable?) tribes of England. Decide when to attack? When to seek peace? How outrageous a Palace? How strong a Praetorian Guard? Fight on the English front or stay at the Palace, see the Chariot Races, and to hell with the consequences. . .

There is also the SEER; consult him and you will see that Caligula I[®] is more than you think.

BUY IT—AND LET YOUR COMPUTER TURN YOU ON FOR A CHANGE

Cassette: £7.95

Price includes **manual** and function key **card**. 32K (Series 1.0 & 1.2)

Disc: £10.00

Credit cards accepted

Tel: 01-404 5737

24 hr Ans: 01-405 8582

Cheques/POs to:

Golden Challenge Software, 2-4 Chichester Rents, Chancery Lane,

Price includes VAT and Postage.

London WC2A 1EG

©Copyright

^(N) A Division of Nigel Ward A-V Productions (Europe)

EASING INTO THE UPPER TEXT AREA

LARGE Basic programs can be troublesome on the Atom, with its limited memory. One way of overcoming this is to use the upper text (graphics) area and AT&P shows you how to switch memory areas. However, if your programs do a lot of jumping about to different routines, keeping track of which area you are supposed

to be in is by no means easy.

Listing 4 provides the answer. It uses 52 bytes of machine code and, once assembled, allows you to type in programs as if both areas of memory were one. When you get an error 248 (out of memory), simply move to the upper text area and carry on as if nothing had happened.

Before running your enlarged program, line 10 (without P.\$21!) must be entered to activate the routine. What it does is to intercept the error routine and checks for errors 127 or 157 (line no./label not found). Any other error will cause the Atom to act

as normal, but error 127/157 will first switch text spaces and try to find the line number or label there. Naturally, if it still can't find it, it gives up and signals an error. Once activated, its use is quite transparent.

To demonstrate, assemble the routine and enter lines 400 onwards in the lower text area. Then move to the upper text area and enter the following short program:

```
10REM Demo - Part 2
20a P."UPPER TEXT AREA"
30 G.445
600 P."UPPER TEXT AGAIN"
610 R.
```

1REM Listing 4	60CMP#157;BEQ LL1	170:LL4 LDA#£82	410P."LOWER TEXT AREA"
2REM	70JMP£C9DA	180CMP £12;BNE LL6	420GOS.600
4REM *****	80:LL1 LDY#4;\ Mainloop	190LDA#£29	430P."BACK DOWN AGAIN"
5REM--xx Memory Link xx	90:LL3 DEY	200:LL6	440G.a
6REM *****	100:LL5	210STA £12	445N.;@=0
7REM	110DEC £5;LDA £5	220JMP£C3C4 \ Back to basic	450P."FINALLY, BACK DOWN"
10?£202=£CA;?£203=£28;P,\$21	120CMP#£FF;BNE LL2;DEC£6	230];N.;P,\$6;R=P	460P."/TO SAVE CODE!"
20DIMLL7;F,N=0T01;P=£28CA	130:LL2 CPY#0;BNE LL3	240REM	470P."SAVE ""MEMLINK"""
250-P	140LDA(£5),Y	250REM=====	480P.&Q" "R"
30C	150CMP#£3B;BEQ LL4	399REM Demo	490Q=8;E,
40:LL0 \ Start	160CMP#£D;BNE LL5	400P.\$12;F,N=1T02	500REM=====
50PLA;PLA: CMP#127;BEQ LL1			

Listing 4. Accessing the upper text area without losing track (£=#)

SCREENPLAY



134 St. Vincent Street, Glasgow G2 5JU. Telephone 041-248 2481

SCREENPLAY products for the BBC MICRO include EDUCATIONAL PROGRAMS, GAMES AND UTILITIES.

In EDUCATION we have 2 word recognition games which allow parents to participate in the development of their childrens' vocabulary.

CHICKAROO: Designed to improve hand eye co-ordination this game involves shooting at moving targets which reveal letters that may complete a word shown on the screen. **PRICE £7.95**

PIRATES: Identify the concealed word before you reach the end of the plank or face the perils of the deep! You will be surprised at the result if you succeed. **PRICE £7.95**

BOTH PIRATES AND CHICKAROO ARE SUPPLIED WITH A VOCABULARY OF 100 WORDS AND PARENTS HAVE THE OPTION OF CREATING THEIR OWN FILES

UTILITIES

THE ILLUSTRATOR: Turn your tv screen into an electronic canvas. This program allows complex images to be drawn using simple commands. Text can also be mixed with the graphics and the resulting image stored on tape. **PRICE £9.95**

GAMES

MAD MONTY: A fast and furious version of the well known snake in the garden game featuring MONTY THE MAD PYTHON. **PRICE £7.95**

AH... LISTO!

FORMATTED listing, or 'pretty printing', as it is popularly called, is an integral part of the structured programming philosophy. Many modern 'structured' languages, such as Comal and BBC Basic, have in-built formatting options (eg, LISTO), intended to clarify a program's logical sequence and generally aid legibility.

Now Atom owners can get in on the act. Here is a program which not only emulates the BBC's LISTO facility, but also provides a useful extra formatting option of its own. Multi-statement lines can now be listed as one statement per line, each with the appropriate level of indentation. The full range of options available is listed in table 1.

For reasons of size, the program is written in assembler. Once the program listing is entered and run, the resultant machine code can, of course, be saved and loaded independently, and conveniently fits within one page of memory.

Six ROM-based routines are used by the program. The first, at #CEA1, sets the 'text pointer' at #58, #59 to the start of a new line, and also checks if the escape key is pressed, to allow listing to be terminated in the usual way. The second routine, at #C589, prints the 32-bit value on the top of the Atom's workspace stack, at locations #16, #25, #34 and #43. Here it is used to print line numbers.

Vincent Fojut presents a 'pretty printing' listing formatter for the Atom, modelled on the Beeb's LISTO facility. It even goes one (or two) better – and all in less than 256 bytes!

The other four routines are as follows:

#F7FD – print a space

#FFF4 (OSWRCH) – print ASCII character in accumulator

#FFED (OSCRLF) – issue carriage return, line feed

#FFE9 (OSASCI) – if CR, call OSCRLF, else call OSWRCH

Once each line number has been printed, the formatting routine checks if a space is to be printed. If the appropriate option bit is set to 1, and providing the next character is not a label, a space is printed. The start of each statement is examined for any of the 'loop control' words – FOR, NEXT, DO, UNTIL and FUNTIL (floating-point UNTIL).

If one is detected, the indentation level, used in formatting, is incremented or decremented as necessary. Providing an 'indent loop' option is requested, each line

printed is indented by an amount dependent on the above indentation level parameter. If a 'statement per line' option is in force, then each statement is printed on a new line, indented by the correct amount. The formatting routine continues to process each line in turn, until the end of the program is detected, marked by a #D followed by a negative-value byte.

The program uses the Basic variable 'L' to signify the listing option required (only the lowermost four bits are examined). The options may be selected either singly or in combination. This gives a total of 16 different formatting variations. For instance, to indent both 'FOR...NEXT' loops (option 2) and 'DO...UNTIL' loops (option 4) set L=6 (6=2+4).

To avoid confusing those who also use the BBC micro, 'L=0' to 'L=7' have the same effect as LIST00 to LIST07. The new options of 'L=8' to 'L=15' duplicate the above, but also have each statement printed on a separate line. For example, to imitate the BBC's sequence of 'LIST07' followed by 'LIST', you would enter 'L=7' followed by 'LINK LL0' (where LL0 is the address at which the machine code is assembled – all future examples assume an address of #2800). The formatter automatically lists any program in the text space currently selected – whether upper or lower.

Example 1 shows the Atom 'Pretty Print-

a)

```
100REM FORMATTING EXAMPLE
110aF.X=1 TO 2;P.X;N.
120DO
130FOR A=B TO C
140PRINT A;D=D+1
150NEXT
160X=X+1
170UNTIL X=10;END
```

b)

```
100 REM FORMATTING EXAMPLE
110aF.X=1 TO 2;P.X;N.
120 DO
130   FOR A=B TO C
140     PRINT A;D=D+1
150   NEXT
160   X=X+1
170 UNTIL X=10;END
```

c)

```
100 REM FORMATTING EXAMPLE
110aF.X=1 TO 2;
P.X;
120 DO
130   FOR A=B TO C
140     PRINT A;
D=D+1
150   NEXT
160   X=X+1
170 UNTIL X=10;
END
```

Example 1. Formatting in action: a) L=0 (or normal 'LIST'); b) L=7; c) L=15

er' in action, with probably the two most useful options, 7 and 15. Note that the program correctly indents FOR...NEXT and DO...UNTIL statements, with the respective key words on the same level, unlike the Beeb. For example:

BBC indentation
FOR A=B TO C
PRINT A
NEXT

Atom indentation
FOR A=B TO C
PRINT A
NEXT

If your indentation appears odd during formatting, check for leading spaces at the beginning of statements in your program text. The formatter makes such spaces redundant, and you can save memory by deleting them.

Although the program is largely imitative of the BBC's LISTS function, a number of important differences between Atom Basic and BBC Basic needed to be considered. First of all, Atom Basic supports the use of labels (lower-case characters a-z) as targets in GOTO and GOSUB statements, whereas BBC Basic does not. Labels must always immediately follow the line number, without any intervening spaces. Therefore, if option 1 is selected (singly or in combination), a space is printed after a given line number only if the line is not labelled. This avoids the risk of causing confusion or encouraging bad programming habits.

Another major difference between Acorn's Basics is that while the BBC version is held in tokenised form, the Atom dialect is held (more or less) as entered. Consequently, any formatting program on

the Beeb need only search for the single-byte tokens for certain statements (eg, FOR, NEXT, REPEAT and UNTIL are held respectively as &E3, &ED, &F5 and &FD). By contrast, the Atom formatter needs to search for, and match against, complete ASCII strings. To complicate matters, most Atom Basic commands can be abbreviated by the use of a period '.'. For example, our Pretty Printing routine needs to recognise five different forms of the 'UNTIL' statement - U., UN., UNT., UNTI., and UNTIL - all of which are valid.

Furthermore, the all-embracing 'REPEAT...UNTIL' construct on the Beeb has two distinct counterparts on the Atom. 'DO...UNTIL' can test integer conditions, while 'DO...FUNTIL', available with Acorn's FP ROM, is needed to test floating-point conditions. That is:

DO A=A+1, UNTIL A=B

but

DO %A=%A+1; FUNTIL %A=%B

The Atom formatter will detect both variants of the DO...UNTIL loop.

A considerable amount of effort has been spent in ensuring that the final program occupies less than 256 bytes, so that it can fit within locations #2800 to #2FF. This is, of course, the usual place for user-supplied machine-code on the Atom, out of the way of normal Basic text-space. If your program has other uses for this area - for example, floating-point variables - then the machine code can easily be assembled at another location.

In order to keep the program size within the above limits, a couple of assumptions were made to avoid overcomplex processing. Firstly, the semicolon character ';' is

OPTION VALUE	FUNCTION (assigned to Basic var. 'L')
0	'Normal', unmodified listing
1	Print a space after each line no.
2	Indent FOR...NEXT loops
4	Indent DO...UNTIL & DO...FUNTIL loops
8	Print multi-statement lines as one statement per line

Table 1. Formatting options available

considered to be a statement delimiter, wherever it occurs. In fact, this is virtually always true, but there are a couple of exceptions. If you chose a 'statement per line' option (L=8 to L=15), you should not have semicolons within REM statements or quotes.

In addition, the formatting program expects any occurrence of the loop words - FOR, NEXT, DO and (F)UNTIL - to be at the very beginning of a statement. Again, this is nearly always the case. The exceptions are that 'DO' or 'FOR' could occur within an 'IF' statement or another 'DO' statement. For example:

IF A=B DO P.A ...

or

DO FOR A=B TO C;...

Fortunately, there is a simple solution in these cases. We can ensure that the 'DO' and 'FOR' are the first words in a statement by prefixing them with a semicolon, thus;

IF A=B;DO P.A ...

or

DO; FOR A=B TO C;...

These are functionally identical to the earlier examples, and are correctly handled by the formatter. Note, of course, that NEXT and UNTIL must always occur at the beginning of a statement, without exception.

There are a number of advantages in being able to list a program using 'LINK', as opposed to 'LIST'. Since LINK is a statement, not a command, it may be used in both direct-mode and programs. Example 2 gives some of the possibilities, including programs which will list themselves when run!

Finally, it should be emphasised that the Atom formatter alters only the way in which a program is listed on the screen or printer. It does not add to, or modify your program text in any way, so there is no danger of corrupting your program by using the routine. Feel free to experiment!

a)

F.L=0 TO 15;P."OPTION "L";LINK #2800;N.

b)

P.\$2;L=7;F.N=1 TO 3;LINK#2800;P.***;N.;P.\$3

c)

10REM SELF-LISTING PROGRAM
20P."THE BEGINNING"**
30L=15;LINK #2800
40P."THE END"***
50END

Example 2. Advantages of 'LINK' over 'LIST':
a) List programs in all possible formats; b)
issues multiple copies of listing onto printer;
c) a program which lists itself when run

ELBUG FOR THE ACORN ELECTRON

JOIN NOW
FOR A
FREE
CASSETTE

Join the Electron User Group

Members receive 10 copies of the magazine **ELBUG** each year. **ELBUG** is devoted **EXCLUSIVELY** to the **ELECTRON MICRO**. It is packed with News, Reviews, Hints, Tips, Programming ideas, Major articles, plus Regular program features including games and useful utilities.

ELBUG is produced by **BEEBUG** Publications Ltd., publishers of **BEEBUG**, the magazine of the National User Group for the BBC Micro. **BEEBUG** now has some 20,000 members and has achieved a high reputation both in this country and abroad.

The formula which makes **BEEBUG** an invaluable companion for users of the BBC micro, has been applied to **ELBUG**.

By subscribing to **ELBUG** you gain all the advantages of a single-micro magazine, with

no space wasted on programs and articles for other computers.

BENEFITS OF MEMBERSHIP

ELBUG MAGAZINE

Ten copies a year mailed free of charge.

DISCOUNT SCHEME

Extensive discount scheme with major retailers.

SOFTWARE LIBRARY

A growing range of software titles at budget prices for members.

SOFTWARE CLUB

Substantial discounts on software from major software houses.

LOCAL USER GROUPS

Lists of local affiliated user groups.

SPECIAL OFFER 8 FREE PROGRAMS

Subscribe now, and get a free introductory cassette containing 8 tested programs for the Electron.

SPACE CITY. Defeat the invading Aliens with your laser, and save the city

3D NOUGHTS AND CROSSES. Pit your wits against the **ELECTRON** on a 4x4x4 board

RACER. Guide your racing car to victory, avoiding other cars and obstacles on the track

3D MAZE. In this challenging game, you must escape from the maze - The screen displays a 3D view from inside the maze

PATCHWORK. A multicoloured display of continuously changing patterns


KEY SET ROUTINE. A program to set up the user function keys

MEMORY DISPLAY. An efficiently written utility to display the contents of memory (ROM and RAM)


CHARACTER DEFINER. Define individual graphics characters with this useful utility for use in your own programs.



SPACE
CITY



RACER



3D MAZE

HOW TO JOIN

To subscribe for one year, and get your FREE CASSETTE, send £9.90 (payable to Orbit) plus a strong stamped addressed envelope (for the cassette)

SUBSCRIPTIONS TO: **ELBUG, PO BOX 109, HIGH WYCOMBE, BUCKS HP11 2TD**

Six month trial subscription (5 issues) UK only £5.90 - FREE CASSETTE OFFER STILL STANDS.

Membership outside UK (one year only): Eire and Europe £16.00, Middle East £19.00, Americas and Africa £21.00, other countries £23.00

Editorial Address: ORBIT, PO Box 50, St Albans, Herts.

▶ from page 127

Program 1. Atom listing formatter

```

100 REM *** ATOM PRETTY PRINTING ***
110 REM    PRODUCES FORMATTED ATOM
120 REM    LISTINGS, WITH 4 OPTIONS,
130 REM    (IN ANY COMBINATION) :-=
140 REM 1/ SPACE AFTER LINE No.s
150 REM 2/ "FOR..NEXT" LOOPS INDENTED
160 REM 3/ "DO..UNTIL" LOOPS INDENTED
170 REM 4/ ONE STATEMENT PER LINE
180 REM
190 REM (C) V. FOJUT 1983.
200 REM
210 DIM LL29, TT2, L1
220 FOR N=0 TO 35; LLN=-1; NEXT
230 FOR N=0 TO 2; TTN=-1; NEXT
240 T=#58; REM TEXT POINTER
250 IN."ASSEMBLE FROM (#)" H
260 IN."LIST ASSEMBLY (Y/N)" $L
270 IF $L="N" P.#21
280 FOR N=1 TO 2
290 P=H
300 E:LL0
310 LDY #00    \zeroise text-Ptr.
320 STY #80    \& "indent level".
330 STY #83    \ "last char Printed"
340 STY T      \set up text base
350 LDA 18    \address.
360 STA T+1
370 LDA #25    \set field width
380 STA #321   \for line nos.
390 \
400 :LL1 \new line Process
410 JSR #CEA1 \add Y to text Ptr.
420 LDA (T),Y \get next char.
430 BMI LL10 \end of Prog: exit.
440 STA #25 \else store lineno.
450INY
460 LDA (T),Y
470 STA #16
480 JSR #0589 \print line no.
490 LDY #23
500 LDA (T),Y \is next char
510 CMP @#61 \a label?
520 BCC LL12 \jump if not
530 JSR #FFF4 \else Print label.
540 JMP LL11
550 \
560 :LL12
570 DEY
580 :LL2 \new statement Process
590 LDA #32D \lo-byte of "L".
600 LSR A    \sPace option?
610 BCC LL11 \jump if not

```

```

620 JSR #F7FD \else Print space.
630 :LL11
640 INY
650 STY #81    \save text-Ptr.
660 DEY
670 :LL4
680 INY      \scan for 1st
690 LDA (T),Y \non-sPace
700 CMP @32    \char.
710 BEQ LL4
720 JSR LL14 \ "sPecial" word?
730 LDY #81
740 BCS LL8   \jump if not.
750 \
760 \ reserved word detected. value
770 \ of X sPecifies word.
780 \
790 LDA TT0,X \get logic mask.
800 AND #32D \aPProP. indent optn?
810 BEQ LL8   \jump if not.
820 CPX @2    \ "UNTIL" or "NEXT"?
830 BCS LL7   \jump if so.
840 JSR LL20 \Print statement.
850 INC #80   \incr.indent level.
860 JMP LL9
870 :LL7
880 DEC #80   \decr.indent level.
890 BPL LL8   \cater for "UNTIL"
900 INC #80   \without DO" etc.
910 :LL8
920 JSR LL20 \Print statement
930 :LL9
940 BCC LL1   \get next line.
950 LDA #32D \else next statement
960 AND #88   \Printing sPace
970 BNE LL2   \if required.
980 BEQ LL11
990 \ end of Program - exit.
1000 :LL10
1010 RTS
1020 \
1030 \ check for reserved words
1040 \ DO, FOR, UNTIL, NEXT
1050 \ & also FUNTIL.
1060 \
1070 :LL14
1080 LDX #4    \index for look-up
1090 :LL15
1100 DEX      \table.
1110 BMI LL19 \words not found.
1120 CMP TT1,X \does 1st char match?
1130 BNE LL15 \rePeat if not.
1140 \Possible match: check if FUNTIL

```

► from page 129

```

1150 CPX @1    \ "F" detected?
1160 BNE LL16  \jump if not
1170 INY      \else check
1180 LDR (T),Y \if next char
1190 CMP @CH"U"\ = "U". if so,
1200 BEQ LL14  \do UNTIL check.
1210 DEY
1220 \
1230 \ check for rest of word.
1240 \
1250 :LL16
1260 STX #82  \save X
1270 LDA TT2,X \get word offset.
1280 TAX
1290 :LL17
1300 INX      \check
1310 INY      \each
1320 LDA #C097,X \char.
1330 BMI LL18  \word matches.
1340 CMP (T),Y
1350 BEQ LL17
1360 LDX #82  \if D, exit."DO" cant
1370 BEQ LL19  \be abbreviated.
1380 LDA (T),Y \check for
1390 CMP @CH".\abbreviation.
1400 BNE LL19  \jump if none.
1410 :LL18
1420 LDX #82  \X indicates word.
1430 CLC      \clear carry
1440 RTS      \ (=word found).
1450 :LL19
1460 SEC      \set carry
1470 RTS      \ (=word not found).
1480 \
1490 \ print statement
1500 :LL20
1510 JSR LL24  \print statement
1520           \with any indents.
1530 BCC LL23  \exit if end of line.
1540 \
1550 LDA #32D  \statement Per line"
1560 AND @8  \ option?
1570 BEQ LL22  \exit if not.
1580 JSR #FFED \do CR/LF.
1590 LDX @5
1600 :LL21
1610 JSR #F7FD \print
1620 DEX      \five
1630 BNE LL21  \sPaces
1640 :LL22
1650 SEC      \e.o.statement
1660 :LL23
1670 RTS

```

```

1680 \
1690 \ Print indents, if any.
1700 :LL24
1710 LDA #83  \last char Printed
1720 CMP @#3B  \semicolon?
1730 BNE LL25  \no: begin.of line
1740 LDA #32D  \statement Per line"
1750 AND @8  \option?
1760 BEQ LL27  \jump if not.
1770 :LL25
1780 LDA #80  \check indent level.
1790 BEQ LL27  \jump if none.
1800 ASL A   \Print 2
1810 TAX     \sPaces
1820 :LL26
1830 JSR #F7FD \for each
1840 DEX      \indent
1850 BNE LL26  \ level".
1860 \
1870 \ Print till end of statement.
1880 :LL27
1890 DEY
1900 :LL28
1910 INY
1920 LDA (T),Y \get next char
1930 STA #83  \save it
1940 JSR #FFE9 \& Print it.
1950 CMP @#3B  \end of statement?
1960 BEQ LL29  \carry set if so.
1970 CMP @#D   \end of line?
1980 BNE LL28  \continue if not.
1990 CLC      \else clear carry
2000 :LL29
2010 RTS      \and exit.
2020 \
2030 \ tables
2040 :TT0 \logical mask values;) P=#02040204; P=P+4
2050 E:TT1 \reserved words,1st char;) $P="#DFUN"; P=P+LENP
2060 E:TT2 \offsets to rest of words;) P?0=-1; REM "Q"
2070 P?1=53; REM "OR"
2080 P?2=16; REM "NTIL"
2090 P?3=21; REM "EXT"
2100 P?4=4
2110 P?5=1
2120 P?6=1
2130 P?7=1
2140 NEXT
2150 P?8=1
2160 P?9=1
2170 P?10=1
2180 P?11=1
2190 P?12=1
2200 END

```

"I was pleasantly surprised to receive your parcel yesterday only 2 working days after I first wrote to you - not many suppliers in the small computer market manage such a fast turnaround time."

J.L., London

BBC Microcomputers

	Price £ inc VAT
ANB01 BBC Microcomputer Model B	399.00
ANB02 BBC Microcomputer Model B+Econet	447.51
ANB03 BBC Microcomputer Model B+Disc	498.19
ANB04 BBC Micro Model B+Disc & Econet	545.20

BBC Microcomputer Compatible Disc Drives

BBC31S Single 100K drive	201.25
BBC31D Dual disc drive 2x100K	362.25
BBC32S Single 200K double sided drive	258.75
BBC32D Dual double sided disc drive 2x200K	483.00
BBC34S Single 400K dual sided 80, track disc drive 40/80 track switchable	327.75
BBC34D Dual double sided 80 track disc drive 40/80 track switchable	603.75

All disc drives supplied with connecting cables, utilities disc and manual.

BBC Microcomputer Compatible Floppy Discs

BBC40TS Single sided 40 track discs Box of 10	17.25
BBC40TD Double sided 40 track discs Box of 10	28.75
BBC80TD Double sided 80 track discs Box of 10	36.80

BBC Microcomputer Compatible Monitors

14MON Microtec 1431 colour monitor	247.25
12MNON NEC 12" high resolution monitor Green phosphor	159.85
9MON NEC 9" high resolution monitor Green phosphor	148.35
STAND Monitor stand	11.44

BBC Microcomputer Accessories

ANC01 2nd Processor 6502	195.50
ANC04 2nd Processor 280	339.25
ANE01 Teletext receiver	225.00
BBC45 Pair of joysticks	13.00

BBC Microcomputer Upgrade Kits

BBCA2B Model A to B upgrade kit	69.00
BBC3 Disc interface kit	97.70
BBC3D Double density disc interface kit	103.45
BBC7 Econet interface kit	70.00
ANB14 Speech interface	55.00

BBC Microcomputer Econet Accessories

AEH18 10 Station lead set	28.75
AEH15 Terminator box	35.00
AEH14 Clock box	45.00
AES20 Fileserver Level 1	99.00
AES21 Fileserver Level 2	249.00
AEH17 100m Econet cable	99.00

Acornsoft Languages

SBL01 Forth cassettes	16.85
SBL02 Lisp cassette	16.85
SBL04 Microtext cassette	55.60
SNL02 Forth 40 track disc	19.90
SNL04 Microtext 40 track disc	59.80
SNL03 BCPL, Rom disc & Manual	99.65
SBL03 View ROM	59.80

BBC Microcomputer Cables and Connectors


BBC21 Printer cable inc Amphenol plug	14.95
BBC22 User port connector + 36" cable	2.83
BBC23 Cassette cable 2x3 5mm + 1x2.5mm jacks	4.03
BBC24 7 pin din pl. (cassette int)	0.69
BBC25 6 pin din pl. (RGB output)	0.69
BBC26 5 pin din pl. (serial int)	0.69
BBC27 5 pin din pl. (Econet int)	0.69
BBC35S Data cable single drive	9.77
BBC35D Data cable dual drive	14.38
BBC36S Power cable single drive	5.17
BBC36D Power cable dual drive	6.32

"Once again, many thanks for your speedy and efficient service."

B.Y., London

BBC Microcomputers

Model B £399.00 with disc interface £498.19



"Thank you for your prompt, helpful service."

J.W., Langley, Berkshire

"I am impressed with your quick and efficient service."

R.N., Peterborough

SPECIAL TELEPHONE NUMBER DISS(0379) FOR FAST, IMMEDIATE SERVICE, TELEPHONE YOUR ORDER TO: 898751

Carriage Charges

Computers, Monitors, & Printers by Datapost	8.63
Data drives, paper, 2nd Proc, Teletext	
Normal post	5.75
Books and joysticks by normal post	1.15
All other items by normal post	0.86

Terms

All items offered subject to availability. Government, Local Authority and educational establishment official orders welcome. Account facilities available subject to status otherwise strictly cash with order. Credit cards (Access & Visa) accepted with no surcharge on all items except BBC Microcomputers.

Full refund, if requested, on out of stock items. Delivery

Most items are available ex-stock and orders received up to 3PM will be despatched the same day.

Guarantee

All products are guaranteed for 12 months from date of purchase irrespective of original equipment manufacturer guarantee.

Telephone Orders

24 hour service (ansaphone after hours) available for telephone orders.

Prices: all prices INCLUDE V.A.T. but NOT carriage. Please add the carriage to your order.

All prices correct at time of going to press.



"Fantastic service - I wish more people were as 'on the ball' as you are."

T.P., Tiverton, Devon

If you think our prices are keen, wait 'til you try our service.

Quality:

We only sell prime branded products from the industry's leading manufacturers such as Texas Instruments, Motorola, National etc. They are all current production with recent date codes. We do not buy sub standard products, manufacturers surplus or job parcels.

Reliability:

All systems products are fully tested before despatch and are guaranteed to be in good working order. All faults reported are fully investigated and promptly put right. Investigation has revealed that the vast majority of these faults have occurred as a result of damage caused in transit.

MIDWICH
COMPUTER COMPANY LIMITED
RICKINGHALL HOUSE, HINDERCLAY ROAD, RICKINGHALL, SUFFOLK IP22 1HH. TEL. DISS (0379) 898751.

Service:

All orders received by 3.30 pm are despatched that same day by 1st class post or Datapost, stock permitting. Better than 95% of the product range is in stock in depth at any one time.

Value for Money:

Due to our bulk buying power and low overheads we are able to offer very attractive prices for even modest quantities. A straight comparison of our price list with any franchised distributor will reveal a huge difference - in some cases our price is a third of the competition. There are no minimum order charges and our post and packing costs are actual costs.

For FREE CATALOGUE post to Midwich Computer Company Limited, Rickinghall House, Hinderclay Road, Rickinghall, Suffolk IP22 1HH.

Name _____

Address _____

Telephone _____



```

1 REM Bytes Free Routine
2 REM by B.Pickles
3 REM Acorn User February 1983
10 DIM LL2; PRINT$21; FORN=0 TO 1; P=#28A0
15 [
20 LDA@0      : Initialise
30 STA#80     : Set up 81H
40 STA#81     : and 82H as
50 STA#321    : vector to
55 TAX        : text space
60 LDA@#2C    : and set @=0
70 STA#82
80 CLC
90 :LL0
95 LDA@#55
100 JSR LL1
110 BNE LL2
120 ASLA
130 JSR LL1
140 BNE LL2
150 LDA#82
160 ADC @4
170 STA#82
180 CMP@#80
190 BEQ LL2
195 JMP LL0
200 :LL1
210 STA(#81,X)
220 CMP (#81,X)
230 RTS
240 :LL2
245 JSR#FFED
250 SEC
255 LDA#81
260 STA#34
265 STA#43
270 SBC#23
275 STA#16
280 LDA#82
290 SBC#24
300 STA#25
310 JSR#C589
320 JSR#FE71
330 ]
340 $P=" BYTES FREE"
345 P=P + LEN(P); REM-Increment pointer
350 [
360 NOP
370 LDA @ 8      : set @=8
380 STA#321    : and
390 RTS        : exit
400 ]
410 NEXT
420 PRINT$6; END

```

ATOMIC SPACE TEST

A 'bytes free' routine by
Barry Pickles

THIS utility for the Atom provides a 'bytes free' routine, as found on machines such as the Pet and Vic. It uses 94 bytes of machine code and assembles at #28A0, thus avoiding corruption by floating point arrays. Once assembled, it may be called at any time by LINK #28A0.

By using the 'free space' pointer, it allows for any array storage. Unlike some other routines, it does not rely on your knowing where your memory storage ends; instead, it tests for RAM at all 1k boundaries in the text space, until the test fails. The test used is a modification of the one which the Atom itself makes to find out if you have any lower text space RAM.

The listing is fully commented, so only the system routines need explaining. These are:

#FFED – performs a carriage return and linefeed.


#FE71 – treats the following characters as an ASCII string and outputs to the screen, until a negative byte (NOP) is encountered.

#C589 – takes the (32-bit) number on the workspace stack and prints it in decimal form.

To assemble to a different area, alter the value of P in line 10.

Microware presents the latest news on BBC.

N.B. 40/80 Format Switch – call for information



ZL DISK DRIVES

Microware, the authorised dealers for BBC, ACT and IBM are still making news. The new ZL range of disk drive subsystems is the best available – yet compare the prices. The new Double Density Disk Controller is another first from this company, which continues to write the headlines. Phone today for details.

Type	Dual unit	Capacity Acorn DFS	Capacity with DDFS	Power Supply	No. of Files Acorn DFS	Price
ZL 241 BH		200K	400K		62	£199.00
ZL 242 BH	✓	400K	800K		124	£375.00
ZL 241 H	Expandable	200K	400K	✓	62	£229.00
ZL 242 H	✓	400K	800K	✓	124	£395.00
*ZL 281 BH		400K	800K		62	£250.00
*ZL 282 BH	✓	800K	1.6Mb		124	£445.00
*ZL 281 H	Expandable	400K	800K	✓	62	£290.00
*ZL 282 H	✓	800K	1.6Mb	✓	124	£490.00


All prices quoted exclude VAT. All cables included in price

*40/80 Format switch and Manual available

PRINTERS

Epson FX 80 £375.00
 Epson RX80 £275.00
 Epson RXFT £320.00
 Epson FX100 ... £425.00

Star 80 £257.25
 Star 100..... £313.95
 Shinwa CP80 £257.25
 Juki 6100 £399.00




MONITORS

12" Green Screen

Sanyo £99.00
 BMC £99.00
 Amdex £135.00

14" Colour

Microvitec £257.00
 Luxor £450.00
 High Resolution



Microware

Showroom: 637 Holloway Rd London N.19
 Telephone 01-272 6398/6237. Telex 297598

Double density
controller
available now

No. of sides per drive
 Range identifier — ZL 241 BH — Half height un
 No power supply, must be
 powered by BBC
 No. of tracks per
 side (4=40, 8=80)
 No. of drives per subsystem

FAIRWEATHER FRIEND

WHEN Kenley Primary School acquired its BBC microcomputer I was keen to use it for activities which involved as many of the pupils as possible and which fitted naturally into the school's curriculum. I had seen Factfile demonstrated on an in-service course and it seemed to meet these requirements, although I had some reservations about using cassettes to store large amounts of data and I was not sure how well the children would cope with the new language which Factfile demanded.

Factfile is provided as part of the MEP Microprimer pack (and can be purchased separately from Cambridge University Press). The package contains three pieces of software and an extremely useful teacher's handbook.

The first program, Yourfacts, is meant as an introduction to using a database program without the need to previously define the file structure. It was helpful to a class of 9 to 11-year-olds, but they found it rather easy and the data somewhat predictable. A top infant class found it most enjoyable, but reception infants needed a great deal of teacher supervision and were unable to understand most of the words.

Because the questions asked in Yourfacts demanded a positive reply from nearly every child in the class, the follow-up work became rather pointless. The program can, however, be a useful preparation for Factfile if more emphasis is placed on the techniques for updating files.

When the children progressed on to Factfile one of the most important skills they needed to learn was how to change a file. Mistakes were often made when keying in data and it was rather demanding on teacher-time to have to remind groups about making a change. It is therefore advisable to dwell on changing a file when using Yourfacts so that the children become accustomed to the process.

A class of first-year juniors were doing a project about dinosaurs and the datafile Dino was ideal as a teaching aid. The names of the dinosaurs, however, were difficult for children to remember and the use of this file tended to complicate matters rather than help when learning how to use Factfile. The teaching materials did not emphasise clearly enough that Dino was a file and not a program and so could be used only after loading Factfile.

We began our project by studying the geographical aspects of the weather after watching the excellent BBC TV programme *Near and Far*. Before long we found ourselves inundated with scrap paper on which were scrawled recordings of the rainfall (photo 1), wind speed (photo 2), and humidity and temperature (photo 3) for each day in January. Many pupils felt that we needed to find a better method of storing and analysing information – so why

Martin Hill tests the Factfile suite in the classroom. His pupils' project was to record meteorological conditions

not use our computer and a datafile?

The children were already familiar with the computer because it is treated like any other resource at Kenley (photo 4) and so the idea of Factfile was quite easy for them to accept. Nevertheless, we started by using the introductory program Yourfacts, which was just as well. Mistakes were often made when keying in data and some children found it helpful to go back to Yourfacts and practise changing a file.

The children worked in groups of three

or four and used a computer when they had collected the weather data for one week. Other groups awaiting their turn were meanwhile compiling information grids ready for feeding their data into the computer (see table, page 139).

When choosing the project that Factfile would assist, I decided not to have 'yes/no' answers as suggested in the teacher's handbook. With a class of younger children this kind of file would be quite sufficient, but for top juniors it limits the amount of interesting follow-up work that can be achieved. The handbook states clearly that the project chosen and the follow-up work are very important for success, but little reference is made to the importance of discussion. I found that the children felt much more at ease with the program when they were able to talk about it in a group, and taped discussions produced good results.


My decision not to choose 'yes/no' responses to be keyed into the computer created its own problems. The children had to be very careful when adding data to



Photo 1. Measuring rainfall

Robot Plotter

£59.50
INC. VAT
CARRIAGE
£3.00



COMMANDS FOR:

LINES
CIRCLES
RECTANGLES
INFILLING
COPY AND MOVE
PRINT AT
AS WELL AS TRACE MODE

- ★ FOR BBC MICRO MODEL B CASSETTE OR DISC
- ★ ENABLES PICTURES TO BE DRAWN OR TRACED
- ★ WORKS IN ANY GRAPHICS MODE — COLOUR SELECTABLE
- ★ DESIGNED BY A TEACHER FOR EDUCATIONAL USES BY STAFF AND PUPILS
- ★ TRANSPARENT TABLET ALLOWS DIAGRAMS AND MAPS, ETC. TO BE COPIED
- ★ ROUTINE INCLUDED TO SAVE QUICKLY TO DISC OR CASSETTE
- ★ SCREEN DUMPS FOR EPSON AND SEIKOSHA PRINTERS
- ★ TRIED AND TESTED — DIRECT FROM THE MANUFACTURER

Please send me

I enclose Cheque/P.O. for

or please debit my Access/Barclaycard

Name

Address Code

GOVERNMENT AND EDUCATIONAL ESTABLISHMENT
OFFICIAL ORDERS WELCOME

NATIONAL INDUSTRIAL ESTATE
BONTOFT AVENUE, HULL HU5 4HF
TEL: (0482) 448562.

Robot

COMPUTER
DEVELOPMENTS LIMITED

keep
it all
together
with one
of our
tidy
boxes



model
3034

Please send me further information

name

address

..... tel no.

Coomber

COOMBER ELECTRONIC EQUIPMENT LIMITED
CROFT WALK (Nr Pitchcroft) · WORCESTER WR1 3NZ
TELEPHONE WORCESTER (0905) 25168/9 · TELEX 339490





The LAUGHING SHARK proudly presents

our FAB RANGE of BBC B releases



TRENCH
by Phil Wilkes
BBC B
VGA 2004

A nail-biting all-action fight to save the Universe.
£7.95



'OWZAT'
by Charlie Withall
BBC B
VGA 2005
Fight for the Ashes in your own front room – a very realistic simulation of cricket internationals.
£7.95




CHIEFTAIN
by Andrew Newton
BBC B
VGA 2006
It's a fight to the finish in your armoured tank – fight the computer or a friend.
£7.95



MICROBE
by Simon Birrell
BBC B
VGA 2007
A graphically stunning all-action Arcade game.
£7.95



Plankwalk
by Neil Cannon
BBC B
VGA 2008
Can you help scaffolding Sid to stay alive!
£7.95



Cruncher
by Malcolm Ripley
BBC B
VGA 2009
Trample the time-bombs, but avoid the boots or be 'crunched'.
Joystick/Key
£7.95



Noc-A-Bloc
by Richard Bygrave
BBC B
VGA 2010
Just when you thought it was safe to go back in the deep freeze!
Joystick/Key
£7.95

Also available . . .
Other titles in this VIRGIN GAMES range for SPECTRUM are: VGA 1001-YOMP by Terry Murray and Roy Poole for 16K and 48K
Command the paras and take on the impossible. VGA 1002-STARGATE by Martyn Davies for 48K Rid the Galaxy of the Xtardan battle cruisers – a game of strategy and skill. VGA 1003-SHEEPWALK by Gregory Trezise for 48K A sheepdog trial in your living room! VGA 1004-GOLF by David Thompson for 16K and 48K Championship golf in your own home.

MAIL ORDER

All our programs are available at normal retail price including postage and packing direct from our "MY LOCAL DEALER STILL DOESN'T STOCK YOUR PROGRAMS DESPITE THE FACT THAT THEY'RE REALLY GOOD DEPARTMENT" at 61-63 Portobello Road, London W11.

THE "I WANT TO BE RICH AND FAMOUS DEPARTMENT"

We are always keen to receive any original entertaining programs with good graphics at our now famous "I WANT TO BE RICH AND FAMOUS DEPARTMENT" at 61-63 Portobello Road, London W11.

COLOUR CATALOGUE

If you want a copy of our sixteen page colour catalogue

FREE listing details of all our games, please write to the "GIMMEE A CATALOGUE QUICK JUMBLE" DEPARTMENT enclosing an A4 SAE (with 17p stamp).

VIRGIN GAMES GANG

Our GANG is growing in numbers all the time and everybody who buys one of our NEW GAMES will RECEIVE:

- a year's FREE MEMBERSHIP in the next VIRGIN GAMES GANG;
- DRAW: 6 FIRST PRIZES, consisting of a VIRGIN DAY OUT – a trip on the VIRGIN GAMES FUN BUS to the VIRGIN MANOR RECORDING STUDIO in Oxfordshire. And then be our guest at the famous KENSINGTON ROOFTOP NIGHTCLUB, "THE GARDENS";
- 50 SECOND PRIZES of VIRGIN GAMES POSTERS.
- 100 THIRD PRIZES of VIRGIN GAMES POSTERS.

GAMES AVAILABILITY

A selection from our range of FUN-TO-PLAY GAMES are available from larger branches of WH SMITH, BOOTS, MENZIES, DIXONS, THE GAMES CENTRE, LASKEYS, VIRGIN RECORDS and all good computer shops everywhere.

**WATCH OUT for the
VIRGIN GAMES FUN BUS –
on tour NOW**

the file as the computer would differentiate between different spellings of the same word, additional punctuation and spaces between words. For example 'cold, * sunny' is different to 'cold *, sunny'.

It was also difficult to decide whether to include the units in the table. If they are left out, there's less typing and less chance of error, but questions are less satisfactory. For example TEMP - 10 is not as informative as TEMP - 10C. Again, by getting the children to talk about the program this problem was alleviated considerably.

Some groups had problems when trying to save a file. Data was lost for no apparent reason, even though the children recorded their files quite correctly. There was really no way of checking to see if the file had been saved successfully without leaving the program and thus losing the possibility of recording the current datafile. In many cases the file had not been recorded properly, resulting in a frustrating loss of time.

When saving a file it proved inadvisable to record over a used tape as old data often spoiled the new file. This was true when saving a datafile but not when re-



Photo 2. Measuring windspeed with improvised equipment

Photo 3. Measuring maximum and minimum temperatures and humidity at the school's weather station



cording an ordinary program. The handbook is quite correct in stating that 'one file - one tape' is a sound rule. The BBC cassette system is indeed inadequate and our school is looking forward to acquiring discs.

Mistakes were often made by children who were too quick on the button. They had to be told not to return to the Choice Page in the middle of typing in data if they make a mistake. Several groups wasted valuable computer time by pressing the escape key when they made the smallest mistake. The children also had to be told to think before they pressed return and to confirm the data with the computer.

The problems with saving the data and the tedium of asking many questions in Factfile may explain why some children, unless watched, quite happily completed the follow-up work from the original information collected for the computer rather than from data saved in their file.

Others preferred to look at every item on the file rather than take the option of asking a direct question. Once shown the correct procedure the children were ready to accept the tremendous power that a computer has and went directly to the answers. It was important, however, that each child should understand how to manipulate a

PROGRAM POWER MICROPOWER

NEMESIS

AN EXCITING NEW BBC MICRO PROGRAM FROM BRITAIN'S LEADING SOFTWARE HOUSE

From the depths of space come Earth's deadliest adversaries. Shoot down the convoys of vengeful Vogons as they hurtle through space, bouncing off the debris, to ram your shuttlecraft. Keep an eye out for the Chargers, Crushers and the cursed Crawler.

Another challenging machine code game . . .

ONLY
£7.95

The following top titles are available for both the BBC Micro and Electron:- Killer Gorilla £7.95/ Moonraider £7.95/Bandits at 3 o'Clock £6.95/ Croaker £7.95/Felix in the Factory £7.95/ Felix and the Fruit Monsters £7.95/Chess £7.95/ Escape from Moonbase Alpha £7.95/Draw £9.95/ Swoop £7.95/Intergalactic Trader £8.95/ Positron £6.95/Cybertron Mission £7.95.

All prices inclusive of V.A.T.
Mail Order: Please add 55p per order P. & P.
WE GUARANTEE THAT ALL OUR ADVERTISED PROGRAMS HAVE BEEN COMPLETED AND ARE READILY AVAILABLE.

Showroom:
Northwood House
North Street
LEEDS LS7 2AA
Tel: (0532) 458800

Mail Order:
8/8a Regent Street
LEEDS LS7 4PE
Tel: (0532) 683186
Or: 696343

WRITTEN ANY PROGRAMS?
WE PAY 20% ROYALTIES!

SPECIAL OFFER
Deduct £1 per cassette when ordering two or more.

WE STOCK THE BBC MICRO, ELECTRON, MEMOTECH MTX 500, COMMODORE 64, ORIC-1 AND SPECTRUM.

B.B.C. MICRO AND ELECTRON PROGRAMS CAN BE OBTAINED FROM SELECTED BRANCHES OF W.H.SMITH, JOHN MENZIES, BOOTS, HARRODS, ALL GOOD DEALERS, OR DIRECT FROM MICRO POWER.

MICROPOWER

datafile and so computer whizzkids, too quick on the button, were outlawed.

I found the program was best used as an extension of class work because the children associate the fun they have with the computer with other subjects, including the dreaded maths, and thoroughly enjoy all aspects of a project. I believe children should have experience of using a computer before tackling Factfile as they need to familiarise themselves with a keyboard

and confront some of the problems that occur.

These activities were all carried out as part of my normal teaching of full classes and so I was not always available to help groups that had problems, especially when saving, making, and loading a file. I therefore trained as computer monitor boys and girls who liked using the computer and were willing to help others. There was no shortage of volunteers and my

young deputies were able to save everyone a great deal of time.

The children produced some excellent work for their folders and enjoyed the whole project, not just using the computer. Used as an extension of class work Factfile works very well, but one wonders whether the project has done much for the art of conversation. People already talk about little else but the weather.

Martin Hill teaches at Kenley Primary School, Croydon.

POINTS TO REMEMBER

1. The BBC cassette system is inadequate and careful tape management is essential.
2. Information retrieval packages use artificial languages which are difficult for young pupils.
3. Many pupils will prefer to process their data manually, unless the database has a large number of records and a language that is simple to use.
4. Well-designed data collection sheets help to speed the input of data.
5. Field values should be kept as simple as possible to reduce the chances of mis-typing.



Photo 4. The computer is treated like any other resource at Kenley

File name: WEATHERJAN

Day	Min temp	Max temp	Humidity	Rain-fall	Anemometer	Wind speed	Cloud type	Description of the weather
1	10C	11C	5%	0	9	Gentle breeze	Cumulus	Cold, sunny
2	5C	8C	29%	0	11	Moderate breeze	Cumulus	Cold, sunny
3	-4C	6C	20%	0	13	Moderate breeze	None	Cold, sunny
4	-2C	3C	35%	0	1	Light air	None	Cold, misty
5	-1C	4C	76%	0	14	Moderate breeze	Stratus	Cold, dull
6	0C	6C	77%	5	18	Moderate breeze	Stratus	Cold, wet
7	3C	10C	100%	5	0	Calm	Stratus	Misty, dull
8	4C	9C	100%	5	10	Light breeze	Nimbus	Cold, dull
9	-3C	3C	89%	0	50	Strong breeze	Stratus	Snowing
10	8C	9C	68%	0	6	Light breeze	Cumulus	Cold, sunny

Information grid for weather project station

KEY SKILLS

Elizabeth Segall spells out a routine to help juniors find their way around the keyboard

CHILDREN may have none of an adult's inhibitions about approaching a computer and establishing 'eye-to-eye' contact, but they have a greater need for keyboard familiarisation and practice.

This introductory program for primary schoolchildren provides keyboard experience in a constructive manner. It has been used successfully by many children in the 7-11 age group, and has proved popular with both the children and their teachers.

Apart from being asked to find random letters, the child learns to find numbers, to spell his or her teacher's name and to provide an answer to a standard 'menu' type of question. The program needs no documentation as it is self-explanatory and the child is led from question to question.

As it stands, the program, called Intro, caters for a four-form entry school with 14 teachers (see figure 1), but can easily be adapted for more or fewer staff names. For example, if there are only three teachers in year 1, replace MRS ONE-4 in line 1060 by BLANK; on the other hand, if year 2 has four members of staff, replace BLANK after

MRS TWO-3 by teacher TWO-4's name (also in line 1060).

With a little programming knowledge further questions could be added to give the program more local or individual characteristics.

KEY 0 is defined as a RUN key and this can be used after the first time through. ●

NA%	1	2	3	4
YR%				
1	MR ONE-1	MRS ONE-2	MISS ONE-3	MRS ONE-4
2	MISS TWO-1	MR TWO-2	MRS TWO-3	BLANK
3	MRS THREE-1	MISS THREE-2	MR THREE-3	BLANK
4	MR FOUR-1	MRS FOUR-2	MISS FOUR-3	MR FOUR-4

Figure 1. Existing staff names on line 1060 of Intro program

```

1 REM *** INTRODUCTORY PROGRAM ***
2 REM *** FOR ***
3 REM *** PRIMARY SCHOOLS ***
4 REM *** c. T. & E. SEGALL ***
5 REM ** version 2 : Oct. 83 **
10 MODE 7
20 *KEYO RUNIM
30 *KEY 10 OLDIM RUNIM
40 *FX11,0
50 ON ERROR GOTO1030
60 X=RND(-TIME)
70 PROCHEAD
80 A=INKEY(350)
90 DIM TE$(4,4), TRANS$(5)
100 CLS
110 PRINT"** AFTER YOU HAVE ANSWERED A QUESTION, YOU"
120 PRINT' SPC(4); "NEED TO PRESS THE RETURN KEY"
130 PRINT"** TAB(18)CHR$133 "BUT":PRINT"** TAB(3); "if you want to leave the pr
ogram":PRINT' TAB(8); "press the ESCAPE key."
135 REM *** NAME QUESTION ***
140 PROCCONT
150 PRINTTAB(17,7); "HELLO"
160 PRINT"** LET'S BEGIN BY INTRODUCING OURSELVES"
170 PRINT TAB(0,13)CHR$131:INPUT TAB(1,13)"WHAT IS YOUR NAME ? " NA1$
180 N1=INSTR(NA1$, " ") :N2=INSTR(NA1$, "-") :N3=INSTR(NA1$, "_")
190 IF N1=0 AND N2=0 AND N3=0 THEN NA2$=NA1$ ELSE PRINT"** CHR$134;"ONLY ONE N
AME, PLEASE":PROCCONT:GOTO 160
200 Pos%=0:Len%=LEN(NA2$)
210 IF Len%>12 GOTO270
220 REPEAT
230 Pos%=Pos%+1:Asc% =ASC(MID$(NA2$, Pos%, 1))
240 IF Asc%<65 OR Asc%>90 GOTO 270
250 UNTIL Pos% =Len%
260 GOTO 290
270 CLS:PRINTTAB(12,5)CHR$131;"I can't believe":PRINT"** TAB(8)CHR$131;"that yo
ur name is really":PRINT"** TAB(INT((38-Len%)/2))CHR$130;CHR$141;NA2$":PRINTTAB(IN
T((38-Len%)/2))CHR$130;CHR$141;NA2$
280 PROCCONT:GOTO 160
290 IF NA2$="TONY" THEN PRINT"** THAT'S FUNNY, SO IS MINE." ELSE PRINT"** GOOD.

```

```

MY NAME IS TONY."
295 REM *** DATE QUESTION ***
300 PROCCONT
310 PRINT' "CHR$131" THE FIRST THING I WOULD LIKE TO KNOW":PRINTCHR$131" IS TO
DAY'S DATE."
320 PRINT" PLEASE FILL IN THE MISSING NUMBERS"
330 INPUT '' "YEAR.....19"P1:IF P1<>84 THEN PROCERR:GOTO 300
340 PRINTTAB(0, 12);CHR$131"(Use 1 for Jan., 2 for Feb., 3 for Mar.,":PRINTCHR$1
31" 4 for Apr. ...."
350 INPUT TAB(0, 10)"MONTH....."P2$:P2=VAL(P2$)
360 PROCCHECK(P2$, 12, P2)
370 IF E=1 THEN PROCERR:GOTO 300
380 PRINTTAB(0, 17);CHR$131"(Enter the number, 5 or 26, for example)"
390 INPUT TAB(0, 15)"DAY....."P3$:P3=VAL(P3$)
400 PROCHECK(P3$, 31, P3)
410 IF E=1 THEN PROCERR:GOTO 300
420 IF P2=2 AND P3>29 THEN PROCERR:GOTO 300
430 IF P3>30 AND (P2=4 OR P2=6 OR P2=9 OR P2=11)THEN PROCERR:GOTO 300
440 PRINT' "CHR$129"GOOD"
450 FOR YR%=1 TO 4
460 FOR NA%=1 TO 4
470 READ TE$(YR%, NA%)
480 NEXT NA%:NEXT YR%
485 REM *** CLASS QUESTION ***
490 PROCCONT
500 PRINT '' "CHR$131"TELL ME, ";NA2$";":PRINTCHR$131"WHAT YEAR ARE YOU IN ?":P
RINT'"(FIRST, SECOND, THIRD OR FOURTH ?"
510 INPUT' ""AN$
520 IF LEN(AN$)<5 THEN PROCERR:GOTO 490
530 IF AN$="FIRST" THEN PROCYR(1):GOT0580
540 IF AN$="SECOND" THEN PROCYR(2):GOT0580
550 IF AN$="THIRD" THEN PROCYR(3):GOT0580
560 IF AN$="FOURTH" THEN PROCYR(4):GOT0580
570 PROCERR:GOTO 490
575 REM *** JOURNEY QUESTION ***
580 PROCCONT
590 RESTORE 1070
600 PRINT' "THE NEXT THING I WOULD LIKE TO KNOW IS HOW YOU GET TO SCHOOL EAC
H MORNING."
610 PRINT' "CHR$131"DO YOU....."
620 FOR I=1 TO 4
630 READ TRANS$(I)
640 PRINT' "CHR$131 I;SPC(4);CHR$135;"COME BY ";TRANS$(I)
650 NEXT
660 PRINT' "CHR$131;SPC(9);5";SPC(4);CHR$135 "WALK"
670 PRINTTAB(0, 19)CHR$131:INPUT TAB(2, 19) "1,2,3,4,OR 5 ? " T:IF T<1 OR T>5
THEN PROCERR:GOTO 580
680 PROCCONT
690 IF T=5 PRINT' "CHR$131;TAB(6);"ABOUT HOW LONG DOES YOUR ", 'CHR$131;SPC(6)"WALK
TAKE ?" ELSE PRINT' "CHR$131;TAB(6)"ABOUT HOW LONG DOES YOUR ", 'CHR$131;SPC
(6)TRANS$(T);" JOURNEY TAKE ?"
700 PRINTTAB(8, 9);"MINUTES"
710 INPUT TAB(5, 9)""TI1
720 IF TI1<1 THEN PROCERR:GOT0680
730 LET TI2=TI1*190
740 PRINT' "TAB(15)"YOU SPEND"
750 PRINT" "ABOUT";CHR$133;TI2 DIV 60;CHR$135;"HOURS &";CHR$133;TI2 MOD 60;CHR
$135;" MINUTES TRAVELLING"
760 PRINT" TO SCHOOL EACH YEAR AND ABOUT THE SAME"
770 PRINT" LENGTH OF TIME GOING HOME."
775 REM *** D.O.B. QUESTION ***
780 PROCCONT
790 PRINT' "CHR$131"FINALLY ";NA2$";, I WOULD LIKE"
800 PRINT CHR$131"TO KNOW YOUR DATE OF BIRTH"
810 INPUT '' "YEAR.....19"B1:IF B1<10 OR B1>79 THEN PROCERR:GOTO 780

```

SCHOOLS

► from page 141

```

820 PRINTTAB(0, 12);CHR$131" (Use 1 for Jan., 2 for Feb., 3 for Mar.,":PRINTCHR$1
31" 4 for Apr. ...."
830 INPUT TAB(0, 10)"MONTH....."B2$:B2=VAL(B2$)
840 PROCHECK(B2$, 12, B2)
850 IF E=1 THEN PROCERR:GOTO 780
860 PRINTTAB(0, 17);CHR$131" (Enter the number, 5 or 26, for example)"
870 INPUT TAB(0, 15)"DAY....."B3$:B3=VAL(B3$)
880 PROCHECK(B3$, 31, B3)
890 IF E=1 THEN PROCERR:GOTO 780
900 IF INT(B1/4) <> B1/4 AND B2=2 AND B3=29 PRINTTAB(6, 19);CHR$134"19";B1;" WAS
NOT A LEAP YEAR":GOTO 780
910 IF B2=2 AND B3>29 THEN PROCERR:GOTO 780
920 IF B3=31 AND (B2=4 OR B2=6 OR B2=9 OR B2=11) THEN PROCERR:GOTO 780
930 PROCCONT
940 IF P3=B3 THEN A3=P3-B3 ELSE PROCAGE:B2=B2+1
950 IF P2=B2 THEN A2=P2-B2 ELSE A2=P2-B2+1:B1=B1+1
960 A1=P1-B1
970 PRINT'''I HAVE WORKED OUT THAT YOUR AGE TODAY IS"
980 PRINT'''CHR$129;SPC(8);A1;CHR$135;" YEAR";:IF A1<>1 PRINT"S" ELSE PRINT "
990 PRINT'''CHR$129;SPC(8);A2;CHR$135;" MONTH";:IF A2<>1 PRINT"S" ELSE PRINT "
1000 PRINT'''CHR$129;SPC(8);A3;CHR$135;" DAY";:IF A3<>1 PRINT"S" ELSE PRINT "
1010 IF A1>16 PRINT'''TAB(6);CHR$134;CHR$136;"STILL";CHR$135;"AT SCHOOL.....
??"?
1020 PROCCONT
1030 *FX12,0
1040 CLS: PRINTTAB(10, 8);CHR$134;CHR$141;"T H E      E N D":PRINTTAB(10, 9);CHR$134;CHR$141;"T H E      E N D"
1050 PRINT'''''CHR$131;SPC(5);"To start the program again ":PRINT'CHR$131;SPC(1)"press the"CHR$129;"red F0"CHR$131;"key on the top line"
1060 DATA MR.ONE-1, MRS.ONE-2, MISS ONE-3, MRS.ONE-4, MISS TWO-1, MR.TWO-2, MRS.TWO-3, BLANK, MRS.THREE-1, MISS THREE-2, MR.THREE-3, BLANK, MR.FOUR-1, MRS.FOUR-2, MISS FOUR
1070 DATA BUS, CAR, BIKE, TRAIN
1080 END
2000 DEF PROCHEAD
2010 NAME1$$="PLEASED TO MEET":NAME2$$="Y O U"
2020 PRINT'''CHR$151;CHR$188;STRING$(37, CHR$172);CHR$180
2030 FORI=3 TO 8
2040 PRINTTAB(0, I);CHR$151;CHR$181;TAB(39, I);CHR$181
2050 NEXT
2060 N1=INT((38-LEN(NAME1$))/2):N2=INT((38-LEN(NAME2$))/2)
2070 PRINTTAB(0, 9);CHR$151;CHR$181;TAB(N1);CHR$129;NAME1$$;CHR$151;TAB(39);CHR$180
181
2080 PRINTTAB(0, 10);CHR$151;CHR$181;TAB(39);CHR$181:PRINTTAB(0, 11);CHR$181;TAB(N2);CHR$131;NAME2$$;CHR$151;TAB(39);CHR$181
2090 FORI=10 TO 18
2100 PRINTTAB(0, I);CHR$151;CHR$181;TAB(39, I);CHR$181
2110 NEXT
2120 PRINTTAB(0, 19);CHR$151;CHR$181;TAB(5);CHR$183;STRING$(29, CHR$163);TAB(35);
CHR$181;TAB(39);CHR$181
2130 PRINTTAB(0, 20);CHR$151;CHR$173;STRING$(3, CHR$172);CHR$181;CHR$131;CHR$157
;CHR$129;"An introductory program ";CHR$156;CHR$151;CHR$189;STRING$(3, CHR$172);CHR$165
2140 PRINTTAB(4, 21);CHR$151;CHR$245;STRING$(29, CHR$240);CHR$181
2150 ENDPROC
3000 DEF PROCCONT
3010 C1=RND(90):IF C1<65 GOTO 3010
3020 PRINTTAB(5, 23);"PRESS LETTER ";CHR$130;CHR$(C1);CHR$135;" TO CONTINUE"
3030 REPEAT :C2=GET: UNTIL C2=C1
3040 CLS
3050 ENDPROC

```

More than fun and games!

FIRST STEPS with the Mr. Men

by Primer Educational Software

The ever-popular Mr. Men help prepare young children for reading with four simple and absorbing games designed to exercise essential skills as well as entertain.

An easy-to-use, colour-coded key guide is included with an illustrated introductory book, featuring the Mr. Men. For ages 4 to 8 years. Available now on cassette for the BBC B and Electron (also on the Spectrum 48K). £8.95

QUICK THINKING!

by Widgit Software

Two mind-stretching, space-age games to test mental arithmetic and nimble fingers. In **Sum Vaders** alien robots invade the earth. Only quick thinking and fast reactions can prevent them. Several levels of difficulty and a two-player game with a handicap option make Sum Vaders equally testing for all family members, from 8 years to adult.

Robot Tables challenges the young player to make a series of perfect robots.

Knowing your multiplication tables is the key to controlling the robot-making machine. With a learning mode and a testing mode, Robot Tables is a fun way for early learners, and more advanced children, to master an important and often neglected skill.

Available now on cassette for the BBC B and Electron (also on the Spectrum 48K and Commodore 64). £6.95



CAESAR THE CAT

by Andromeda Software

Meet Caesar, a cheeky young cat on duty in a well-stocked larder. He's kept busy chasing a gang of hungry mice eating the family's food. Playing against the clock, you guide Caesar along crowded shelves to pounce on the mice.

A fast, colourful, all-action, arcade-style game with catchy music and a best-score record. Challenging for high-scoring arcade addicts as well as great fun to play for the novice. Sorry, only available on cassette for the Commodore 64! £8.95

Prices include VAT and post and packaging.
MIRRORSOFT programs are available from selected branches of W.H. Smith and Boots, and other leading software stockists.
Trade enquiries welcome: phone 01-822 3580.

MIRRORSOFT
SOFTWARE FOR ALL THE FAMILY

To MIRRORSOFT, PO Box 50, Bromley,
Kent BR2 9TT

Please send me the following (enter
number required of each item in
the space provided):

	Price	Spectrum 48K (01)	BBC B (03)	Electron (04)	CBM 64 (05)
First Steps with the Mr. Men (MM01)	£8.95				
Quick Thinking (QT01)	£6.95				
Caesar the Cat (CC01)	£8.95				

I enclose a cheque/PO for £.....
to "Readers' Account: Mirror Group Newspapers Ltd".

..... made payable
to my name.....

Or please debit my ACCESS/BARCLAYCARD for the sum of £.....
card no.

AU3

I understand that my
remittance will be
held on my behalf in
the bank account
named above until
the goods are
despatched.

Signature.....

Name.....

Address.....

Postcode.....

Offer applies to Great Britain and Eire only. Please allow up to 28 days for delivery in the UK. MIRRORSOFT is a registered trade mark of Mirror Group Newspapers Ltd., Co. Reg. No. 168660. Reg. Office: Holborn Circus, London EC1.

► from page 142


```

4000 DEF PROCERR
4010 PRINTTAB(2,21);CHR$133;"I THINK YOU HAVE MADE A MISTAKE"
4020 ENDPROC
5000 DEFPROCCKECK(D$,M,D)
5010 E=0:P=0:L=LEN(D$)
5020 REPEAT
5030 P=P+1:A=ASC(MID$(D$,P,1))
5040 IF A<48 OR A>57 THEN E=1
5050 UNTIL P=L
5060 IF D>M OR D<1 THEN E=1
5070 ENDPROC
6000 DEF PROCYR(X%)
6010 PRINT'CHR$131"WHO IS YOUR TEACHER ?"
6020 PRINT';TE$(X%,1);"; OR ";TE$(X%,2);"; OR "';PRINT';TE$(X%,3);';IF TE$(X%,4)="BLANK" PRINT" ?" ELSE PRINT" OR ";TE$(X%,4);"; ?"
6030 INPUT "";TE1$;
6040 IF TE1$=TE$(X%,1) OR TE1$=TE$(X%,2) OR TE1$=TE$(X%,3) OR TE1$=TE$(X%,4) PR
INT'CHR$134"YOU'RE VERY LUCKY" ELSE CLS:PRINT'''CHR$133"WHO ?":GOTO6020
6050 ENDPROC
7000 DEF PROCAGE
7010 ON B2 GOTO 7020,7040,7020,7030,7020,7030,7020,7020,7030,7020,7030,7020
7020 A3=P3-B3+31:GOTO 7050
7030 A3=P3-B3+30:GOTO 7050
7040 IF 4*INT(B1/4)=B1 THEN A3=P3-B3+29 ELSE A3=P3-B3+28
7050 ENDPROC

```

**confused
frustrated
fed up !!
your computer
recorder has failed
yet again . . .
. . . then try our
dedicated cassette
recorder.
and its BRITISH**

**data recorder
model
281**




Please send me further information

name

address

.....

tel no.



Coomber

COOMBER ELECTRONIC EQUIPMENT LIMITED
CROFT WALK (Nr Pitchcroft) WORCESTER WR1 3NZ
TELEPHONE WORCESTER (0905) 25168/9 TELEX 33940

PRINTERS

► from page 45

tory screens of games are often mode 7 graphics, and an example of an Acornsoft and a Virgin screen are shown in figures 6 and 7. If you have access to a teletext adaptor then the teletext screen from Ceefax or Oracle can be dumped. I am very fond of the weather pictures, though there seems to be a problem with the picture-save mechanism corrupting the top left-corner of the screen. This may be caused by the pictures having been saved via Econet.

There are three possible approaches to getting a dump from the programs:

1. *SAVE the picture to tape or disc. This is accomplished simply for Acornsoft programs as the picture is saved in machine code hidden just above TOP.

To get at it

LOAD the initial program
PRINT TOP (this gives a 4 digit hexadecimal number tttt)
*SAVE "picture_name" tttt +400

The teletext adaptor SAVE produces a file which is of this type.

You should now LOAD the screen dump program and insert the lines

1 MODE7
2 *LOAD "< picture_name >" 7C00

and run the resulting program.

2. Find the place in the drawing program where the screen is in the state you want, and insert the lines

PAGE=&3000
CHAIN "<dumper-name>"

3. RENUMBER the dump so that its line numbers start at a number higher than the last line of the drawing program. Merge the dump on to the drawing program (*User Guide*, page 402), inserting at its start

DEFFPROCdump

and replacing its END by

ENDPROC

Now insert the lines

PROCdum
END

into the drawing program where you want the dump to occur, and RUN.

You may be troubled by Searching and Loading messages if you use tape. To remove them (but also their warnings of trouble!) insert VDU21 before any load operation, and follow it with VDU6.

Finally a challenge. Many printers have only the conventional dot-matrix facility. I have ideas of how to obtain the graphics characters via a normal matrix band of dots, but have no time to develop them. If any reader has done this, please write in. Send us your program, and samples of its output for us to evaluate, and possibly pass on through the letters column to other readers. Adaptations of the method outlined, for other printers, would also be of interest.

► from page 45

```
610~VDU2
620 VDU1,27,1,ASC":",1,0,1,0,1,0
630 VDU1,27,1,ASC"6"
640 VDU1,27,1,ASC"%",1,1,1,0
650 VDU1,27,1,ASC"&",1,0,1,128,1,170
660 REPEAT
670 DUMMY=BGET#CH
680 FOR I%=1 TO 12
690 VDU1,BGET#CH
700 NEXT
710 UNTIL EOF#CH
720 CLOSE#CH
730 VDU3
740 ENDPROC
750
760 DEFFPROCptext
770 IF scan%>1 THEN VDU1,32:ENDPROC
780 IF char=163 THEN char=96
790 IF char=223 THEN char=35
800 IF char=224 THEN char=95
810 char=char AND &7F
820 IF (char>90 AND char<97) OR char>122 THEN
PROCspecials ELSE VDU1,char
830 ENDPROC
840
850 DEFFPROCspecials
860 I=-2
870 REPEAT
880 I=I+2
890 UNTIL special?I=char
900 VDU1,special?(I+1)
910 ENDPROC
920
930 DEFFPROCgraphics
940 IF scan%>0 THEN PROCgraphics1 ELSE
PROCgraphics2
950 ENDPROC
960
970 DEFFPROCgraphics1
980 IF char=35 OR char=223 THEN VDU1,35:
ENDPROC
990 PROCswapem
1000 IF index=4 OR index=5 THEN PROCptext
ELSE VDU1,base+(char MOD 16)
1010 ENDPROC
1020
1030 DEFFPROCgraphics2
1040 PROCswapem
1050 IF index=2 OR index=4 OR index=5
THEN VDU1,32:ENDPROC
1060 IF index=3 THEN VDU1,base+4
1070 IF index=6 THEN VDU1,base+8
1080 IF index=7 THEN VDU1,base+12
1090 ENDPROC
1100
1110 DEFFPROCswapem
1120 IF char=96 THEN char=35
1130 IF char=95 THEN char=96
1140 char=char AND &7F
1150 index=index DIV 16
1160 ENDPROC
```

Program 3. Teletext dump for the Epson FX80 with all extra characters defined using 'download characters'

```

10REM FILE CREATOR
20ON ERROR CLOSE#CH:REPORT:PRINT" at line
":ERL:END
30CH=OPENOUT("C.TTCHARS")
40FOR I=1 TO 559
50READ code
60BPUT#CH,code
70NEXT
80CLOSE#CH
90END

100REM DATA for codes
110DATA 128,133,0,0,0,0,0,0,0,0,0,0,0,0
120DATA 129,134,224,0,224,0,224,0,0,0,0,0,0
130DATA 130,140,0,0,0,0,0,0,224,0,224,0,224
140DATA 131,140,224,0,224,0,224,0,224,0,224,0,224
,0,224
150DATA 132,134,28,0,28,0,28,0,0,0,0,0,0
160DATA 133,134,252,0,252,0,252,0,0,0,0,0,0
170DATA 134,140,28,0,28,0,28,0,224,0,224,0,224,0,
224
180DATA 135,140,252,0,252,0,252,0,224,0,224
,0,224
190DATA 136,140,0,0,0,0,0,0,28,0,28,0,28
200DATA 137,140,224,0,224,0,224,0,28,0,28,0,28
,0,28
210DATA 138,140,0,0,0,0,0,0,252,0,252,0,252
220DATA 139,140,224,0,224,0,224,0,252,0,252
,0,252
230DATA 140,140,28,0,28,0,28,0,28,0,28,0,28
240DATA 141,140,252,0,252,0,252,0,28,0,28,0
,28
250DATA 142,140,28,0,28,0,28,0,252,0,252,0,
252
260DATA 143,140,252,0,252,0,252,0,252,0,252
,0,252

```

Program 4. File creator

CHARGEN


Acorn User approved and tested software by George Hill

The easy way to define the
“DOWNLOAD CHARACTERS”
on the EPSON FX80 Features:

- Dot-by-dot definition on an easy-to-use screen grid (see illustration)
- Automatic calculation of codes and proportional attributes
- Automatic transfer of codes to file on disc or tape
- Instant transfer of the defined characters to the printer
- Redefine all or any of the characters in the permissible range (32 to 255)
- Edit the characters in a previously defined file
- Automatic renumbering of the characters in a file

EBFF

- Greek character set on file
- Teletext character set on file
- Tape-to-disc transfer program
- Full Instructions



Also available, subject to demand, version for the Star Gemini 10X and Delta 10 printers.

*Versions for tape and disc supplied on the same tape
Facility and instructions for automatic transfer to disc*

Send cheque or postal order for £8 to GEOSOFT, 42 Horn Park Lane, Lee, LONDON SE12 8AR

A J SOFTWARE for BBC



'The Record Changer'

32K £19.95 Cass. £24.95 Disc.

for indexing, membership lists, directories, inventories, budgeting, etc, etc.

don't buy a database in the dark—
check the spec!

'The Wordsmith' 32K for Centronics 737/739

AND NOW FOR EPSON FX80:

£19.95 Cass. £24.95 Disc.

Options Timetable 32K

£14.95 Cass. £19.95 Disc.

Simple Word Processor 32K

£9.95 Cass. £14.95 Disc.

Picture Maths

£9.95 Cass. £12.95 Disc.

An arithmetic practice program for primary schools.

Character Definer £9.95 Cass.

Enlarge, reduce, etc, etc.

Tape Catalogue £5.95 Cass.

Catalogue all your tapes using this program and never lose one again

Copy Disc £9.95

Copy disc to tape, tape to disc, M/C, Data or Basic.

ROM Read

£8.95 Cass. £11.95 Disc.

A machine code program to read the contents of any ROM socket and copy to RAM, tape or disc. Not to be used for illegal copying.

Machine code Disassembler

£5.95 Cass. £7.95 Disc.

Open Evening Timetable 32K

£14.95 Cass. £19.95 Disc.

Utility Eprom £19.95

for basic programmers

Mitsubishi Disc Drives

Dual 80 Track 800K £380 + VAT

Single Track Drives

Dual Sided 200K £199 + VAT

Double Density Disc Interface £75

The best there is.

Epson Printers

FX80 £370 + VAT £8.00 Carr

RX80 £270 + VAT

BBC Epson Cable £15 + VAT

Normende

Not only the cheapest, but the best

Switchable 14" RGB Monitor/Colour TV £250 inc. VAT and cable, £8.00 carr.

Royalties for quality software

All prices VAT inclusive except where shown

AJ Vision Service Ltd, 61 Jeddo Road
London W12 9ED

JUST RELEASED

Counter Attack

as demonstrated at the BBC Micro User Show, December 1983.

A game of strategy incorporating unique rotational movement. Simple in concept, stimulating in practice. A game to be equally enjoyed by infants and serious game players alike. Many similar games already exist, however, this game differs from the norm in one distinct area — rotational movement. Includes customisation routine that allows you to tailor the game to your own requirements.

£6.50 for the 32k BBC/Electron

DODGY DEALER

"You'll be hard pressed to find a better business game for the BBC Micro than this grand effort." (TV Choice, Nov. 1983.) "Best of the lot is a new one called Dodgy Dealer; a cracking Christmas present for the bored business exec." (Office of the Future — Nov/Dec 1983.)



now available from selected branches of
W. H. Smiths and Lightning

A captivating game emulating the real business world. As boss of a small manufacturing company, you are required to make executive decisions to enable your company to survive and even prosper in the face of strong competition. The game is dynamic: the more your skills improve, the greater the competition becomes.

£6.50 for the BBC B 1.2 o/s

★ ★ ★ ★
One of the biggest attributes that a computer has is the capability to sort vast amounts of information. But have you ever wondered how a computer carries out the sorting process?

SORT ANIMATOR

is the first in the Computer Tutorial series by OIC, explaining visually and in detail how a selected variety of sorts work. Also includes routines that can be used in your own programs.

£6.50 for the 32k BBC

★ ★ ★ ★
All products supplied on cassette and can be easily downloaded onto disc.

All prices include VAT and P&P.

★ ★ ★ ★
Latest reviews of both Dodgy Dealer and Sort Animator can be found on page 600121463 of the Micronet 800 database.

★ ★ ★ ★
Products available from your local dealer or by mail order direct from OIC at our FREEPOST address.

Barclaycard telephone orders welcome (0344) 773229. Ask your local dealer for a demo of our products and details of our cream label products or alternatively write to OIC direct at:

OIC Ltd., Dept. OPD/AU3, FREEPOST, Camberley, Surrey
GU15 4BR

Dealers/distributors
contact Richard Edwards on (0344) 773229

★ ★ ★ ★
Programmers/games designers . . .

send your programs/ideas to us for free evaluation, or send for details of our product development pack. Generous royalties paid on all ideas/games published.

THE AMCOM ALTERNATIVE

ONE OF the major investments any Beeb owner will make after the initial outlay for the computer is for a disc drive and disc filing system. Several of the major makes of the former have already been scrutinised in these pages, so now it's the turn of the software. Until the middle of last year only one disc filing system (DFS) was available (if you could get it!), that being the one produced by Acorn. Recently, however, two more have appeared on the market, produced by Pace and Watford Electronics, embodying major innovations over the 'standard' version. I've had the Amcom DFS under the hammer for the last couple of months so let's see what it has to offer.

The Pace package arrives complete with 8k EPROM, manual, utility disc, eight-way DIL switch and DFS registration card. Fitting the DFS is straightforward, though a major omission from the package is fitting instructions. The experienced sideways ROM fitter will have no problems but for the novice guidance will be needed. The EPROM was fitted with no difficulty next to the Basic chip. On switching on, the message

Amcom DFS S/N A7686

was displayed, indicating everything was OK. Typing *HELP DFS had no effect other than to display the current OS number. A quick delve into the useful manual revealed that *HELP pages are present but these are actually resident on the utilities disc. So I thrust this into the drive and executed SHIFT-BREAK, which ran a series of introductory pages describing the major areas of the DFS. Further information on the use of the DFS commands was available from disc using *HELP #DFS.

Bruce Smith files his verdict on the Beeb DFS from Pace

Probably the most endearing feature of the Amcom DFS is that it supports two different modes of operation. System 0 is the Acorn mode and System 1 the extended mode. Either may be selected by the commands *SYS 0 or *SYS 1.

As all software being produced by software houses on disc is manufactured for use with the standard DFS, the implementation of the Acorn mode is imperative for compatibility. In this mode the Amcom DFS acts similarly to Acorn's DFS, using a maximum of seven characters per filename with up to 31 files per disc. The Amcom DFS has an advantage though, as it uses less RAM for workspace, the default value of PAGE being &1500 as opposed to Acorn's &1900.

In the extended mode filenames of up to 15 characters may be used with up to 63 files per disc. These extra files are created by reserving eight sectors at the start of the disc for catalogue information instead of the two sectors required in Acorn mode. This is a particularly nice feature, as huge amounts of space can be wasted on discs when storing numerous small files.

For the technically minded reader table 1 details the mode differences. To distinguish extended mode from the Acorn mode of operation the first bit of the first sector of the disc is set; on executing SHIFT-BREAK the DFS checks this bit and automatically selects that mode as the operative one. One consequence of using this method to select modes is that if any

proprietary software on disc has a coloured title the system will try to boot up in extended mode, as this bit is used to indicate to the OS that a coloured print is required. This can be overcome by using utility present on the utilities disc, appropriately called 'Acorniser', which puts the house in order by clearing the set bit.

What happens when you try to read an Acorn disc while in extended mode? A 'Bad System' message is issued.

Before a new disc can be used it must be formatted. *FORMAT is a command present in the DFS which carries this out in the currently selected mode. Before doing this the number of sectors and tracks can be selected using two new *OPT commands. *OPT2,n selects the number of sectors per track with n=10 being the default value for a standard 5½ inch disc. *OPT3,n selects the number of tracks per disc, so *OPT3,40 would select 40 tracks on the current disc. My first attempt at formatting produced a 'Not enabled' message.

Back to the manual. Before any commands that can cause a disc to be overwritten are performed a further command, *ENABLE, must be used. This ensures that no cataclysmic outrages occur if a format command is used inadvertently and acts as a safeguard. Nice one!

Once the format command is entered the DFS checks to see if the disc contains any files. If it does then the prompt 'Erase Y/N?' is issued. Formatting will take place only if Y is returned in response to the prompt. As formatting progressed the track number is displayed, followed by a G to indicate a good track. If a bad track is encountered a B is printed and the DFS

Acorn Mode		
Sector	Bytes	Details
00	00-07	Initial eight letters of disc title
	08-0E	Filename of the first file
0F		Directory name for first file
10-17		Filename of second file
18		Directory name for second file
18-1E		etc.
01	00-03	Last four bytes of disc title
	04	Cycle number
05		Number of files on disc * 8
06		Bits 0,1 – two high-order bits of number of sectors
		Bits 4,5 – !BOOT start-up options
07		Low-order bits (0-7) of number of sectors on disc
08-0E		Data for first file
10-17		Data for second file
18-1F		etc.

Extended Mode		
Sector	Bytes	Details
00	00-03	Last four bytes of disc title
	04-05	Reserved (?)
06		Bits 0,1 – bits 8,9 of number of sectors on disc
	07	Bits 4,5 – !BOOT start-up options
08-0F		Bits 0-7 of number of sectors on disc
10-1F		First eight bytes of disc title
20-3F		Reserved
40-5F		File specification for first file
		File specification for second file
		(File specifications continue in 32-byte blocks)
07	E0-FF	File specification of 63rd file.

Table 1. The differences between the Acorn mode and extended mode of operation in the Amcom DFS

SPECIAL OFFER FROM VIGLEN

THE OUTSTANDING
TEAC DISK DRIVE

Complete
Disk System
for the BBC
Model B


- Package assumes you own a BBC Model B with switched-mode power supply plus 1.2 operating system

Offer includes:

- Disk Interface (call at factory for free fitting)
- 100k TEAC 55 Series Slimline Disk Drive including case and all leads
- User Guide
- Formatting Disk

Viglen
COMPUTER SUPPLIES

Unit 7 Trumpers Way
Hanwell W7 2QA
Telephone: (01) 843 9903



DISK DRIVE
AND INTERFACE
£229 INC. VAT

Post to: VIGLEN COMPUTER SUPPLIES UNIT 7, TRUMPERS WAY, HANWELL, W7 2QA
Please send me (state number required)
I enclose Cheque/P.O. for £
(Delete whichever not applicable) Card No.

made out to VIGLEN COMPUTER SUPPLIES
(please add £8 for carriage)
Signature _____
Name _____
Address _____



Credit card valid if named
and cardholder's address
is same as above
and cardholder is over 18

tries to format it once again. Thus the disc is formatted and verified at the same time.

Saving and loading programs whether they be Basic or machine code can be carried out in the usual manner. The implementation of these differs slightly from the Acorn DFS. For example, with the Acorn DFS executing LOAD "LYDIA" would load a file called 'LYDIA' or 'lydia' – in other words it does not differentiate between upper and lower case filenames; the Amcom DFS does, so 'LYDIA' and 'lydia' would be implemented as two different files. I find the latter much more helpful, particularly in the Acorn mode, where only seven characters are allowed in filenames. With the Amcom DFS it is possible to have 'LYDIA' chain 'lydia'.

On power-up the disc directory is set as '\$'. Other directories may be selected using the *DIR command, which should be followed by the desired directory. Thus to set the current directory to 'D' the command *DIR D must be executed. To save a file to any directory it must have its directory and filename specified in the save command delimited by a full stop. Thus to save the file 'UTIL' in directory X the syntax is:

SAVE "X.UTIL"

similarly to reload the file

LOAD "X.UTIL"

is used. Once again a distinction is made between upper case and lower case letters so that the directory 'X' is distinct from the directory 'x'.

Files can be protected from being overwritten by locking them. With the Amcom DFS this process can be performed as the file is saved. The lock is induced by preceding the directory with the tilde symbol thus:

SAVE "~X.UTIL"

If you have dual drives you'll need to switch between them. *DRIVE n allows this, where

n is the drive number. The default value is drive 0. Drives may be specified in load and save procedures by pre-fixing them with a colon. Therefore a program can be saved to drive 1 using:

SAVE ":1.X.UTIL"

Similarly, programs can be reloaded from specified drives.

Machine code (the object kind) can be *SAVED and *LOADed in similar vein. The *RUN command can be abbreviated to a single asterisk so that *CODE would load and run a machine code program called CODE. As with Basic, the drive and directory can be specified in the run parameters. For example, the object code generated by Program 1 and saved in directory M can be *RUN using

*:0.M.CODE

with the :0 indicating the disc is present in drive 0.

At times files need to be unlocked so that they can be deleted or updated. This process is somewhat long-winded using the Amcom DFS, though it goes some way to ensuring that you don't unlock the wrong file. The command to use is, surprisingly, *RENAME. Usually this will be used to enable you to change the name of a file from, say, 'USER' to 'ABUSER' in which case you would use:

*RENAME "USER" "ABUSER"

To unlock the file the file's name, including the title, is specified first followed by a new name. A locked file must be given a new name, otherwise a 'File already there' message is issued. To unlock 'X.UTIL':

*RENAME "~X.UTIL" "X.UTI"

could be used.

Being familiar with the Acorn DFS, I inadvertently tried to lock a file using the *ACCESS command provided for that purpose in Acorn's DFS but not, according to

the manual, present in current issues of the Amcom DFS. Surprise, surprise! – it worked, to an extent. What happened was that when I entered:

*ACCESS "PROG" L

in the normal manner the file's name was displayed, followed again by its 'L' for 'locked' designation. The process of printing this name was then repeated, and repeated... I hit the panic button (Acorn calls it ESCAPE!) to restore the status quo. To my surprise, entering *CAT revealed that the program had indeed been locked! After that I wasn't so surprised to find that entering

*ACCESS "PROG"

in the normal manner unlocked the file, though it was necessary to escape from the ensuing loop. Subsequent peeking around in the depths of the Amcom DFS revealed the *ACCESS coding. As I said, this is not a legal call, so if you use this DFS you shouldn't use *ACCESS as it may have other side-effects.


The *CAT and *INFO commands allow the current disc to be catalogued and program information extracted. Table 2 shows typical outputs from these commands. The *CAT command is implemented slightly differently from that on the Acorn DFS in that it does not present an alphabetical list of files. The files that constitute the current directory are printed in two columns, followed by the files in other directories down the righthand side of the screen. This makes reading the catalogue somewhat more difficult especially if you have a lot of files in different directories, although placing the Beeb in paged mode overcomes this. The *INFO command provides detailed information on the file or files specified. Both commands operate noticeably slower than their Acorn counterparts.

Wildcards are available to allow a de-

*BACKUP <src drv> <dest drv>	Makes exact copy of one disc to another	*OPT 2,n	Selects number of sectors per track
*BUILD <fsp>	Builds a text file from keyboard	*OPT 3,n	Selects number of tracks per disc
*CAT <drv>	Displays the catalogue of the disc	*OPT 4,n	Selects auto-boot option
*CLEAR <drv>	Erases contents of whole disc	*OPT 5,n	Sets start of DFS buffer
*COMPACT <drv>	Moves all files to one end of disc	*OPT 6,n	Controls file specification display
*COPY <scr drv> <dest drv> <afsp>	Copies specified file to another disc	*OPT 7,n	Selects length of DFS buffer
	Deletes specified file from disc	*OPT 8,n	Enables 80-track drive to read 40-track software
*DELETE <afsp>	Sets current directory to one specified		Renames or unlocks a file
*DIR <dir>	Selects current drive		Loads and runs a machine code program
*DRIVE <drv>	Produces hex & ASCII dump of file	*SAVE <fsp> ssss fff eee	Saves a specified section of memory
*DUMP <fsp>	Allows use of 'dangerous' commands	*SPOOL	Copies all information printed on screen to disc
*ENABLE	Reads in a text file		Select Acorn or extended mode
*EXEC <fsp>	Formats a disc	*SYS <system>	Write disc title
*FORMAT <drv>	Prints catalogue information of files	*TITLE <title>	Type out text file on screen
*INFO <afsp>	Selects the current library	*TYPE <fsp>	Deletes selected files corresponding to ambiguous file specification
*LIB <drv>.<dir>	Gives a numbered listing of a text file	*WIPE <afsp>	
*LIST <fsp>	Loads in file to specified location		
*LOAD <fsp> xxxx	Changes display format of file specification		
*OPT 1,n			

Table 2. Commands available under the Amcom DFS


£180: A RECORD FOR DISC DRIVES?



Opus are able to offer a limited quantity of 5½" Slimline Double Sided 40 Track Drives. Formatted single density 200K., double density 400K.

And record value at only £179.95 and that includes everything—VAT, carriage, all necessary leads and a 12 month guarantee.

You can order by post (see coupon below) or direct at our showroom.



OPUS 3" MICRODRIVE.

Also available from W.H. Smith

Double Sided 40 Track Drive ½ Megabyte

Unformatted.

- Twice the capacity on line of other available drives
- 200K. Single Density—400K. Double Density
- Ex-stock delivery
- 3 ms. access time
- Lowest power consumption—direct drive
- Includes case, leads and utilities disc
- Totally compatible with 5½" drives

Single Drive £229.95. Dual Drive £459.95.

5½" JAPANESE DISC DRIVES.

5401, 5402 available from Spectrum

Opus 5401 Single Sided 40 Track—250K.

Unformatted. Formatted: 100K. Single Density,

200K. Double Density £179.95

Opus 5402 Double Sided 40 Track—500K.
Unformatted. Formatted: 200K. Single Density,
400K. Double Density £229.95

Opus 5802 Double Sided 80 Track—1Megabyte
Unformatted. Formatted: 400K. Single Density,
800K. Double Density £299.95
Switchable 80/40 Track.

- ½ Height
- Includes case, leads and utilities disc
- Fast access time
- State of the Art Technology
- Ex-stock delivery
- Low power consumption


DUAL DRIVES.

All Dual Drives are metal cased with separate power supply.

Opus Dual 5401D. Single Sided 40 Track,
200K./400K. on line £379.50

Opus Dual 5402D. Doubled Sided 40 Track,
400K./800K. on line £459.95

Opus Dual 5802D. Double Sided 80 Track,
800K./1.6 Megabyte on line £599.95



PRINTERS.

EPSON FX 80 F/T £410

EPSON FX 100 £549

EPSON RX 80 F/T £315

JUKI 6100 Daisywheel £435

Parallel printer leads to BBC £12

MONITORS.

12" Green Screen £89.95

12" Amber Screen £99.95

Lead to connect to BBC Micro £3.95

• Ex-stock delivery • 24 MHz Bandwidth • Limited quantity

14" JVC Colour Monitor—Med. Res. £187.39

14" JVC Colour Monitor—High Res. £279.39

THE ORGANISER DESK.

- Top shelf for Monitor/Printer
- Large Desk Top Area
- Lower Shelf for Paper/Book Storage
- Teak Finish
- On Castors
- Self Assembly
- Ample room in front of the shelf for you to sit comfortably.

Only £59.95



FLOPPY DISCS.

3" Cartridges £5.75 each or £25.95 for 5.

5½" Discs—with full 5 year warranty + free plastic library case:
S/S/D £19.95 for 10 D/S/D £26.95 for 10 S/S 80 Track £29.00 for 10
S/S/D &23.95 for 10 D/S 80 Track £31.95 for 10
8" Discs.

S/S S/D £21.50. S/S D/D £28.50. D/S D/D £29.95.
Double Density disc filing system for BBC Micro £99.95

**GOVERNMENT & EDUCATION DISCOUNTS GIVEN.
QUANTITY DISCOUNTS GIVEN. DEALER ENQUIRIES INVITED.**

OPUS SUPPLIES LTD.

158 Camberwell Road, London SE5 0EE.
Opening hours: 9.00-6.00 Monday-Friday,
9.00-1.30 p.m. Saturday.



01-701 8668
01-703 6155

STOP PRESS.

Phone us for latest dealer price list.

ALL ITEMS ARE GUARANTEED FOR 12 MONTHS AND ARE SUITABLE FOR USE WITH BBC AND OTHER LEADING MICROS.

To: Opus Supplies Ltd., 158 Camberwell Road, London SE5 0EE. Please rush me the following: (ALL PRICES INCLUDE VAT & CARRIAGE.)

Quantity	Description	Price

I enclose a cheque for £_____
Or please debit my credit card account with the amount of £_____
My Access/Barclaycard (please tick) No. is _____

TOTAL

Name _____

Address _____

Telephone _____

AC.8.

Opus.
Opus Supplies Ltd.

gree of ambiguity in naming files. The characters allowed are '#' and '*'. The hash can be used to represent a single character, so that *INFO*T#P" would display the intimate details of files such as TAP, TOP, TIP etc, if present in the current directory. The asterisk can represent any number of characters so that the file 'LONGNAME' can be loaded using LOAD "L*", provided there are no other files in the current directory beginning with L.

Two commands are implemented to enable discs or files to be copied once they have been *ENABLED; these are *BACKUP and *COPY respectively.

An excellent feature of the Amcom DFS is that it is possible to define where in memory a disc buffer can be created to be used by *COMPACT, *COPY and *BACKUP as they go about their tasks. This means any programs or data in memory need not be corrupted by these commands. For example, if a program is resident in memory from &1500 up to &3320 the disc buffer could be defined as starting at &3400 with an *OPT 5,52 command, where 52=&34 in decimal. Executing a *COMPACT command will ensure that the DFS uses only memory above &3400 for its workspace. Using an *OPT 7,n command, it is possible to define how long the disc buffer is. The value specified in n refers to the number of 256 byte blocks, therefore a disc buffer 1k long can be set using *OPT7,4. A further *OPT command is provided to allow some 80-track disc drives to read 40 track software. The manual stresses the 'some' but does not indicate which.

*OPT 6 allows you detailed control over the display of file specification. The value given to n must be a decimal number, the binary value of which is used at bit level to determine whether a certain part of a file's specification is to be displayed or not. For example, bit 1 relates to the directory display. If it is set then the directory will be displayed; if clear it will not. So if you wanted to display the files directory when a disc is accessed the command *OPT 6,3 should be executed. The 3 is derived from the fact that bit 1 has a decimal weight of 2 plus 1 to enable display. Similarly, to display directory, drive and load address when the disc is accessed bits 1, 2 and 5

Program	Description	Acorn 0.9	Amcom	A7686
	Save 1K program	1.5	2.5	
	Load 1K program	1.2	1.3	
DFS1	*SAVE 4k memory	3.0	3.6	
DFS2	*LOAD 4K memory	3.3	3.0	
DFS3	*SAVE 8K memory	3.8	4.8	
DFS4	*LOAD 8K memory	4.0	4.2	
DFS5	BPUT 1024 bytes	5.5	5.9	
DFS6	BGET 1024 bytes	4.5	3.4	
DFS7	Move PTR 512 bytes	1.6	2.2	
DFS8	Write 1000 strings	21.0	16.3	
DFS9	Read 1000 strings	19.5	8.8	
DFS10	Random access output	55.5	63.5	
DFS11	Random access input	43	23.2	

Table 3. Comparison of timings (in seconds) for the Acorn and Amcom systems

must be set. A carriage return can be performed if bit 7 is set, so adding these bit weights we obtain:

Directory	=	2
Drive	=	4
Load address	=	32
Carriage	=	128
Display on	=	1
TOTAL	=	167

Executing *OPT 6,167 and accessing the disc with a *LOAD command produces:

```
*LOAD "X.FILE"
X FILE 0 1500
```

*CLEAR is another new command which must first be *ENABLEd before use as it clears a whole disc of its contents. The drive may be specified, otherwise the current drive is used as default.

One thing that became apparent when using the Amcom DFS was that it seemed to operate slower than its Acorn rival. I set about writing a series of benchtest programs. My first effort was program 2. Running this produced the following output:

```
TIME TAKEN = 0.15
```

This was obviously wrong but several more re-runs produced the same result. I began to question my programming ability but quickly swapping back to the Acorn DFS and re-entering the program produced:

```
TIME TAKEN = 3.0
```

Replacing the Amcom DFS, I located a machine code program I had written some time ago that uses the interval timer to update a digital clock displayed at the top of the screen. With the clock happily ticking away I re-ran the program. As the disc was being accessed the clock stopped! Further playing around with the interval timer showed that whenever a read or write to the disc was made the internal clock was not updated. This would be a serious drawback for anyone wishing to use their micro to control external equipment and needing the event timer to create an interrupt at requisite times to initiate polling routines or the like. It also meant that my set of benchtests which relied on the time function had gone out of the window.

Off to the workshop and a few chips, bits of ribbon cable and my faithful old Atom later (Barry, are you reading this?) I return. The idea was that I connect the Atom to the Beeb with some software on both sides that would enable a signal from the Beeb to start a machine code clock ticking away on the Atom. A further signal would then stop the clock displaying the elapsed time accurate to 1/60th of a second. It actually worked! The start and stop signals were initiated by about 30 bytes of machine code stored from &C00, with CALL &C00 sending a 'start' signal and CALL &C20 the 'stop' signal.

Table 3 shows the results I obtained, comparing the timings of the Amcom with the Acorn 'official' DFS. Overall there is not

LIST

```
10 REM *** M/C DEMO ***
20 P%=&C00
30 E
40 \ clear screen sound bell
50 LDA #12 : JSR &FFE3
60 LDA #7 : JSR &FFE3
70 RTS
80 J
90 REM save on drive 0
100 REM in directory M
110 *SAVE":0.M.CODE" C00 +12
```

Program 1.

>LIST

```
10 REM ** DFS TIMING **
20 TIME=0
30 *SAVE "TEST" 2000 +2000
40 R%=TIME
50 PRINT "TIME TAKEN = "
60 PRINT R%/100
```

Program 2.

BBC/ELECTRON SOFTWARE

QUALITY SOFTWARE PRODUCED BY PROFESSIONALS

Our educational software is used in thousands of schools and homes throughout Great Britain.

FUN WITH NUMBERS BBC/ELECTRON £8.00

An enjoyable introduction to numerical skills aimed at 4 to 7 year olds. This tape includes COUNTING, ADDING and an arcade type game to exercise addition and subtraction.

GAMES OF LOGIC BBC £4.95

For children and adults alike. The tape includes AUCTION, FLIP, REVERSE, TELEPATHY, and HEXA 15.

... 'This package is good value' ... Acorn User - November 1983

SUPERLIFE BBC/ELECTRON £4.95

Fast (machine code) version of a popular 'Game of Life' in a large universe.

KATAKOMBS BBC £5.95

The ultimate adventure game.

UTILITIES BBC/ELECTRON £5.95

An assortment of useful procedures and functions which can save you hours/days of programming effort:- date conversion, input and validation routine, graphic routines (cube, rectangle, etc) sort, search and many more.

★★★ SPECIAL OFFER ★★★
Buy three cassettes and deduct £4.00

EDUCATIONAL 1 BBC/ELECTRON £8.00

Hours of fun and learning for children aged 5 to 9 years. Animated graphics will encourage children to enjoy maths, spelling, and telling the time. The tape includes MATH1, MATH2, CUBECOUNT, SHAPES, SPELL, and CLOCK.

... 'An excellent mixture of games offering various levels of difficulty and speed of response, entertaining enough to keep young children's attention and, on the whole, well-designed enough to help them learn while enjoying themselves' ... Personal Software - Autumn 1983

EDUCATIONAL 2 BBC/ELECTRON £8.00

Although similar to Educational 1 this tape is more advanced and aimed at 7 to 12 year olds. The tape includes MATH1, MATH2, AREA, MEMORY, CUBECOUNT and SPELL.

FUN WITH WORDS BBC/ELECTRON £8.00

Start your fun with alphabet puzzle, continue your play with VOWELS, learn the difference between THERE and THEIR, have games with SUFFIXES and reward yourself with a game of HANGMAN. Complete the graphics and sound. The tape includes ALPHA, VOWELS, THERE, SUFFIXES and HANGMAN.

... 'very good value indeed' ... A&B Computing, Jan/Feb 84

Add 50p p/p per order. Please state BBC or Electron. Cheque/P.O.
Golem Ltd., Dept A, 77 Qualitas, Bracknell, Berks, RG12 4QG Tel. (0344) 50720

HARDWARE AND SOFTWARE

Micro-Aid

FOR THE BBC MICRO

102	CASHBOOK	Double entry 4 columns with accounts & analysis	£11.95	B	520	BANNER	Print giant text and graphics on paper for displays	£3.95	A/B
102d	CASHBOOK	Full disc version. 1200 items on 100k disc	£19.95	B	521	BIGLETR	Print as above on screen/paper with screen dump	£5.95	A/B
103	LEDGER	Complements CASHBOOK with ageing & analysis	£11.95	B	600	FORTH	'79 FORTH second language ROM	£34.74	B
105	MAILING	Holds 218 addresses. Alpha & post code sorts, searches, any label format, delete, add and amend	£11.95	B	601	LOGO-FORTH	Advanced Turtle Graphics Language ROM with FORTH	£57.50	B
106	PAYROLL (W or M)	In 2 parts to handle weekly or monthly (state which) PAYE & NI for 100 employees. Fully supported	£24.95	B	602	PASCAL-T	Structured language ROM with compiler-interpreter	£57.50	B
107	MEMO-CALC	Database/Calcsheet with up to 255 columns, string or numeric data, sorts, searches, calculations.	£12.95	B	603	XCAL	Computer Assisted Learning ROM for presentations	£65.00	B
201	GAMES 1	5 Card, Minefield, Darts, Pontoon & Mr. Midon	£5.95	B/E	605	WORDWISE	Superb fast & easy to use wordprocessor in ROM	£33.95	B
202	STOCKMARKET	Exciting world of Stocks and shares, 1 - 4 players	£5.95	B/E	606	CDUMP	Screen dump, 8 colours, suitable for GP700A	£12.95	B
301	HANGMAN	Word game in English, French, German, Italian, Spanish	£7.95	B	607	GDUMP	Screen dump ROM, 8 shades, 8 sizes and windows	£17.95	B
302	DISTANCES	Three graphic maps of U.K., EUROPE & the WORLD. Calculate the distance between any 2 places	£4.95	B/E	608	DISKDOC	ROM for disk problems in format, search, files etc.	£27.50	B
303	FLAGS	98 full colour flags of the world with questions	£4.95	B/E	700	BOOKS	NEW ROM for Sprites, LOGO, circles, fill etc.	£27.50	B
304	STATPACK	Statistics package giving over 30 results	£9.95	B	801	CASSETTES	Various titles for the BBC Micro from C15 Computer quality tapes packed in 10's	£6.95	
305	GRAPH	Produces varied graphs & charts of functions	£7.95	B	810	5.25" DISCS	MEMOREX: SS/DD 40/80T	£4.50	
306	FRENCH	New audio visual computer way to learn a language	£7.95	B	900	SEIKOSHA	SS/DD 40/80T	£19.95	
307	SPELL-CHECK	Add to WORDWISE. 15000 words in 12 dictionaries	£17.95	B	901	EPSON RX-80 T/F	GP700A 7 COLOUR 30 shade dot matrix printer 50cps	£20.95	
504	PROCAID	includes SEARCHBAS to search a BASIC program and alter it, PROCVAR to list variables in a BASIC program & PROCFLUSH to clear resident integers in RAM	£3.45	A/B	902	EPSON FX-80	Superb. 100cps with Tractor & Friction feed	£369.00	
505	UTILITY-A	Our best selling tape includes PROCAID, DEFCHR to design & display graphic characters, SORTM/C a very fast machine code numeric sort, SORTBAS the undisputed fastest BASIC sort routine	£5.95	A/B	910	DISC DRIVES	Magnificent. 160cps, 6 fonts, graphics, F/T Roll	£275.00	
					915	DISC UPGRADE	Slimline 3" or 5 1/4" 100k - 800k Japanese. Format disc, cable and excellent manual.	£365.00	
					920	VDU STAND	From Double & Single Density available in one system	£189.00	
					930	GREEN VDU	Stainless Steel Support protects your micro	£77.50	
					931	COLOUR VDU	12" Green Monitor, cream sloping front case	£19.95	
					950	SAT-16 MPU	JVC 14" Colour Monitor 370 x 470 pixels	£79.95	
							16 bit 68000/68701 stand alone computer from	£179.95	
								£570.00	

ADD VAT TO ALL PRICES EXCEPT BOOKS.

ADD £1.75 FOR PROGRAMS ON 40 OR 80 TRACK DISC. NO POST CHARGE IN UK. MOST PROGRAMS AVAILABLE ON MICRONET 800.

Send for our free brochure for more information before parting with your money.

Micro-Aid (AU)

25 Fore Street, Praze, Camborne, Cornwall TR14 0JX.

Tel: 0209-831274

a great deal to choose between them. The results show that while the Acorn DFS saves more quickly the Amcom DFS loads quicker, except with the last four tests in which the system under review has a noticeable edge – which would make it a good choice if you expect to handle large data files.

Besides making the time function unusable the DFS has two other side effects. I often start typing my next instruction into the Beeb before it has finished executing the current one, knowing that the keyboard interrupt routines will take my message and store it into the keyboard buffer to await processing. Because of the way the Amcom system works this typing ahead is not possible.

I came across the other side-effect when running an old program. If sound statements of short duration are used followed by a DFS command, the duration of the sound is increased severalfold. For example, running

```
10 SOUND 1,-15,1,1
20 *CAT
```

would cause a SOUND equal to a duration of about five to be output!

The manual supplied with the DFS is a very good 68-page affair, the first 13 pages of which give an overview of the system followed by a page-by-page description of

each of the DFS commands, in most instances giving programming examples. Random access files, technical information and the DFS from Assembler are also fully covered.

The utilities disc is divided into three sections. Section A contains the six *HELP pages of information on the DFS and its commands. Section B provides screen dumps for the Epson and NEC printers. Not having either I was unable to try them out. However, the instruction sheet states that they may be called as an OS command from within programs, assuming the utilities disc is available. Thus a mode 0 screen dump could be produced on an Epson using *EPSON0.

Section C is the most interesting as it contains five useful programs. As I said, the first 'Acorniser' eradicates a coloured title from a disc, allowing it to work correctly in Acorn mode. Program 2 is a utility which allows the user access directly to disc sectors, allowing them to be read individually to memory, edited and restored.

The Amcom DFS is certainly compatible with all the disc-based software I could throw at it and in most instances it performed as well as its Acorn counterpart, if not better. Certainly from the point of view of handling random access files it excelled. I have also been using Disc Doctor

(see last month's review and Joe's Jottings in this issue) in conjunction with the DFS and again no problems were encountered.

The Amcom DFS has several extra extremely useful commands which have been well thought out in their implementation. The ability to define a disc buffer is a great advantage.

The effect that the DFS has on the interval timer must be considered a serious drawback – after all, the BBC Micro is an excellent machine that we wish to add to, not take away from.

In summary if you have an Acorn DFS I would not consider the extra facilities offered by the Amcom DFS sufficient for you to contemplate changing. Likewise, Amcom DFS owners would not gain any benefit from changing to the Acorn version.

Educational and scientific establishments would probably find the Amcom DFS not suitable to their needs in view of its ineffective time function, critical for timing and polling experiments. But the home user thinking of upgrading from tape to disc would find the extra features offered by the Amcom DFS worth considering. ●

Amcom DFS, from Pace Software Supplies, 92 New Cross Street, Bradford BD5 8BS (tel: 0274 729306), £34 inc VAT (complete upgrade kit £95 inc VAT)

LISP

► page 89

```
((EQ op '+) (PLUS arg1 arg2))
((EQ op '-') (DIFFERENCE arg1
                             arg2))
((EQ op '**) (TIMES arg1 arg2))
((EQ op '/') (QUOTIENT arg1 arg2))
(T (PRINTC 'Unknown BLANK
            'operator BLANK op)))
```

T is used to trap unknown operators.

Returning to myevaluator, if expression is just a number we return that number as result. We can now set up myevaluator for use as a general-purpose calculator with a simple recursive function.

```
(DEFUN calculator ()
  (PRINTC (myevaluator (READ)))
  (calculator))
```

READ reads in a complete Lisp expression (ie, a number, textual item or list) from the keyboard. In the next article I will introduce LOOP, which enables you to do this non-recursively, but for the time being this is a perfectly satisfactory definition. To run the calculator we enter:

```
(calculator)
```

and then type in expressions.

The functions defined can be saved for future use by the SAVE function:

```
(SAVE 'FRED)
```

saves all the defined functions in a standard state in a file called FRED. This file is known as an image. To restore all the

functions on a future occasion use:

```
(LOAD 'FRED)
```

This will destroy any functions defined at the time LOAD is used. Use it only at the start of a session, or after using SAVE. I will give details of how to merge two images in the next article.

This is somewhat crude. Apart from trapping unknown operators it won't detect errors. In the third article I will look at a Lisp

'We use LISP to test whether an expression is a list'

function for easing error handling. For the time being we could add checks that lists do genuinely have three items, and that if something is not a list it is a number (it could be text).

We could extend the program to include a conditional operator of the form:

```
(? arg1 (THEN arg2 ELSE arg3))
```

which would require altering myevaluator to return something appropriate if it gets handed a THEN list (perhaps return it unchanged) and altering evaluate-operator to be able to handle the ? operator (if arg₁ is 0 then use whatever follows the THEN, otherwise use whatever follows the ELSE). You can add extensions to your heart's content, building up a more and more complex Lisp-like language. A good example in real life is the REDUCE algebraic manipulation language of Tony Hearn, which is widely used in mathematical research both in this country and the USA.

In the next article I'll look at the internal structure of Lisp and more complex ways of handling data, and discuss the use of the Lisp editor and super-printer, and strategies for developing and debugging Lisp programs. This will give the necessary tools for demonstrating an arbitrary precision arithmetic package, manipulating arbitrarily large numbers, and performing calculations with them.

In the concluding article I'll look in detail at function definition and show the mathematical theories underlying Lisp, investigate the uses of the language in artificial intelligence, and other areas of research, and consider new languages that have developed from Lisp. Finally I'll present a simple computer-aided design system written in Lisp. ●

"AND NEXT"
ORIGINALITY
FOR BBC MICRO (B)

Our software demonstrates imaginative and original uses of the computer as a creative tool rather than just a calculating or game machine. The programs are quite different from anything seen previously, and will stimulate discerning micro owners, teachers, students and those studying both computers and the graphic arts. The four sound channels form an integral part of the overall effect and are not used merely for incidental 'banging and crashing' sounds which is so often part of normal games software.

TAPE 1

IN THE BEGINNING - This unique concept adapted from prize winning animation film techniques, begins in what is apparently the start to a conventional typed letter with 'Dear Sir/Madam'. Letters and characters blend and develop character of their own in a most ingenious way. Adam and Eve are involved among an incredible cast! (Adam emerges out of Madam and Eve us born out of the split upright of the 'd' in Adam - his rib in fact!). You will never have seen any program as witty or ingenious as this one.

SINGING WEBS a.m./p.m. - In complete contrast to the above, against a background of suns and moons phases rising and setting, spiders drop down on threads to spin their webs. They are varied and windswept as webs in reality are. A delicate night of spinning is followed by an equally attractive day time scene etc. Best graphics, four sound channels and envelope commands based on the graphics result in a fantasy to show the BBC Micro computer as a splendid visual and sound entertainer.

TAPE 2

ONCE UPON A REM - This program is a word processor gone mad!! There is a misspelling in a word, causing great agitation among the others. The mis-spell is 'hounded' by all and the development is inspired beyond belief!!


INFINITE DANDELION SEED - Another contrasting program inspired from nature which shows off the micro. Against canvas backgrounds are constantly developing dandelion seed heads woven by the micro's powerful colouring capabilities. With the sounds of 'growth' this program is proof of the micro's ability to create visual and audio art. The display puts ordinary graphics in the shade.

TAPE 3

EXTRA SENSORY PERCEPTION AND PSYCHOKINESIS - A 25K multiple entry menu driven program of intriguing tests for the serious investigator. Price £6.50 or SAE for more information.

(Price for Tape 1 or 2 £7.50 inc. p & p)

AND NEXT Software,
Sun House, Botts Lane, Appleby Magna, Burton on Trent, Staffs, DE12 7AL



Exct EMU3

SOFTWARE SUPPORTED MONITORING INSTRUMENT—BBC MICRO

Enables the BBC (B) to measure and display accurately:
**POSITIVE & NEGATIVE VOLTS ★ AMPS ★ WATTS
OHMS ★ TEMP ★ LIGHT ★ TIME**

FEATURES

Up to 6 simultaneous readings
Graphical or digital display
Auto scaling and labelling
Plots any 2 variables
Menu driven options
Full software support
Unlimited choice of scales
Event analysis facility
Teaching display Mode

£129.00 plus VAT

Includes instrument, temperature probe, light sensor, electrical probes (3 sets), leads, connections, software on cassette, full instructions, application notes, p&p

**BITS & BYTES
(COMPUTERS) LTD**

**44 FORE ST
ILFRACOMBE
DEVON
TEL: 0271 62801**

RANGES

Temp — 10 to 110 deg C
Resistance 0 to 1E6 ohms
D.C. Volts 40v.p.d.
D.C. Current 0 to 2000 mAmps
Power 0 to 80 watts
Light 0 to 100 (uncalibrated)
Time 0 to 1E6 secs (hrs mins
secs)
Accuracy: error generally <1
per cent

4

Emmanuel St.

Our new Personal Computer Centre specializing in the BBC Micro with complete support

we know computers

**Business &
Professional**
Tel: 0223 653354

**Home &
Educational**
Tel: 0223 358264

Cambridge Computer Store

I&4 Emmanuel Street, Cambridge

The Data Store

6 CHATTERTON ROAD
BROMLEY
KENT

for the BBC MICRO
OFFICIAL ACORN DEALERS

WIDE SELECTION OF SOFTWARE
AND PERIPHERAL EQUIPMENT
INCLUDING

**EPSON, NEC, SEIKOSHA
PRINTERS**

**ZENITH, CABEL
MONITORS**

**CUMANA
DISC-DRIVES**

BOOKS AND CABLES AVAILABLE
plus our personal advice service

MACHINES DELIVERED & SET UP
IN YOUR HOME

PHONE 01 460 8991 (9.30 - 5.30)
ORPINGTON 26698 (Evenings)
(CLOSED WEDNESDAY)

BEEBPEN PROVIDES A CLEAR, UNCLUTTERED WORKSPACE




Figure 1. Ringbinder and EPROM




Figure 2. There are five modes, all accessed through Command mode

Beebpent EPROM, from Braintech, 81 Rydal Crescent, Perivale, Middlesex UB6 8DZ, £42.55, BBC (32k OS 1.0 or later).

AFTER the initial purchase of a BBC micro, one of the first important applications of the new 'toy' is word processing. Combined with a good printer and a suitable software package, the Beeb can begin to get down to some work. Once mastered, the power and flexibility of a word processor leaves the typewriter well and truly for dead. In this review I hope to be able to highlight the attributes and shortcomings of a recently released word processor, Beebpent.

Unlike other WPs of its type, Beebpent comes packaged in a ringbinder. This contains the documentation, registration card and the EPROM containing the program (see figure 1). Detailed instructions are given as to the fitting of the chip and with a little care nothing should go wrong. In the unlikely event of a problem being encountered, Braintech can be relied upon for assistance.

Once the lid is back on, typing *BE displays the question: "WARM START? Y/N". Responding with 'Y' preserves any text in memory; 'N' clears the memory for new text. Immediately you enter the command mode from which all the facilities of Beebpent are accessed. Beebpent uses five modes: Append, Command, Insert, Overwrite and Printing.

It is through the command mode that all other modes and sub-menus are accessed (see figure 2). Return to the command mode from any other mode is achieved by typing 'CTRL z'.

Perhaps the most noticeable characteristic of Beebpent is that all editing and formatting commands are one-key entries. The function keys are not used at all. There are two kinds of commands: those that have an effect, then return you to the command mode; and those that cause a change in the manner in which Beebpent responds to key presses. That is, those which put you permanently into another mode, for example.

The display is an 80-column screen mode (there is no other option). This enables on-screen formatting similar to View.

The screen acts as a 'window', scrolling up and down over the text. At the top of the window is a permanent area which displays information relating to the page format, margin settings, TAB stops and line length. The current mode of operation is displayed in the inverse colour (see figure 3 overleaf).

What is rather a surprise at first is the text colour, which is green, not the conventional white. This gives a rather pleasing effect on a colour monitor and is very clear indeed on a monochrome monitor. The ruler at the top of the screen has a mark at each of the tab stops; initially TAB is set at every eighth column, but this can be changed. The bottom ruler is always set to every eighth column. Line lengths can be adjusted to any value between 1 and 254 columns. TAB has a range of 1 to 254 and page length 10 to 255 lines.

The bottom portion of the screen is reserved for the messages or sub-menus that the system uses to keep you informed of what is going on. Here, information such as file names and error messages is displayed (see figure 3).

The cursor keys have been reprogrammed to allow movement between beginning and end of lines, and paging is achieved by the combined use of the Copy key and cursor keys. All the block operations are there, allowing movement, copying and deletion of text. Typing 'B' gives entry to a sub-menu that permits you to 'M', 'C' or 'D' a block of text. The system uses the '\ character (beside the ← cursor key), to mark the text to be moved.

All drastic and irreversible commands such as 'kill to end of text' are trapped and you are asked politely: 'SURE (Y/N)?' before any further action is taken. Any key other than 'Y' aborts the operation. 'Search and replace' is quite flexible, allowing for the use of 'wildcards'. Both global and selective searches are possible. However, upper and lower case are recognised separately.

Formatting does not take place automatically as text is entered. Instead, using the single key entries 'F' (format), 'M' (margins) and 'C' (compress) you can format single paragraphs or large blocks of text.

The 'M' command enables reformatting to both left and right margins. 'C' is used before attempting any formatting to enable the system to get rid of any 'soft' spaces that it has inserted.


Printer control is taken care of by the insertion of printer control codes directly into the text. This allows a variety of printers to be used with Beebpent without modification. The embedded commands appear in inverted colour. When formatting or printing Beebpent ignores all embedded commands. Typing 'P' (for printing) will enable selection from a number of options, each of which defaults to sensible values. The options are:

1. Page length
2. Page width
3. Centring
4. Page numbering
5. Page heading
6. Paging
7. Number of copies
8. From cursor?

File saving and loading is quite straightforward; all DFS and operating system commands are available through the command mode. A pleasing feature of the 'W' command (write text to disc) is the check that Beebpent makes to see if you are saving a file with a name that already exists. If you are it will ask: 'File exists, OVERWRITE? (Y/N)'. Press any key other than 'Y' and Beebpent asks you to re-enter the file name. DFS errors are not trapped and when Beebpent encounters one it is most likely to restart (a warm start).

Beebpent aims at the serious user by providing an 80-column screen from which to work. If you propose to use Beebpent regularly for long periods then a green-screen monitor would be vital – a television is really out of the question. The screen layout is very good indeed, providing a clear basis with which to write. The various single key (or CTRL [key]) commands take a bit of getting used to, especially if you have been working with other word processors which use function keys. This would be of no consequence to anyone beginning word processing with Beebpent. Personally, I find jumping from mode to mode

If I gave your son a BBC Micro for Christmas, it was the best present you've ever had!



Because you could run your business
for little more than
the cost of his games!

STOCK CONTROL, INVOICING SALES & PURCHASE LEDGERS

all at an incredible £30* each-on disk*-and we guarantee them to work.

NEW DATA MANAGER -on disk*

Software For All's first-class range of Business Programs will do all your paperwork chores efficiently and cost-effectively—because they have been thoroughly tested before release so

▷ **Stock Control:** Gives full control of your stock lines. Issues, Receipts, Adjustments, Stock Updates, Stock Valuation, Reorder Reports and full Stock Listings.

▷ **Sales Ledger:** Full updating of clients' accounts. Aged Debtors' Analysis—aids credit control. Statements, VAT Summary, Ledger Cards, Daybooks, Invoices, Credit Notes, Receipts and Journals.

you can be sure they won't let you down. And at prices realistic enough to interest any businessman, however small. Briefly, here's what they'll do:

▷ **Invoicing:** Integrates with stock—calls up items automatically. Rapid, simple to use, high-quality Invoice print. Many useful features including Credit Notes.

▷ **Purchase Ledger:** Full updating of suppliers' accounts. Creditors' Schedule, Remittance Advices, VAT Summary, Daybooks, Invoices, Credit Notes, Payments and Journals.

Software For All Business Programs are widely available at reputable BBC and Acorn Dealers throughout the country. But if you have any difficulty obtaining them, please contact us direct and we'll be pleased to advise you.

*£30 on disk, £20 on cassette. Prices exclusive of VAT.

**SOFTWARE
FOR ALL**
BUSINESS PROGRAMS

SOFTWARE FOR ALL

72 North Street, Romford RM1 1DA
Telephone 0708 60725 Dealer enquiries welcome.

a little wearing, but it depends on what you're used to.

Beebpen performs all editing and formatting well and the 'help' menus are of great assistance. Setting and resetting the tabs and page/margin parameters is simplicity itself, enabling rapid changes in formatting. In this respect Beebpen is a compromise between the screen rulers of View and Wordwise's simple approach.

When entering text at a slow typing speed Beebpen pauses fractionally to refresh the screen. I found this a little odd at first but again it's a matter of familiarity. A touch typist would never notice. All block operations functioned as expected, the 'wild' facility being particularly valuable.

The A5 ringbinder contained 40 pages of instructions. A good index is provided covering all the major topics but I would like to see more detail in later versions. Finding out how to perform a specific function is a little difficult, but a comprehensive reference section is provided at the back. The manual contains two tutorials of different complexities to get you started. These are indeed helpful. The value of the ringbinder approach is that future updates of the manual can be inserted without disturbing the other sections. It is a thoughtful and well-written manual.

Braintech has adopted a policy of continuous improvement (explained in the back of the manual). Your version can be returned with the registration card and for a small handling fee the latest version will be




Figure 3. The current mode of operation is displayed in inverse colour

dispatched. This means owners of all versions are able to benefit from later improvements and additions.

Perhaps the major shortcoming of this flexible little WP is its inability to use continuous processing on large files. As the memory fills, pages must be saved and a long document must be printed out in sub-sections. Macros of a sort can be created by putting text in the function keys, but the comprehensive macros created by

View are not available in Beebpen.

The features which I like are: the clear, uncluttered workspace; on-screen formatting; visible tabs and margin setting; wild card search and replace; programmable function keys; support of multiple printer functions; user-friendly system; and the ease of upgrading when necessary.

Beebpen is suitable for beginners yet has enough facilities to be of value to the experienced user.

Chris Drage

EXPAND YOUR ATOM BIT BY BIT

The Clare System, from Clare Computer Components, 46 Bath Road, Stroud, Glos GL5 3JL (tel: 04536 78904). See panel for prices

THE Clare System is an expansion system for the Atom, capable of extending memory by 128k, up to 64k of which may be in RAM. Expansion is done by a series of modules, each one physically connected to the next. Up to eight modules may be stacked and the concept is similar to that of the 'Organic Micro' series for the ZX81. The system is connected to the Atom's 64-way expansion bus and is controlled by the lower three bits of port B, so you need the VIA and bus buffers fitted before you start.

Four types of module are available, each one housed in a similar cream-coloured plastic case, giving a neat appearance overall. Each case has two 64-way connectors, a plug at the front and a socket at the rear. The Acorn bus is not completely carried through, the main difference being that port A is removed so that those pins can carry the control lines for the other modules. Port A is still available at the Atom's printer port and writing to it will not affect operation of the system.

Each module can be purchased separately, but you must begin with the 'master' module. This contains 8k of CMOS RAM

and sockets for two 2532/2716 type EPROMs. It also contains the necessary logic to control all the other modules. These comprise a secondary 8k RAM/ 8k ROM module, a 16k ROM module (4 × 2716 and 2 × 2532) and an EPROM programmer. As noted, up to seven of these modules may be stacked onto the master but, since this would put a fair strain on the Atom's connector, the designers recommend that a jumper cable (which Clare will supply) be used if you are stacking more than two. A master module may be run (just!) from a normally expanded Atom, but after this you will need a secondary supply. Clare says that an extra 1A will suffice and the company can supply a unit, or you can build one yourself. This does not replace the Atom's own supply, it simply adds more power to it.

With this in mind, each module contains a mini-jack socket so that extra power may easily be added at any point – a nice touch that! Additionally, in the master and secondary RAM/ROM modules, there is another socket for a battery back-up unit to the CMOS devices. Finally, the EPROM programmer needs a 25v supply and – yes – a socket is provided.

With any part of the system you get a complete manual, giving details of the bus

Prices (inc VAT)

Master module	£57.50
Secondary module	£57.50
16k ROM module	£31.63
Programmer	£40.25
25v PSU	£8.05
Battery unit	£6.90


pinouts and of how to use the system (including a small Basic program). How easy is it to use?

Connection is simple and the units are sturdy enough to withstand my ham-fistedness. When installed, the extra memory is mapped from &4000 to &7FFF, the CMOS RAM occupying the first two blocks and the remaining two being assigned to EPROMs. The mapping is the same for all the units (except the programmer) and this proved to be both a blessing and a drawback.

Because of the mapping, it is easy, by manipulating the bits on port B, to call any program, RAM or ROM, in any of the modules – indeed, programs in one module may call routines in another. This gives you enormous scope to write exceedingly complex programs. The trouble is that, because EPROMs map from &6000 onwards, you cannot use any commercially available ROM inside the system, unless you are prepared to readress it and reblow it, so you can't use the system as a

Software for the BBC micro

graphics ROM



3D-PLOTTING

CIRCLES & PATTERNS



INCLUDING
MULTI SIZED
COLOURED
PATTERNEED
CHARCTERS
PRINTABLE
ANGLE

FIRST LOGO GRAPHICS



The Graphic Extension ROM for the BBC Micro 32K

Our latest utility ROM includes over 28 new graphics related commands. These can be typed in like any normal commands and can of course, be included in BASIC programs. The commands are split into 3 distinct areas:-

1. Sprite graphics
These are multi-coloured shapes up to 24 x 24 pixels in size.
Once a sprite has been designed (using in-built routine) it can be plotted at any position on the screen and easily moved around. A sprite can also be part of a 'film' — a sequence of frames allowing animation. Up to 32 sprites or 'films' can be active on the screen at any time. A 'film' can contain up to 47 frames, each frame being any sprite image.
2. LOGO 'turtle' graphics
By using simple FORWARD, BACKWARD, LEFT and RIGHT commands a 'turtle' can be moved very quickly around the screen, producing intricate patterns by the most user-friendly means. Including these commands in structured BBC BASIC programs provides a system faster and more powerful than many of the packages currently used to demonstrate the LOGO language.
3. The third section consists of a large number of general purpose commands, such as:-
★FILL which will fill ANY area on screen.
Fast circle and arc drawing
3D graphics routines allowing X, Y, Z co-ordinate plotting
Large character printing in a range of patterns
Scaling — allowing any part of the screen to be expanded or diminished
A rotate command that will rotate all plotting by any angle around the origin
Because this is a ROM, all the commands are instantly available, and has a built-in help menu showing the syntax of all commands. Supplied with a comprehensive manual and step-by-step fitting instructions, suitable even for the inexperienced. This ROM represents extremely good value for money.

Available directly from us, mail order only, or from all good dealers
£28.00 plus £1.00 p&p plus VAT

COMPUTER
CONCEPTS

CASH OR ROYAL TIES. We specialise in quality software for the BBC machine and can offer the best rates around. We are always interested in obtaining new programs to add to our range and offer either a cash payment for the outright purchase or alternatively pay a royalty on each one sold.



16 Wayside, Chipperfield, Herts WD4 9JJ. Telephone (09277) 69727

The BBC Microcomputer Specialists

GUILDFORD COMPUTER CENTRE offers a complete range of Computers for Home, Business and Educational applications.

Large stock of additional equipment available includes:- Printers, Hard/Floppy Disc drives, Monitors etc., for most makes.

An extensive range of Business software (Accounts, Stock, Payroll, Word Processing etc.).


commodore

olivetti



HITACHI

BBC TRS-80®



**GUILDFORD
COMPUTER
C·E·N·T·R·E**

1 The Quadrant, Bridge Street,
Guildford, Surrey GU1 4SG
Telephone (0483) 578848

HARRIS McCUTCHEON SYSTEMS

are pleased to release

HMS HOME ACCOUNTS.....	£28.75
HMS VAT TRADER'S LEDGER.....	£21.50
HMS BASIC ENVIRONMENT.....	£14.50

to BBC Microcomputer users with a minimum configuration of 1 x 40 track single sided disc and an 8" 132-column (condensed mode) printer, to a maximum configuration of 2 x 80 track double sided disc and a 15" printer. The programs allow user allocation of each file between *DRIVE0, 1, 2 or 3, thus making full use of the disc space available. HMS HOME ACCOUNTS allows all financial transactions within a defined environment to be recorded, printed and analysed. Accounts may be reconciled with statements or passbooks, uncleared entries being highlighted. Depending on the analysis structure you choose, the system can keep track of anything from answering "how much is in the piggybank?" to independent tracking of multiple bank accounts, credit cards, building society accounts and cash in hand. The only reason for keeping home accounts in any form is to have your current financial state apparent on demand and reconcile statements received in order to find out where the money goes. This program is designed expressly for these requirements. You wouldn't keep them if these areas were of no concern, and being of concern you want to keep them thoroughly and effectively. HMS HOME ACCOUNTS allows this.

HMS VAT TRADER'S LEDGER, on the other hand, fulfills a different requirement. Instead of emphasizing analysis, the VAT trader wants to record all his invoices and bills in the least time possible consistent with making out the quarterly VAT return and getting a well-presented ledger listing on demand. Varying and multiple VAT rates are of course catered for. Add the facility to maintain period totals on user-defined bases other than VAT quarters (such as weekly, monthly and to the end of each trading account), and HMS VAT TRADER'S LEDGER should be a boon to you as a sole trader through to the low transaction company.

Both systems allow for 1000 to 10000 records per file depending on configuration and use, and initialise on shift BREAK without user OS intervention. Fully documented source listings and optional user-modifiable VIEW text operating documentation are included on the master disc, and hard copy manuals are provided.

HMS BASIC ENVIRONMENT is specifically an aid to BASIC program development designed to encourage the creation of well-structured readable code in circumstances where memory becomes a constraint. Procedures to handle screen I/O, cursor switching, CLI invocation, and keyboard validation are provided, with a linking BASIC source-file compressor which includes variable name compression to two bytes. The ability to link as many BASIC source modules as desired into a single condensed running version resolves the coder's conflict between space and intelligibility; 60% compression is effected on our sources for the above accounts packages.

The disc, manual and information contained are sold under license subject to the condition that they are for single user single site application by or on behalf of the purchaser, are not for resale in whole or in part either as originals or copies, and may not be supplied to a third party as part of a package or used as part of a package supplied by a third party to the purchaser, without the written consent of the copyright holders. Damages will be claimed where this occurs, with revocation of license. Purchase indicates acceptance of license terms.

I enclose £..... for the following products (tick and delete where appropriate)

HMS HOME ACCOUNTS	(£28.75).....
HMS VAT TRADER'S LEDGER	(£21.50).....
HMS BASIC ENVIRONMENT	(£14.50).....

VAT, disc, manual, post and packing inclusive.

The credit card companies 4% take precludes our offering their service.

Please supply on 40/80 track disc. I have VIEW/WORDWISE; OS 1.0/1.2; BASIC I/II

Name.....

Address.....

Postcode.....

Telephone.....

Date.....

Please send with cheque or postal order to: Harris McCutcheon Systems, 40 Huntingdon Street, London N1 1HM (01 609 3207)

'pager' for things like Wordpack or Atomcalc.

The designer's idea is that you develop your own programs (in CMOS RAM), then blow these into EPROM for the system. This is not a task to be undertaken lightly and I can't help thinking that there are going to be a lot of empty EPROM sockets. Clare hopes to be able to provide its own ROM library, but that remains to be seen and I feel more emphasis should be placed on the RAM expansion. Having said that, it does work and would be an ideal way to develop a dedicated controller.

The final component is the EPROM programmer. This is an unusual device, in that it contains its own PIA (rather than using the Atom's 6522) and so could be adapted for other machines. It contains its own program, an EPROM mapped to &9800, and will program and verify for any address in the Atom's memory map. The front of the unit holds a ZIF socket and switches for read/write and PROM selection. Use is simple – just follow the prompts.

This is a lovely system and its design has been well thought out, with the exception, perhaps, of the ROM mapping. Any serious programmer will have no difficulty in making full use of its facilities. It is nicely styled and fairly rugged.

As can be seen, it does not come cheap! The price, says Clare, reflects the fact that these units are not manufactured in their thousands, owing to the nature of the market. This is fair comment, but may lead to a 'Catch 22' situation. Nonetheless, the EPROM programmer is good value and a system comprising master module and programmer would be welcome in many a programmer's den.

Finally, I should point out that this Clare has no connection with the firm of similar name supplying BBC add-ons and software.

Barry Pickles

COMMOTION UNDER THE OCEAN

Sea Wolf by Mark Smiddy, Optima Software, BBC B, £8.95

AT FIRST glance this looks like just another Star Trek derivative, but hidden inside is an absorbing game.

You're in the Sea Wolf, a nuclear submarine, sent to sink 15 enemy ships. You select your skill level: rating, ensign, gunner, captain or commander and off you go. On the left of the screen is a chess-board grid showing the position of all the enemy boats; to the right a view through the periscope – with cross-wire sights for aiming the laser or torpedoes. In the bottom half of the screen are all kinds of data: energy and oxygen, number of 'kills', morale of crew, etc. Everything except the speed you're travelling (selected by keys 0-9 and indicated by 'engine tone').

The display is in boring white and black – until condition yellow or red show you're in trouble. Your projectiles are coloured too, and when a target's about to sink it turns psychedelic first. The sound effects are realistic too.

So you venture away from base. The cursor keys move you provisionally around the grid and when you're happy with the position, and the amount of energy it'll take to get there, you press f4 to 'warp'. And so into combat. The display tells you what kind of ship is hanging around in this zone: tanker, destroyer, carrier, cruiser, battleship, and so on and if the enemy is to the right or left. You move the sights using A and Z for up and down, and < and > for left and right. Select lasers (f0) or the weaker torps (f2) and fire using spacebar. A few shots and the ship's destroyed. It can get you though – and if you're moving too fast you can ram the ship and end the game. You don't have to destroy the en-

emy ship to leave the zone, and you can return to base at any time to replenish supplies (though this is considered wimpish by fleet command).

Periodically the positions of the enemy ships change (according to predefined rules, says the instruction booklet). Good tactics are rewarded with promotion; poor tactics may result in demotion. The game is played in real time, against the clock.

A couple of disappointments: on the periscope display all the ships, whether carriers or frigates, look exactly the same. And the size of the target ship remains the same however close you are. Worst of all, the game blurts out its congratulations even if you play atrociously!

Alan Pipes

BLOOD CLOT

Microbe by Simon Birrell, Virgin Games, BBC B, £7.95

CAN humans play Simon Birrell games? If you thought *Bug Bomb* was fast *Microbe* is manic. The story goes that you've been blasted into an all-powerful alien's bloodstream to eliminate its biological defences – antibodies, aminos, ribosomes, red cells and spores – from the inside. Biology 'O' level is no advantage.

You pack a gun in each of your crab-like claws and can not only move back and forth along the bottom of the screen, space-invader fashion, but can go up and meet the nasties head on. It's a cross between *Galaxians* and *Centipede*, but there are no hiding places. Really it's a very slick and professionally designed game. The sound and visual effects are exemplary – but oh it's fast!

Alan Pipes

ASSEMBLY LANGUAGE WITHOUT THE JARGON

BBC Micro Assembly Language by Bruce Smith, from Shiva Publishing (tel: 0270 628272), £7.95

THIS book is one of Shiva's friendly micro series. It fills the considerable need for a simple introduction to 6502 assembly language on the BBC micro.

Books on assembly language programming tend to assume that the reader has totally mastered Basic, structured programming, computer jargon, and is in fact a bit of an expert. Bruce Smith's book, *BBC Micro Assembly Language*, does not fall into this trap. Obviously you are assumed to know some Basic, or you would not have the need for the assembly language, but he avoids jargon and does not make the mistake of trying to air his cleverness by printing lots of very erudite and incomprehensible programs as illustrations. In fact, the longest program in the book – sensibly

towards the end – is 85 lines. This is tiny by assembler standards.

This does not mean that there are no programs in the book. It is packed with clear, pithy examples which illustrate the ideas which beginners find so confusing.

The layout is clear, the chapters are short, and each is devoted to a single topic. It is inevitable that the concept of binary numbers has to come first, but skip chapter three if you can. The strings of 0's and 1's are not really that difficult, nor is it essential for the following chapters that you understand binary or BCD in detail.

There are inevitable weaknesses. The most fundamental problem is in the addresses that the author recommends for the storing of his assembly language. Really &D00 and &1500 will not do, even for beginners. I would recommend the perusal of the excellent summary by Ian Birnbaum

in the January 1984 issue of *Acorn User* and the relocation of the programs by one of the quite simple means outlined there. There is a brief (and clearly rushed and incomplete) attempt to catch up with Basic 2, which would have been better omitted.


A useful appendix gives methods of executing Basic commands in assembly language and there's a one-page resumé of the way the 6502 executes instructions. There are the inevitable instruction set and ASCII code table.

There is a tape to go with the book, but I doubt its necessity. It is probably better to type the programs in.

This book is an excellent beginner's guide and will lead to a better understanding of some of the more erudite articles in this and other magazines. It will also whet the appetite for something more advanced.

George Hill

Available now



SYSTEM SOFTWARE

ADE is a complete program development package on 16k ROM for assembly language programmers.

ASSEMBLER

A full 6502, 2-pass MACRO assembler using standard 6502 mnemonics. It has the facilities you would expect on an assembler for a much larger machine. Features include MACROS with LIBRARY facilities ; nestable CONDITIONAL ASSEMBLY ; flexible LISTING OPTIONS ; hex, decimal, binary and ASCII data formats ; full range of ARITHMETIC and LOGICAL OPERATORS ; symbol table sort and dump ; file chaining : 29 powerful PSEUDO-OPS. Source and object programs are kept on disc so NO LIMIT ON PROGRAM SIZE or location.




DEBUGGER

The renowned SPY DEBUGGING MONITOR! Instantly available for inspecting, modifying, debugging and dis-assembling machine code programs. Features include easy-to-read COLOUR display ; hex, ASCII or DIS-ASSEMBLED display modes ; SINGLE-STEP ; BREAKPOINT ; MEMORY SEARCH ; DIS-ASSEMBLER and much more!

EDITOR

A dynamic TEXT EDITOR with WORD PROCESSING CAPABILITY! Designed with the programmer in mind to produce both programs and documentation. Features include SCREEN EDITING and DEFERRED EDIT modes ; MACRO commands ; NO LIMIT on document size ; sideways SCROLLING ; COLOUR display ; full use of FUNCTION KEYS. A fully STRUCTURED COMMAND LANGUAGE makes this editor THE MOST POWERFUL YET DEVISED for the BBC Micro.




£60 incl. vat

OS1.0 or above
Use with disc or tape



is complete with a 160 page comprehensive reference manual including tutorial and reference sections as well as details on how to code your own 'sideways' ROMs. Demonstration/utilities/macro library disc available in 40 or 80T format. Please specify.

Available
Now



The best debugging/utility ROM for the BBC!

All the superb easy-to-use facilities of the renowned SPY debugging monitor/dis-assembler.

Still only
£24.15
incl. vat

plus

Inspection/dis-assembly of ANY sideways ROM (by name or number) ; Relocator ; Single-step through subroutines in one go ; Toggle/clear breakpoints ; Trace ; Full DISC UTILITIES including disc/tape transfers ; verify ; format ; core dump ; edit catalogue ; disc recovery ; disc edit.

Order now or send for further details.

Available soon the ADE MACRO ASSEMBLER on its own ROM for only £35 incl. vat. Use with other text editors/debugging monitors.

Please enclose cash with order or an official order form.

SYSTEM

Dept A 12 Collegiate Crescent,
Sheffield S10 2BA (0742) 682321

COM-TEC COMPUTER SYSTEMS



DEALER
AND
SERVICE
CENTRE




DEALER

6 Eastgate
Barnsley
South Yorkshire
Tel.: 0226 46972


TRADE AND EDUCATIONAL
ENQUIRIES INVITED. BULK
ORDER DISCOUNTS AVAILABLE
ALL PRICES INCLUDE VAT
CARRIAGE FREE ON ALL
ITEMS

COMPUTERS




BBC Model B	399.00
BBC Model B + Disk	469.00
Electron	199.00
Disk Interface Kit	98.00

PRINTERS




Seikosha GP100A	189.75
Seikosha GP250A	264.50
Seikosha GP700A	458.50
Epson RX80T	310.50
Epson RX80	431.25
Epson RX80FT	356.50

MONITORS



Mitrovitec 14" Cub	245.00
Phoenix Green Screen	130.00
BBC Monitor	104.54
Amber Screen	135.00

DISK DRIVES



Single Drive 200K	228.85
Twin Drive Double Sided 400K	431.25
Single Drive 80 Track 400K	288.00
Twin Drive 80 Track	511.75
Twin Drive 40/80 Switchable	540.50
Torch 280 Disk Pack with £1,400 worth of Software	Price £839.50

ACCESS AND BARCLAY CARDS
ACCEPTED
Tel: 0226 46972

SOFTWARE

ACORN SOFTWARE

Snooker
Magic Garden
Personal Money Management

Word Hunt

Missing Signs

Bug Byte

Software

City Defence

SUPERIOR SYSTEMS

Q Bert Road Runner

Hunchback



Music Processor

Wordwise

Computer Data Cassette Recorder £24.99

Joysticks £13.00

Eeprom Programmer £138.00

Joystick Utility £9.99

Five-a-side
Pontoon
Leap Frog

Beep Art

Felix in
the Factory

Junior Maths Pack

Chess Killer Gorilla

Felix and the Fruit Monsters

Alien Swirl

Danger UXB Caveman Adventure

Aptl Side Wise £43.70
Printer Cables £15.00
Cassette Leads £3.50

Easy parking at all
branches

3D COMPUTERS

THE HOME COMPUTER
SPECIALISTS

WITH MORE BRANCHES THAN
ANY OTHER ACORN DEALER
WE OFFER

ONE-STOP SHOPPING
FOR YOUR
BBC MICRO
AND
ELECTRON

CALL IN AT YOUR LOCAL
BRANCH FOR FRIENDLY
ADVICE AND SERVICE
SEE A COMPLETE DISPLAY
OF HARDWARE & SOFTWARE
TO BUILD UP YOUR
ACORN MICRO SYSTEM

SOFTWARE

PROGRAM POWER
BUG-BYTE
SUPERIOR SOFTWARE
A & F
SIMON HESSEL
MOLIMERX
ALLIGATA
ACORN SOFTWARE

PERIPHERALS

DISCS SINGLE/DUAL
TORCH Z80 DISCS
CUMANA DISCS
PRINTERS
JOYSTICKS
MONITORS
B & W/COLOUR
LIGHT PENS
BBC BUGGY

*large range of books,
diskettes, cassettes &
printer paper always
in stock*

TOLWORTH

230 Tolworth Rise South,
Tolworth, Surbiton,
Surrey KT5 9NB.
Tel: 01-337 4317

SUTTON

30 Station Road,
Belmont, Sutton,
Surrey SM2 6BS.
Tel: 01-642 2534

EALING

114 Gunnersbury Avenue,
Ealing, London W5 4HB.
Tel: 01-992 5855

NEWBURY

26, Stanley Road,
Newbury
Berks RG14 7PB.
Tel: (0635) 30047

MILTON KEYNES

Unit 1, Heathfield,
Stacey Ruses,
Milton Keynes MK12 6HP.
Tel: (0908) 317832

LUTON

1 Manor Road,
Caddington, Luton,
Beds LU1 4EE
Tel: (0582) 458575

SECRETS OF THE DUNGEON

THE competitions featuring dwarves and trolls which began in our September issue last year enabled many of you to ramble for three months in the *Acorn User* dungeon – a period of time which seemed too short for some of you!

This was probably the most popular of all our competitions to date – entries came in by the sackload and I never cease to be amazed at the devious logical roads taken by some of your twisted minds.

It is inevitable, I suppose, that if one writes about dwarves and trolls a few of the little fellows will infiltrate the printing works to add further confusion to already troubled waters: more about the misprints later. Meanwhile, here is a complete list of the answers to the puzzles and logical problems.

September issue

- 1.) £44,444 4s 4d
- 2.) 419
- 3.) 51*246, 24*651, 75*231, 65*281, 86*251, 42*678, 87*435, 57*834, 78*624, 65*983, 72*936 (sum of products=379164).
- 4.) 102564

Room 1: A is a dwarf, B is a troll
Room 2: A is a troll, B is a dwarf, C is a troll
Room 3: C is definitely a troll
Room 4: A is a troll, B a dwarf
Room 5: C is the magician
Room 6: A is the magician (you can't tell whether he's dwarf or troll)
Room 7: A is a dwarf magician

So much for the answers. The main problem with this puzzle was that, having told you that you always carried forward a positive number in the dungeon, in Room 3 the number becomes negative! Most of you took this in your stride and came up with a final answer of 10836728, but I also accepted entries from Confused of Milton Keynes and others who turned the number into zero at this stage or used the BASIC ABS(x) statement.

October issue

Owing to a last-minute garbled phone conversation between the editor and myself, this competition became a nightmare and I became barmy myself! I apologise deeply to the two readers who approached me at the *Acorn User* exhibition to ask me if I was sure the whole thing was OK and I swore blindly that it was, without having checked . . .

The chief gremlins were that in problem 4 1.6 million should have read 16 million and that a key paragraph about what you were supposed to do with your starting

Simon Dally separates the trolls from the dwarves with the solution to his triple competition



number disappeared (this level of the dungeon wasn't called the asylum level for nothing!). Most of you recognised the misprint for what it was but I also had to accept entries from people who assumed that the Tardis coordinates were factors of 2.6 million – and that in turn leads to several different solutions! In fact, so many different answers were received for this competition that I ended up including every entry for the draw where I couldn't spot a definite mistake on the part of the entrant. The answers were:

Puzzle 1: 88
Puzzle 2: 196
Puzzle 3: 160,225
Puzzle 4: 303

Room 0: He's a sensible dwarf
Room 1: He's a barmy troll
Room 2: He's barmy
Room 3: He's a dwarf

Room 4: You can't tell
Room 5: He's sensible
Room 6: He's a sensible dwarf

A lot of people went wrong in Room 6. Since you are told that you know instantly what type he is, you have to assume that the answer to the question, 'Are you an insane troll?' was 'No', which only a sensible dwarf would say – all the other characters would reply 'Yes'.

November issue

The combination number in the MD's fridge is 698,896. In Hermann's hideout the dwarf gold is in the first safe and the right number is 30,233,088.

In Christopher's corner, the number base is 89². The misprint here (the last three numbers here should have been 023 instead of 201) at least didn't fool any of you! The dwarf gold is in the first safe.

In Laurie's lair the right number is 1764 and the dwarf gold is in the first safe.

In Andy's attic the dwarf gold is in the first safe. There are four solutions to the problem, but only one of them – 60984*57321 – fits the bill for the final answer as described.

In David's dug-out the first safe contains the dwarf gold. Therefore you end up giving Mad Alex 1,280 gold pieces and the sum of the combinations is 31059974.

I should have realised, of course, that inviting *Acorn User* readers to spot anomalies was like offering Christians to starving lions.

The one I wanted, which many of you realised, was that since there is no indication that Mad Alex is a dwarf, why on earth should you believe a word he says? A lot of you are evidently experts on the breeding habits of dwarves and trolls and found it quite impossible to understand how the Master Dwarf and Master Troll could have been brothers. Others cast aspersions on my own parentage.

One or two people who know Mad Alex personally pointed out that he's far too impolite (putting it mildly) to show people round a dungeon. I prefer to think he's too busy answering the phone and helping the customers he loves so much with their queries . . . Best of all was Mrs Turner of Aberdeen, who wondered what had happened to the female dungeon-dwellers needed to produce the dwarflets. And Mrs Gatrell of Poole, who obviously works for Mrs Thatcher, wrote, 'The descendants must have been lazy toads, making barely more gold in a few hundred years than the masters did by the time the Master Dwarf was 42.'


Congratulations to all of you who

A WORD PROCESSOR FOR YOUR BBC MICRO FOR £4.95.

PUTTING YOUR BBC MICRO TO WORK

Chris Callender £4.95.

Yes, it's true. A complete word processor program is just one of 15 major programs in this new, 120-page book. You can keep your accounts in order with the HOME ACCOUNTS program, organise your life with planner and keep your numbers under control with TELEPHONE DIRECTORY. You can even gain experience with spreadsheet calculations with SPREADCALC.



THE BBC MICRO COMPENDIUM

Jeremy Ruston £14.95.

More than 500 pages in this massive work, the most important ever published for serious BBC Micro programmers. Major topics covered include: assembly language programming; floating point algorithms; recursive programming; increasing the vertical screen resolution to 512 with software; and an intelligent disassembler. From the author of THE BBC MICRO REVEALED.



36 CHALLENGING GAMES FOR THE BBC MICRO

Tim D Rogers and Chris Callender £5.95

From graphic adventure programs, to fast-moving arcade action, this 270-page book gives you a whole library of software-standard games. The book comes complete with detailed program notes, and screen printouts. Games include 3D INVADERS, RAT ATTACK, DOWNHILL SKIING and SHARK.

LET YOUR BBC MICRO TEACH YOU TO PROGRAM

Tim Hartnell £6.45


This book, by best-selling author Tim Hartnell, is the ideal companion for you if the BBC Micro is your first computer. It takes you, step by simple step, through programming in BBC BASIC, with a number of worthwhile programs (including a complete REVERS/OTHELLO game, and another to play CHECKERS). Computer and Video games said: "... takes you further into the cloudy areas of the BBC Microcomputer than anything else I've yet seen..."



CREATING ADVENTURE PROGRAMS ON YOUR COMPUTER

Andrew Nelson £4.95

A major work (complete with three complete ADVENTURE programs) to show you how to devise, program and solve Adventures on your BBC Micro.




Interface Publications, Dept. AU,
9-11 Kensington High Street,
London W8 5NP.

Please send me the books indicated. I enclose £.....

Name:

Address:

**INTERFACE
PUBLICATIONS**



All Interface books are available from computer and book stores, including W H Smiths, Menzies, and Dixons. Trade supplied by The Computer Bookshop, 30 Lincoln Road, Olton, Birmingham B27 6PA (021 707 7544, telex 334361).

CAMBRIDGE PROCESSOR SERVICES LIMITED

Britain's No. 1 independent service centre for the BBC Microcomputer

- 1 & 2 year service contracts for the BBC Microcomputer all models including annual service and testing.
- All upgrades carried out – please telephone for availability.
- Fast turnaround – micros repaired, tested and returned within 5 days of receipt.
- While you wait service – please telephone for appointment.
- If micro already faulty – immediate repair and service carried out including a service contract for small extra charge.
- The only extra you pay is carriage and insurance to our premises subject to contract.

Please tick service required

I enclose £29.90 for a 1 year Service Contract
 I enclose £39.10 for a 2 year Service Contract
 I enclose £40.25 for a 1 year Service Contract and immediate repair
 I enclose £48.30 for a 2 year Service Contract and immediate repair

SIGNATURE _____

INITIALS _____

SURNAME (MR/MRS) _____

POSTCODE _____

TEL: _____

If paying by Access-Card Number

Serial No: _____

Send remittance and micro (if applicable) to:

**Cambridge Processor Services Limited,
Unit 3, Trinity Farm Industrial Estate,
Nuffield Close, Cambridge CB4 1SS**

If you wish to order by telephone using Access, please telephone (0223) 313248

If for any reason you are not satisfied with the contract please return within 14 days of receipt for full refund. If you have also sent your BBC Micro for repair and testing a charge of £28.75 will be retained by us for the repair and handling. Your statutory rights are not affected.

entered. I only wish you could all win prizes for the suffering and devotion you showed.

TWO-PART PUZZLE

AS regular readers know, normal currency in the dungeon consists of the very sensible £ s. d. system. However, Mad Alex is chairman of the *Acorn User* Dungeon Currency Reform Society, which believes very much in decimalisation – and a few other things. In Mad Alex's system the money is based on a quinn: it consists of 100 addisons (the lowest unit of currency) and includes a telford (worth 25 addisons) and a curry (worth 5 addisons). Mad Alex is keen to introduce a coin called the kitty.

Indeed, when I last discoursed with him, in between quaffing wellingtons full of bulls' blood, he told me that the kitty would be 'where it's all at when the system comes on line. You could make a few k handling the advertising rights, no sweat guv.' He went on enthusiastically, 'You name me another coin which could form the sum of 100 quinns in precisely 14 different ways, (always assuming at least 1 telford and 1 kitty were included in the arrangement).

Does the kitty work? What are the highest and lowest amounts it could be worth?

I still don't know whether Mad Alex is a

dwarf (ie, one who speaks the truth) or a troll (one who always lies). Perhaps our competition fans could enlighten me.

AFTER a hectic Christmas party at his computer club a fan gave a somewhat rambling account of the goings-on. 'We elected four new members on to the committee – Anthony, Bartholomew, Christopher and David. All I remember is that one was a machine-code programmer, one a hardware expert, one a designer and one a graphics consultant. For the life of me I can't remember which was which.'

'I recall that the hardware expert isn't Bartholomew. Oh yes, David is the machine-code programmer if Bartholomew is the designer but he's the graphics consultant if Anthony's the hardware expert. Bar-

tholomew isn't the graphics consultant unless David is the machine-code programmer, but he must be the designer if Christopher is the graphics consultant. And, of course, David is the hardware expert, unless either Bartholomew is the designer or Christopher is the machine-code programmer. Oh, I give up.'

Can you work out who does what?'

Answers, on a postcard please, should be sent to March Competition, *Acorn User*, 53 Bedford Square, London WC1B 3DZ to arrive not later than April 6, 1984. There will be three prizes of Acornsoft software to the value of £20 – say whether you want cassettes or disc – for the first three correct solutions to be picked out of the hat.

October winner was R Collier of Hassocks, Sussex, who receives the second Seikosha printer (donated by Microage Electronics) for his succinct and cynical postcard. Runners-up were Richard Lee of Reading and Arne Angelsen of Oslo (liked the icy view of the harbour!).


November winner was P A Davies of Derby who, although he confessed himself 'not too sure', got it correct right down the line. He wins Seikosha printer number three, courtesy Microage. Runners-up: O J May of London (who is convinced Mad Alex is 'the epitome of honesty'); and A R Thomas of Hinckley.

An honourable mention for Frank Dashwood of Edinburgh for the most amusing correspondence. He re-captioned his card illustrating a 16th-century terracotta bust as 'head of a worrier'.

Draw with the BBC micro and show the true potential of your machine

Fill shapes in one of 23 colours (Mode I)
Draw points, lines, rectangles, ellipses and circles
Smooth curves
Wire frame diagrams
Hidden line removal
Draw in perspective
Measure scaled distances
Ekta sketch lines, Half tone facility
Mirror images
Repeat images, SS, enlarged, reduced, stretched
Actual colour displayed
Store up to 10 ellipses or circles in memory
Redraw any one of these at cursor position
Change any actual colour for one of 8 others
Clear screen, load screen, save screen
Print characters or numbers at any pixel point
Error messages for incorrect input
Fully comprehensive manual

356 496 * ***₃



This programme has been purpose designed by professional Graphic Designers for simplicity and ease of use, and is undoubtedly the most versatile drawing programme on the market at this time. There is no need to input any numerical data, as all judgements are made visually. The BBC Micro is the finest drawing machine in its price range. Find out what it can do.

The A.B. Designs drawing programme costs only £35 for over 70 functions (Model B). New AB2 Program, available on disc (price £60.50) and cassette (price £50.50). When ordering send Cheque/PO and include 50p for P&P. Please include phone no. with all correspondence. For further information send SAE and phone no. to A.B. Designs, 81 Sutton Common Road, Sutton, Surrey. 01-644 6643 (closed all day Thursday).



SIR BBC ROM EXPANSION BOARD [MODEL 2]



THE ULTIMATE ROM/RAM EXPANSION SYSTEM FOR THE BBC MICRO

NEW IMPROVED FACILITIES!

- ★ 12 extra ROM sockets complement those already provided by the micro to allow up to 256K ROM space.
- ★ Four of these sockets can support either ROM or Static RAM (up to 16K maximum RAM).
- ★ The Model 2 board allows switching between multiples of 2K, 4K, 8K or 16K ROM/RAM.
- ★ Fully buffered design.

NOW EVEN EASIER TO FIT!

- ★ NO soldering, plug-in design.
- ★ Fits easily inside BBC case.
- ★ Plugs into CPU socket via short flexible connector.
- ★ Improved plug design allows the Model 2 board to connect securely to any type of BBC CPU socket with no harm to micro or board.
- ★ Board is held in place by sturdy supports.
- ★ Full instructions provided.

SIR BBC ROM EXPANSION BOARD MODEL 2: PRICE £40.00 + VAT

**SIR RESEARCH PRESENTS:
OUR RANGE OF PERIPHERALS FOR THE NEW ACORN ELECTRON**

SIR ELECTRON 12-ROM BOARD

- ★ Provides for up to 192K of ROM space (16K of this will support either ROM or RAM).
- ★ Fully buffered design.
- ★ Easy to install, just plugs in, no soldering necessary.
- ★ Allows further expansion via rear edge-connector.
- ★ Permits use of most BBC ROM-based software (such as VIEW, PASCAL, FORTH, etc.)
- ★ Price: £40.00 + VAT.

SIR ELECTRON PRINTER & JOYSTICKS INTERFACE

- ★ CENTRONICS printer interface.
- ★ Analogue-to-Digital Converter (ADC) allows use of any BBC-compatible joysticks.
- ★ Full firmware support.
- ★ No soldering, plug-in design.
- ★ Built-in, versatile edge-connector provides for further expansion.
- ★ Price: £45.00 + VAT.

AVAILABLE SOON: INPUT/OUTPUT PORT, RS423 INTERFACE, and more!

We also stock a complete range of BBC Micro peripherals and software, many at unbeatable prices! The following are just a small sample:

BBC MICROCOMPUTER

BBC Model B	£399.00
BBC Model BD	£469.00

MONITORS

Sanyo B/G	£85.00
Microvitec RGB	£229.00

DISC DRIVES

Single 100K	£199.00
Dual 100K	£349.00
Dual 400K	£669.00

PRINTERS

Dot Matrix:	
Epson FX-80	£399.00
Epson RX-80	£275.00
RX-80 F/T	£289.00
Shinwa CP-80	£263.35
Daisywheel:	
Juki 6100	£399.00

BUSINESS SYSTEMS

TORCH Z80 DISC PACK:

This powerful and sophisticated unit interfaces with the BBC Micro to create a comprehensive business system. The Disc Pack includes: Twin 400K drives; Z80 second processor; 64K RAM; **NOW WITH FREE SOFTWARE** (Wordprocessor, database, spreadsheet & management game). The complete system is available for Only £839.50!!

SOFTWARE

We have over 200 titles currently in stock including ROM based programs such as **VIEW (£59.80)**, **HCCS PASCAL (£59.50)**, **Computer Concepts GRAPHICS ROM (£39.95)**, **WORDWISE (£39.95)** and **DISC DOCTOR (£29.95)**.

All our prices are inclusive of VAT unless stated otherwise.

Postage and Packaging:

Please add £1 P & P (small items: ROM Boards, etc.); £10 P & P (large items: Printers, Monitors, etc.). Access/Barclaycard telephone orders welcome.

SIR COMPUTERS Ltd.
91 WHITCHURCH ROAD, CARDIFF CF4 3JP
Telephone: CARDIFF (0222) 621813



LETTERS

ACCOUNTING FOR TAPE PIRACY

Sir, While reading the letters page in your February issue I noticed a letter on tape piracy and the general unhappy state of software houses and customers. While I agree with Mr Rutgers on most of the points he raises, I feel that a stronger attack is required on what is at present sheer exploitation by those producing software.

My two main interests are home computing and record collecting, and there are many connections between the two. Over the past five years the software market has boomed, to the extent that charts for this are now as commonplace as charts of single records, but it is noticeable that where piracy of computer games tapes is a major problem, the same does not apply to these records. (Most record piracy is in the form of album copying.)


The reason for this is obvious: the price of a single is approximately £1.50, whereas the price of a tape can be anything from £7 to £15, or more for an educational or business tape. The market for games is mainly a schoolboy/girl area, where money for software is obviously limited to around £5 a week. In other words even children with the most money can only afford to buy a tape fortnightly, if, that is, they buy the manufacturer's copy. A blank tape, however, costs only 50p, and so there are not many people willing to pay the extra £9.50 for a brightly coloured index card, when they can easily obtain a copy of the game from a friend for this total charge of 50p.

About a year ago, research showed that only one copy in 30 of Acornsoft's *Snapper* was genuine, a fact which no doubt holds true for all well-known programs today. It seems, however, that software houses have missed the only real solution to their problem. Instead of attempting to build in all types of protection barriers (which are easily overcome by anyone with a dual cassette deck) they should reduce dramatically the price of the software to a more affordable level, say £1.50 to £2.

Based on assumed figures, I estimate the cost of producing a program tape as £1, leaving £9 profit on a present cost of £10. Now if the cost was £1.75 and half of our 30 illegal copiers bought it, the profit would be 15 times 75p or £11.25. Hence an increased profit to software houses of £2.25.

The reduced price would make the genuine tapes more affordable, and more people would be willing to pay the extra for packaging and instructions. Then, there's the peace of mind in no longer breaking the law.

If you were, for instance, to reduce the prices of your own tapes by around £6, then



I can assure you that within a few months you would be at the top of your own software chart. All it really requires is a large manufacturer such as Acornsoft or Program Power to take the lead and the others would have to follow. Then the producers and the consumers might both get what they want.

David Rogge
Ayrshire

While we're not going to say consumers are not exploited (because several reviewers have said as much, anyway), you're hardly being fair on software houses.

First, why don't you compare album tapes to software tapes? Is the work and talent involved in producing a six-minute program less than for a three-minute single? And why do you think singles are not produced on cassette tapes?

Then there are your costings. What happens to the software dealer's profit (anything up to 50 per cent of the sale price)? The poor author (20 per cent seems a common royalty)? The staff of the software house, advertising, promotion, VAT, and the rest of the overheads - where are they in your figures?

If anyone was going to follow your 'sell 'em cheap and fast' philosophy, you would have thought Virgin would be the ones - but they can only match our price. Then there's *The Hobbit* - possibly the biggest selling game ever - and that still costs £14.95.

So at the moment it still seems to be a case of charging what the market can stand - and you will notice Sinclair software is cheaper than BBC software (but then it sells in much greater numbers).

PIRATES' MEDICINE

Sir, Ever increasing software piracy leads me to ponder whether copyright laws should or should not apply.

The author of a novel, perhaps equivalent to many hundreds of 'k' of information, will have spent months on it. This is poorly rewarded with low book prices and high publication costs. Similarly, composers are faced with limited distribution as well as the above costs.

The production costs of the average piece of computer software is certainly not above 50p and the marketing costs cannot add to this substantially. With games costing around £8.50 this leaves large profits to the software company. These companies are now trying to hide behind legal protection designed to prevent authors and composers living below the bread line.

Perhaps software companies should examine their own style of piracy first. Indeed, lower software prices may greatly reduce other forms of 'piracy'. **Adrian Loening**
Coventry

RETIRED VETERAN

Sir, I wish to inform you that my highest score on Acornsoft's *Planetoid* is 503,300. I obtained this some time ago, but as I am now into machine code programming and computer electronics, I long ago ceased to exhaust myself on playing games.

By the way, *Planetoid* was the first and the only action game I've bought. I found my initial investment of £10 has been truly worthwhile.

Kai
Rotherham

GETTING ON IN LIFE

Sir, I found 'Life Variations' (January issue) most interesting and surprising (particularly as you got programs 2 and 3 transposed).

What was even more surprising was that program 4 failed to work as expected. Apart from nine squares in the centre of the screen and the 'generation' ticking away quietly in the top left-hand corner, nothing else happened. Whenever I asked P% where it had got to, it always returned -1 which was, presumably, why nothing was happening.

However, when I added line 175PLOT 69,x%,y% it revealed that the scan was taking place where it ought to be and P% returned values between 0 and 3. With the extra line deleted I was back to the original situation.

I then had access to another computer and program 4 worked perfectly. The only difference being that my machine had OS0.1 and the other OS1.2. I now have OS1.2 fitted and the program works fine.

I don't understand what the bug is since POINT(X,Y) has worked on other programs. However, I trust this tip may be of some comfort to other readers who may be as frustrated as I was.

J Bulmer
Newport

You're right all the way, but POINT isn't the problem. However, PLOT81 is, as it isn't available in OS0.1 (line 100). Rest assured our programs editor has had his wrists slapped.

NOW AVAILABLE ON THE ELECTRON

D.A.C.C.'s SPRITE - GEN

Runs in 4 colour Mode 5

PRICE £9.95

Technical specifications as for the highly successful and original BBC version as described below.

Write your own 'Arcade Action' games with D.A.C.C.

Sprite-Gen

This amazing and revolutionary new piece of software, written for the BBC Model B by Dennis Ibbotson, represents the biggest step forward for BASIC programmers since the release of the BBC Micro itself. It allows you to create multi-coloured, fast moving SPRITES, controlled simply from your own BASIC program. Now you can write the kind of "Arcade Action" games you always dreamed of writing before you discovered that BASIC can't achieve the speeds necessary. Until now, only experienced machine-code programmers could produce "Ghost Gobbling Monsters" and "Light Speed" spacecraft. With SPRITE GRAPHICS all the creatures and objects you can imagine are at your command, moving smoothly at any speed and in any direction you choose. Incredibly, SPRITES can be created using ALL SIXTEEN logical colours - eight steady and eight flashing. And as if that were not enough you animate your SPRITES with individual movements such as "a man who walks", "a bird that flaps its wings", "invaders that pulse menacingly", the possibilities are endless! When you own the SPRITE GENERATOR package you have access to every sort of high-speed animation technique you need. Buying expensive machine-code games may become a thing of the past. Look at the following impressive list of features you can access from your own BASIC programs ...

- Up to 32 SPRITES on screen at any time.
- Limitless SPRITE design using the SPRITE Generator program included in the package, allows ALL SIXTEEN logical colours "in each SPRITE" if desired. Full operating system capability of logical/actual colour assignment.
- There can be up to EIGHT different SPRITE DESIGNS active at one time, each of which can have up to THREE "CLONES", (copies of the primary SPRITE but each with individual movement control).
- Each SPRITE actually has TWO images which given slight differences will achieve the animation effects when the two are alternated. Or, if you choose, give the two images totally different designs and you have created two SPRITES out of one, usable alternately. This technique can also be applied to the CLONES which means that all 32 SPRITES can be animated, multi-coloured, moving objects!!!
- Once you have completed the design of your SPRITES using the simple grid-based generator utility, they and the high speed machine-code routines that control their movement are secreted into RAM and the BASIC system is ready to accept your own program lines through which you can direct the SPRITES to appear, move, disappear or just remain stationary, with the simplest commands you could imagine.
- SPRITES can be linked together in pairs or groups to produce large scale animation. Of course, if you wish they can be as small as a single pixel.
- Your own creations can move in front of each other with no loss of detail.

SPRITE-GEN is supplied as a package containing:


- ★★★ Sprite-Generator program
- ★★★ Two 'fast-action' demonstration programs
- ★★★ Sprite-Gen control routines
- ★★★ Illustrated user manual with examples and listings
All for only £17.95 (pp and VAT included).
In U.S. \$49.95




DRAGON, ATARI 400/800 (48K), BBC MODEL B, TRS 80 C/C 32K

747 FLIGHT SIMULATOR

Superbly realistic instrumentation and pilot's view in lifelike simulation which includes emergencies such as engine fires and systems failures. This program uses high resolution graphics to the full to produce the most realistic flight-deck display yet seen on a home computer. There are 21 real dials and 25 other indicators (see diagram). Your controls operate throttle, ailerons, elevators, flaps, slats, spoilers, landing gear, reverse thrust, brakes, etc. You see the runway in true perspective. Uses joysticks and includes options to start with take-off or random landing approach. "A real simulation, not just another game." (Your Comp. Apr. 83).



NOW ON THE ELECTRON!



ACTUAL SCREEN PHOTOGRAPH

CASSETTE £9.95 (pp and VAT included).
In U.S. \$27.95 (pp included)

(U.K. orders despatched within 48 hours)

Dealer and foreign distributor enquiries now being taken.
Software writers - sell your programs in the U.S. through DACC.

To DACC Ltd., 23 Waverley Road, Hindley, Wigan, Lancs. WN2 3BN. AU
Please rush me:

____ qty. SPRITE-GEN at £17.95 each (BBC Model B only)

____ qty. SPRITE-GEN at £9.95 each (Electron only)

____ qty. 747 FLIGHT SIMULATOR at £9.95 each (state machine)

I enclose a cheque/P.O. to the value of _____

NAME _____

ADDRESS _____

POST CODE _____

Tandy TRS-80 **The Tandy® Four**
Colour Graphics Printer


£149
Inc. VAT

CGP-115. Creates beautiful graphics in red, blue, green and black. Text mode prints 40 or 80 characters per line at 12 characters per second. Includes serial and parallel interfaces and easily replaceable ink cartridges and standard 4½" paper rolls. 26-1192 £149.00
BBC Cable. 26-7203 £39.95

Tandy ®

The Biggest Name in Little Computers

See Our Extensive Range of Microcomputer Accessories At Any One of the 340 Tandy Stores Nationwide!



**DRIVE THIS
OWL AROUND** U.K.
BBC Micro car badge

£4.99(inc) send cheque/p.o. payable to
Hawthorn 90 Victoria st. Hyde, Cheshire
©BBC 1983 Licensed by BBC ent.Ltd.

ACCENT PRINTING

Sir, I was interested to see the article by Simon Berry in November's *Acorn User* on Spanish accents. I have written a large number of German language programs and use CHR\$128 to CHR\$135 in a similar way to define characters such as Ä, ä, Ö, ö, Ü, ü, ß and é.

I have an Epson FX80 printer and Juki 6100 daisywheel. Unfortunately, whenever listings containing these redefined characters are transferred to the printer the characters are ignored and any work containing one of these characters appears to be incomplete.

However, if it is essential to have the characters printed it should be quite possible on the Epson FX80 to select the German character set which uses CHR\$91 92 93 123 124 125 and 126 to print all of the above except é. This would mean having to redefine the following keys on the keyboard ^ / [{ }, most of which are rarely used for any form of foreign language program.

Alternatively, it would be possible to use the Epson's ability to download user-defined characters, in which case CHR\$128 to 135 would be printed as per normal.

When printing letters, worksheets or other documents using Wordwise on the Juki printer, ESCJ will print an umlaut. However, this needs to be preceded by a backspace to position the umlaut over the appropriate letter. The sequence can easily be incorporated into a function key and printed pressing CTRL+SHIFT +function key.

Graham Sims
Yarm School
Cleveland

BASIC POINTER

Sir, Your January edition is even more thought-provoking than usual: a very good issue. Thank you. May I make comments on three items?

Ian Birnbaum's summary of where to locate machine code is useful, but he should make it clear that the pointer 0%, accessible using OPT4 to OPT7, is not available in Basic I. Incidentally, my local Acorn dealer refuses to admit that there are two versions of Basic and says it is not possible to supply the later version. The only answer seems to be to make an illegal copy into EPROM! How about putting some pressure on Acorn to reverse this stupid policy?

Second, I have a program which automates the copying of discs to tape as requested by Mr Malcolm Andrews. As he says, it is necessary to *LOAD and *SAVE, but this works perfectly well with Basic so there is no problem. The only trick is to eliminate the need to do RECORD and RETURN manually during the cassette saving. Readers may be unaware that turning off the screen messages with

*OPT1,0 also turns off the requirement to insert a <CR> into the sequence and the bleep (VDU7) at the end of the save. I have not seen this documented anywhere!

Finally, may I echo Mr William Smith's plea for a compilation of any additional OSWORD calls; only &7F is mentioned in my copy of Acorn's DFS manual. There are a few new OSBYTE calls about too, eg with A%=&6F mentioned by Mr Pendleton in the December issue in connection with his most valuable dual-catalogue program (to read the last-accessed drive). Neither the *User Guide* nor the *Advanced User Guide* mentions this: are there any more?

I do quite enjoy the sense of discovery that is ever uppermost with the Beeb, but there are quite enough adventure games around without Acorn's attempts to turn the operating system into one! **Brian Carroll**
Aldershot

Our apologies for not making the point about Basic clear in Ian's article. This was in fact the final part of a three-article series on the new facilities of Basic II.

George Hill's routine for disc to tape transfer is underway, and comments would, as on all matters, be appreciated.

As for Basic II, Acorn 'has every intention' to make it available to the public, and the larger dealers should be receiving stocks. However, supplies are being eaten up by new machines.

DOUBLE DUTCH

Sir, The following matters have been of concern to our club, and could, we feel, be of interest to others.

First, is saving a section of memory. This is explained in the *User Guide* (page 392). Only three addresses are mentioned (start, end, execution) but it is possible to include a fourth one, the reload address. It is optional, as is the execution address. If left out, they both default to the start address.

A rather misleading comment seems to be made in the *User Guide*, page 330, when explaining the PTR statement: 'Files are opened with the OPENIN and OPENOUT statements'. This comes after confirming the need to open a file on the selected channel before the PTR# can be used.

Although OPENOUT has to be used for 'creating' such a file, we had great difficulties in finding out what was wrong in a random access file program, which included OPENOUT for writing and OPENIN for reading, as mentioned above. The program actually deleted part of the file and made it shorter. The problem was cured by using only OPENIN for both reading from and writing to the file. We have, therefore, come to the conclusion that OPENOUT cannot be used to open a random access file.

Thirdly, one of our members, with a tendency to experiment on the forbidden side of science, ie to do what he is sup-

posed not to do, discovered he could format with 80 tracks his discs (certified for only 40 tracks) in his 100k drive. Programs and files were normally admitted and when compacted, the number of bytes left free gave the impression that he had found an easy way to have double capacity at the price of single side, single density. His 'discovery' was most welcome, but when thoroughly checked it was found that his drive could not go beyond the 100k limit.

Now to a question. Two big UK retailers have announced 'true' double density controller boards. They mean 20 sectors per track instead of the present 10 sectors. It is also said that Acorn's 8271 disc controller chip cannot support double density. **Who is right?**

I Beng
BBC Micro Club
Santa Cruz de Tenerife (Spain)

The three points you make are valid and worth repeating. OPENOUT is only for opening a new output file.

Now down to your question. In fact both parties are 'right'. The 8271 will not support double density. However, this is got round by supplying add-on boards with the controllers, thus by-passing the 8271.

TEMPTING TAPES

Sir, I own an Acorn Atom, and as you will know it is very difficult getting hold of software. Are the copyright laws on tapes which companies no longer produce still in effect, or is it now possible to copy these tapes?

A Conner
Southampton

The copyright laws definitely still apply to software which is out of print. What you have to do is to write to the company concerned and ask if you can copy the tape. Boring, but it's the only legal way.

Note that one of our authors, Barry Pickles, is trying to start up an Atom library by buying the copyright on old programs. At least something is happening.

KEY TO LOCK


Sir, How can one lock programs so that they cannot be copied from the original? I am losing business drastically because of people distributing copies of my copyright software without paying royalties.

Richard Bhanap
Birmingham

See the articles on program protection in the February issue, page 49; January, page 69; December, page 81. These and other ideas over the past year, mainly in Beeb Forum, give several techniques, which, of course, are best used in combination, or with some variation.

A QUALITY LIGHT PEN SUPERIOR PERFORMANCE

- ★ Absolutely insensitive to ambient lighting.
- ★ Responds to different colours and screen intensities without any adjustment of TV or monitor.
- ★ Red LED readout showing that data is available.



SUPERIOR PROGRAMS

- ★ Good Documentation.
- ★ Tape storage of your work.
- ★ User routines provided on tape and printout.
- ★ 'Freehand' drawing program.
- ★ 'Library menu' drawing program (define your own library of shapes).
- ★ Example programs illustrating uses of the pen and its features.

£25

inclusive of P&P.

Please state Dragon, BBC or Vic20 when ordering. send cheque or P.O. to: Dept AU1 Datapen Microtechnology Ltd, Kingsclere Road, Overton, Hants.

*Please enclose SAE if requesting technical literature.
We welcome enquiries from dealers willing to demonstrate our product*

Datapen Microtechnology Limited

CROYDON COMPUTER CENTRE

OFFICIAL ACORN SERVICE CENTRE

29 Brigstock Road, Thornton Heath, Surrey.



01-689 1280



MODEL A	£299.00
MODEL B	£399.00
ACORN ELECTRON	£199.00

+ Full range of spares always in stock.



TORCH
Z80 DISK PACK £830.00

Includes £1,000 free software.

MICROVITEK COLOUR MONITOR	£244.00
ZENITH 12" GREEN OR AMBER	£99.00
CUMANA SLIMLINE DRIVES from	£216.00
EPSON RX80	£333.00
JUKI DAISYWHEEL	£458.85

Full range of books, software, paper and spares for every popular micro and printer. Our four years in the micro business and investment in trained engineers and test equipment is your guarantee of peace of mind.

EXPORT ENQUIRIES WELCOME
Happy customers in twelve countries

ALL PRICES
INCLUDE VAT

01-689 1280

FOR SPARES AND REPAIRS

Silverlind

SILVERLIND LTD. 156 Newton Road, Burton-on-Trent Staffs. DE15 0TR. Tel (0283) 63987

TOWNTEST

BBC/B £6.50
A very useful aid for teaching Geography in primary schools, this program tests pupils' knowledge of the locations of major towns and cities in England, Scotland and Wales. Well presented, with a high-resolution map.

BIOLOGY

BBC/B £12.50
A suite of programs using text, animated diagrams, examples, and questions to assist in the understanding of Biology to CSE, 'O' and 'A' Level standards. Most suited to individual use by students, these programs also contain material teachers can extract for classroom demonstration. Topics covered include the Eye, Ear, Heart, Blood and Circulation, Skeleton, Female reproduction, Genetics, Biochemistry and the Central Nervous System.

ENJOY MATHS

48K Spectrum £8.00
A suite of 4 highly motivating programs for the 8 - 14 age range: tables, simple equations, polygons and areas. The programs combine explanation with tests and make good use of colour and sound.

MASTER DIET PLANNER

48K Spectrum £11.95
The ultimate in diet programs, the MASTER DIET PLANNER contains details of calories, protein, vitamins and other nutrients for 681 foods! The MASTER DIET PLANNER will help you plan a well-balanced diet, including options to restrict fats, cholesterol and salt, or to increase fibre intake - at the same time offering maximum choice of foods. Instructions and Recipe Book included.

ALL PRICES INCLUDE POST & PACKING & VAT

We require good programs to increase our catalogue and pay high royalty rates for published material.

TOP SAVINGS ON PRINTERS

★ ★ PRINTERS ★ ★

	Price ex VAT	Price inc VAT
BBC INK JET (P)	239.00	274.85
BBC INK JET (S)	267.00	307.05

EPSON

RX 80T	229.00	263.35
RX 80F/T	256.00	294.40
FX 80	335.00	385.25
MX 100F/T III	375.00	431.25
FX 100F/T	430.00	494.50
Epson FX80 & RX80 Ribbons	4.00	4.60

Full range of Epson Interfaces Available

OTHERS

BROTHER HR15	349.00	401.35
JUKI 6100	350.00	402.50
MANNESMAN PIXY PLOTTER	505.00	580.75
MANNESMAN TALLY MT80	265.00	304.75
OKI 80A (P)	180.00	207.00
OLYMPIA ESW102	675.00	776.25
SEIKOSHA GP100A	175.00	201.25
SHINWA 4 Colour	139.00	159.85
SHINWA CP80	240.00	276.00
SMITH CORONA TP1	299.00	343.85
STAR DP510	235.00	270.25
STAR DP515	285.00	327.75

**PLEASE PHONE FOR DETAILS OR WRITE TO:
MAYFAIR MICROS, 362A YORK ROAD,
WANDSWORTH, LONDON SW18 TEL: 01-870 3255**

GIRLS AND BOYS

Sir, I unfortunately missed the article: 'Why the girls don't compute', but did read Carina Moss's letter (December 83). As a male computer freak who also does some youth work, may I make a few observations?

I have taken a computer to youth clubs many times and have found girls and boys equally interested. Senior youth club attendance is numerically biased towards males so it's difficult to give numbers. However, among the seven to 10-year-olds, interest is about equally divided.

These are not hobbyists, nor am I talking about individuals familiar with computers. Most have only had brief contact with computers at school, or none at all. When confronted with a computer, most expect to play games, and it is quite difficult to get them to try programming. However, when I succeed, and we write (usually) little 10-line Basic routines, both boys and girls seem keen to have a go.

The interest and enthusiasm is there. Perhaps it's the encouragement that the girls are lacking. After all, how many boys woke up to a computer in their stocking at Christmas? And how many girls?

G Sargent
Loughborough

BLISS PLEA

Sir, Could I appeal through your columns for any information available relating to Bliss Symbolics and the BBC micro? I have a son of 4½ years of age, above average intelligence, who is unable to talk and any such assistance would give him a unique opportunity to express himself.

I would be grateful if you could pass on any replies to me.

A Morgan
Milton Keynes

CARIBBEAN CLUB

Sir, This may be a long shot, but I wonder if anybody in the Caribbean would be interested in forming a BBC micro group? It would probably have to be a postal one, but if there are other BBC owners in the West Indies I would like to hear from them. My home phone number is Montserrat 5674. There are presently two BBC micro owners in Montserrat, both using British (not US) models.

I have noticed a number of letters in magazines from people who wish to use a British BBC micro in countries which do not use the British standard 625-line PAL UHF TV system (eg in the US). The British BBC will not work with a different TV system. One solution is to buy the US model of the BBC micro, but it is more expensive and it has a different operating system so software is not compatible with the British model.

Another solution might have been to buy

one of the multistandard PAL/NTSC colour TVs, but the output from the BBC is insufficient to drive such TVs correctly – as I found to my cost. A good colour picture cannot be obtained from the micro by this system (cf your reply to Nigel Webley's letter in the January 1984 issue). The only real way out is to use a proper PAL colour monitor!

I also note tales of woe from foreign Beeb owners (or would-be owners) about the lack of co-operation from British equipment suppliers. Every British supplier who I have ordered BBC-related items from has given fast and problem-free service, so I would not like potential customers to be put off.

Thanks for a most useful and enjoyable magazine!

Dr Tony Glaser

American University of the Caribbean
PO Box 400
Montserrat
West Indies

As far as we know, there is no general problem with PAL/NTSC colour TVs. It is true that the TV signal from the Beeb is, along with other micros (and video recorders), not up to broadcast standard, but that isn't a general problem.

However, some modern sets expect highly accurate, digital channel control which the Beeb cannot give. You might have one of these TVs.

Some TV sets can be adjusted, as can the Astec video modulator (the silver box in the corner of the Beeb's board behind the UHF plug). This might improve the picture, but get someone who knows something about it to do the adjusting.

We would be interested to hear from anyone who can throw light on this subject, or recommend a PAL/NTSC TV.

ATOM DUMP

Sir, I have an Atom, Wordpack and Epson MX70 printer. At first I had to be content with using the printer only for listings or with the Wordpack, as the manual was incomprehensible, and *Atomic Theory & Practice* has little to say about printers. I eventually worked out how to use the printer in text mode from the single example of how to enter control codes given in the Epson booklet.

I should now like to explore the 'bit image mode', but after entering the control codes I have no idea as to how to enter bit image data. My unsuccessful attempts confirm that after entering "ESC K" (P.\$27\$75) bit image mode is entered, but whatever I enter subsequently has no effect that I can make sense of. No clue is given in the booklet as to the form the data has to take, my supplier is not able, or is not willing, to give me advice, and a letter to Acornsoft drew a similar blank. Can you help? A simple illustrative program or two would be worth thousands of words – a point which seems to be lost on the writers of manuals.

I should like to support the views expressed by Andrew Ward in November's issue. For example, a few parallel listings in the series on printers might have made it accessible to Atom owners. The appearance of Atom Forum was most welcome – I was about to give up all hope of seeing articles of use to me – but it would be nice if the listings were more accurate.

R Stebbin
London

We tried to locate a screen dump for an MX70, but couldn't. Any readers who have a dump might like to send it in so we can pass it on. Otherwise, George Hill's article in June's issue should be of some help.

The escape code problem is within our grasp. What's happening is that 'ESC' is being sent to the processor, as well as the print channel. This means the program ends, as it would if the escape key were pressed.

There are two solutions. One is to poke the printer port with:

```
?#B801=27;WAIT;?#B801=75
The other is to temporarily alter the WRCHVEC to point to #FEFB. This sends all subsequent output to the printer only. The code for this is:
100 !#208=#FEFBFE94;REM:Alter
vector
110 P.$27$75; REM ESC K
120 !#208=#FE52FE94;REM:Restore
old vector
```

FITTING THE BILL

Sir, I am writing to ask for your assistance in locating a source for software covering the billing of hotel guests.

I have perused *Acorn User* without success in my search, and realise that this information must be somewhat specialised and out of the usual trend of software manufacturing.

The requirements are simply for the billing of a 12-roomed hotel plus the running of the restaurant charges. We are not looking for stock control or anything of that order.

Our equipment is a B model with a double disc drive and a Juki 6100 printer.

Any information your readers can supply will be gratefully received.

James Birnie
The Elms Country Hotel
Swains Road
Bembridge
Isle of Wight

APE ACE

Sir, In reply to J McDowell's letter in your December issue concerning a high-score record by his brother, I am proud to say I have recorded a high score of 100,400 in Program Power's *Killer Gorilla*.

Keep the great magazine going.

M MacAdam
Farnborough

JUST AVAILABLE!

NEW-Official BBC Microcomputer Transit Case
for all BBC Microcomputer owners!



This lightweight, tough, durable carrying case is fitted internally with specially designed compartments to safely carry the BBC Microcomputer, a cassette player, software cassettes, all connecting leads, handbook etc.

Featuring removable lid, interior foam protection, smart black finish, protected corners, plated locks, and comfortable carrying handle, it's a 'must' for all BBC Microcomputer owners.

External dimensions only
28½" x 22" x 5".



inc. VAT
Rec. Price only £36

Official BBC Programmers Kit

This de-luxe BBC Programmers Kit consists of a flowchart pad with special gripbinder, a screen layout pad with special grip binder, a symbol design pad with special grip binder, plus a super quality BBC ringbinder to store your programs and notes.



To: Intastor Micro Aids, FREEPOST, Stroud, Glos, GL6 1BR

Please supply the following items:-

(Enter items required. All prices include VAT)

Qty	Total Cost
-----	------------

BBC Microcomputer Carrying Case

Price £36.00, plus £5.00 p & p each

BBC Programmers Kit

Price £15.00, plus £1.00 p & p each

GRAND TOTAL (inc VAT and p & p on each item)

Name _____

Address _____

Tel No. _____

I enclose cash/cheque to the value of £ _____

(or) please debit my Access/Visa card.

No. _____

Signature _____

Allow 28 days for delivery.




Now you can add the very latest
5½ inch, half height disk drives
from TEAC to your BBC Model 'B'.

SINGLE DRIVES

FD-55A-9409, 100KB, 40 TRACK S.S. £182
FD-55B-9410, 200KB, 40 TRACK D.S. £234
FD-55E-9411, 200KB, 80 TRACK S.S. £217
FD-55F-9412, 400KB, 80 TRACK D.S. £258

Powered by the BBC Micro;
no additional power
supply needed.




FEATURES

- LSI Circuitry
- Fewer mechanical parts
- Lower power consumption (4.9W)
- Metal case minimises RFI
- 12 Months warranty
- All cables supplied

ALSO AVAILABLE


Enquire for full details of our range of TEAC Twin Drives.

TWIN DRIVES



From £343 (without power supply)

From £428 (complete
with integral
switched-mode
power supply)



ORDERING

To order, add
VAT to above prices
and send your remittance. Alternatively, order
by telephone quoting your Barclaycard/Access
number. Carriage and packing free.

**Enquiries from Dealers and Education
Authorities welcomed.**

2a Green Street
Sandbach
Cheshire
CW11 9AX



Telephone 0782 811711

OFF RECORDS...

The London ACORN-BBC Centre
Suppliers to Schools and Colleges
Maintenance Contractors

Atom:

Full hardware and software support.

BBC:

Model A	£299
Model B	£399
Memory up-grades	£21.99
Repair service and component supply.	

Printers:

Seikosha 100	£215
Epson MX80FT/3	£385
SCM Daisywheel	£485

Cassettes:

Matched Cassette Recorders	£26
----------------------------	-----

Monitors:

12" Green Screen (Hitachi/Phoenix)	£110
12" Colour (Kaga)	£255
14" Colour (BMC/Cable)	£255

Discs:

TEAC 40-track	£199
Shugart twin 40-track	£299
TORCH dual disc drive with Z80 processor, 64K RAM, CP/M and FREE software	£780

Eprom programmer:

Specially designed for BBC. Programs 12 different Eproms including 27128. Includes screen software (dealer enquiries invited) Add 15% VAT to all prices. Carriage extra.

Tapes:

Top Tape: see adverts in Radio Times. OFF Records beats all published prices.

Stationery:

Moore Paragon main agents. Large selection of continuous stationery, forms and labels.

Books:

Browse through the Computer Book Department for educational, scientific and business applications.

COMPUTER HOUSE

**58 Battersea Rise
Clapham Junction
London SW11 1HH**

Telephone 01-223 7730



New Showroom:

OFF Records would expect you to buy best value. Spend some time in the relaxed atmosphere of our new showroom to find out exactly what you are getting for your money.

OFFware:

CHARAID for the design of a block of 4 characters in any graphics mode including mode-7. Outputs VDU23 commands, teletext commands and printer commands to screen or printer together with actual design. Substantial software with more than 20 well-documented commands. Indispensable for graphics work.

£7.50 p.p. & VAT incl.

ATILITY contains seven essential routines for the disc based Atom: *COPY, *COPYT, *COPYD, *RENAME, *PURGE, *BACKUP, *AUTORUN. £25 p.p. & VAT incl.

Vacancy:

OFF Records are looking for a bright spark with good knowledge of both software and hardware. Initially a Saturday job with a view to full-time employment.

EDUCATIONAL SOFTWARE

For children ages 4-11

EDUCARE'S 50

Fifty high-quality programs for primary education
Strongly recommended by educational authorities

on the

ZX81

with

SPECTRUM SUPPLEMENT

£5.95 Paperback 122 pages

(All programs suit 1K ZX81)

BBC MICRO

(Model A and Model B)

WITH COLOUR, SOUND &
OTHER ENHANCEMENTS
PROGRAMS WRITTEN IN
STRUCTURED FORM

£7.95 Paperback 110 pages

These programs cover a wealth of basic concepts every child will meet in primary education. They are produced by professional educators and have been thoroughly tested in a primary school. Designed to go beyond drill & practice they promote learning through interaction and discovery. Programs range from counting and simple arithmetic to ones dealing with volume, balance and direction, mostly in form of games. Each program is short but powerful and comes with full documentation.

To: EDUCARE 139a Sloane St. London SW1X 9AY	Please send copies Educare's 50 on ZX81/Spectrum. copies Educare's 50 on BBC Micro. I enclose cheque/postal order for £ Name Address
---	--

Let your child benefit early — Send now

EC

CHAMPIONS!

Take your team from the 4th Division to the European Cup! Features 4 divisions, promotion, relegation, transfers, injuries, suspensions, weekly results and league tables, reserve team, crowd trouble, and all the fun, drama and frustration of managing a league club.

**BRITAIN'S GREATEST
FOOTBALL MANAGEMENT
GAME - NOW FOR THE
BBC MODEL B AND
ELECTRON - £6.95**



Clip the coupon, or just note your name, address and computer on the back of your cheque. We supply by return of 1st class post - average delay on our premises is three hours!

PEAKSOFT 


7 Hawthorn Crescent
Burton-on-Trent

Yes, please rush my Champions! For my Computer

Name

Address

Printersharer/Switching Devices



- * SOLID STATE SWITCHING
- * EXTRA CABLE LENGTHS
- * NO PLUGGING OR UNPLUGGING
- * EASY TO OPERATE
- * SIMPLE INSTALLATION
- * SEND/RECEIVE CAPABILITY

- * SAVES TIME
- * SAVES MONEY
- * CONNECT IN MULTIPLES
- * NO LIMIT TO SHARERS
- * IN USE INDICATORS
- * 12 MONTH WARRANTY

PRINTERSHARER-PARALLEL (THREE MICROS TO ONE PRINTER) £65.00
PRINTERSHARER-SERIAL (THREE MICROS TO ONE PRINTER) £75.00
(not solid state)

PRINTERCHANGER-PARALLEL (ONE MICRO TO THREE PRINTER/PLOTTER) £70.00
RANGE OF CABLES FOR THE ABOVE ARE AVAILABLE
OTHER KEYZONE PRODUCTS

80 COLUMN DISPLAY CARD For Apple II plus & II/e	£120.00	SERIAL PRINTER CARD For Apple II plus & II/e	£63.00
80 COLUMN DISPLAY INTERFACE For Apple II & IIe (only)	£50.00	PARALLEL GRAPHIC PRINTER CARD For Apple II plus 7 & 7/e	£60.00
80 COLUMN EXTENDABLE DISPLAY CARD For Apple II & IIe (only)	£60.00	SPECTAGRAM RGB COLOUR CARD For Apple II plus 7 & 7/e	£120.00
80 COLUMN 64K EXTENDED CARD For Apple II & IIe (only)	£89.00	4 CHANNEL, 8 BIT A/D CONVERTER For Apple II plus 7 & 7/e	£100.00
SERIAL COMMUNICATION CARD For Apple II plus & II/e	£90.00	4 CHANNEL, 12 BIT A/D CONVERTER For Apple II plus 7 & 7/e	£120.00

ACCESSORIES

64K Upgrade kit for 80 column extendable card for Apple II/e
SLIMFAN Clip on cooling fan for Apple with mains suppressors & 1 socket with plug

£40.00
£42.50

ALL PRODUCTS CARRY A FULL 12 MONTH GUARANTEE—
ALL PRICES ARE EXCLUSIVE OF POSTAGE & VAT

KEYZONE LTD, U14, REGENERATION HOUSE,
SCHOOL ROAD, PARK ROYAL, LONDON NW10 6TD
TELEPHONE: 01-965 1684 1804 TELEX: 8813271

ALL KEYZONE PRODUCTS ARE DESIGNED AND
MANUFACTURED IN THE U.K. AND ARE SUPPLIED
FULLY TESTED TO THE HIGHEST STANDARDS

DDT SOFTWARE

presents

MASS

MACRO ASSEMBLER FOR THE BBC

Take the effort out of coding and be professional with MASS. MASS is a powerful new ROM based macro assembler for the BBC. Assembles direct from disc or tape, so there is no limit on the source size. Flexible source code requirements allow any editor to be used, e.g. VIEW or WORDWISE, even the BASIC editor. Supplied with free utility disc including many useful macros and a sort routine.

- * Selective symbol dump
- * Conditional assembly
- * All OS calls supported during assembly
- * Detailed manual
- * Assembles to disc or memory
- * Macro or disc files may be nested
- * Uses same format as BASIC assembler
- * Flexible listing control
- * Binary and string data supported
- * Over 20 powerful pseudo-ops
- * Linking facilities

Dealership and educational establishment enquiries welcome

Price £34.95 (including VAT and carriage)

Order, enclosing full remittance, from:

DDT SOFTWARE
Southfield House, 11 Liverpool Gardens,
Worthing, West Sussex, BN11 1RY.
Tel. (0903) 213174.

BBC SOFTWARE

RICKSOFT

- * Arcade Games * Adventures *
- * Educational * Utilities * ROMS *
- * Languages * and more

HIRE

Most from £1
per fortnight

BUY

With up to
25% discount

Membership £10

For catalogue and membership form send name
and address to

Ricksoft, Dept. A, 78, Warren Drive, Hornchurch,
Essex RM12 4QX.
Tel: (04024) 47722

VICTOR MORRIS Glasgow

Authorised
acorn dealer

B.C. B & acorn electron

Disk Drives, Printers, Joysticks,
Acornsoft, Data Recorders, Monitors,
Add-ons by Pace, Torch etc.

spectrum Group Dealer

Access, Visa, Amex, Diners

340 Argyle Street

Between Central Station and Anderson Bus Station

Glasgow G2

Tel: 041-221 8958

DISC DRIVE OWNERS!

Still playing games?

Realise the potential of your DISC DRIVES
Learn to handle
RANDOM ACCESS FILES
and start creating for yourself

AN
INTRODUCTION TO
RANDOM ACCESS FILING
ON THE
BBC MICRO

This 101 page publication is available NOW and is supplied complete with DEMONSTRATION DISC (40 track) containing an example STOCK CONTROL system and a PERSONNEL system.

Price £12.50 complete

MISSING - PRESUMED LOST ...

Your favourite program is deleted from your disc by accident -
But WAIT!

UTILITIES 1 is the answer -
two programs designed to help you.

1. DISCMAP

A unique 'picture' of the contents of your disc helps you to spot where 'missing' programs are waiting to be recovered. Incorporates full details of all catalogued programs and a PRINTER option.

2. DELETED FILE RECOVERY

Helps you recover ALL or PART of a deleted BASIC program or Machine Code program. INVALUABLE for recovering data from discs with corrupted catalogues. Incorporating a SECTOR SEARCH which will display sector contents in a uniquely readable way!

Supplied on disc (40 track)

£8.95 complete with FULL DOCUMENTATION

THE COMPUTER ROOM

206 MAIN STREET

NEWTORPE, NOTTS.

EXTRON SOFTWARE—member of the PREMIER GROUP

!!! AT LAST !!!

A CARRYING CASE FOR THE BBC MICRO COMPUTER AND TAPE OR DISK UNITS—INCORPORATING A DESK TOP CONSOLE

The EXTRON carrying case is made of highly durable thermo setting ABS, for a really strong construction. ABS is the material modern briefcases are made of, to withstand all the knocks and bumps of travelling.

The EXTRON case, measuring 24" x 16" x 6" is designed and constructed in the style of a modern briefcase. Amongst its unique advantages is a detachable lid, which when removed, serves as a base stand for your TV/Monitor. The lid is strong enough to withstand the weight of a Man. Even jumping up and down on the lid, will not cause any damage. The Base of the carrying case, has recessed compartments; Firstly for safety, when your equipment is being transported; Secondly, to serve as a compact desk top Console, when your computer Disk or Tape units, are in operation.

THE EXTRON CREATES A PROFESSIONAL LOOK TO YOUR COMPUTER EQUIPMENT, AND FACILITATE OPERATION, TRANSPORTATION/STORAGE, WHEN REQUIRED

INTRODUCTORY PRICE £35.00

(Includes Postage & Packing) TRADE ENQUIRIES WELCOME

99 Westgate Grantham Lincs

Tel (0476) 70907

EPIC ADVENTURES
FOR THE BBC 'B'

DRUID QUEST

TRILOGY

CAN YOU DESTROY THE DRUID AND
SAVE THE PRINCESS, THEN ESCAPE ALIVE?
(BEWARE THE DRUID'S WIFE!)

1. DRUID QUEST - Is part one of these 3 classic text adventures, your first mission is to kill The Druid.

2. CASTLE OF DOOM - The Druid is dead, but that was easy compared to this game. Can you find the Princess?

3. CONN'S REVENGE - To say too much about this game would give away clues about CASTLE OF DOOM. All I can say is that it is the hardest of all 3 games!

THESE GAMES CAN BE PLAYED SEPARATELY, AS UNIQUE ADVENTURES OR CONSECUTIVELY AS A TRILOGY.

THEY ARE AVAILABLE AT £7.95 EACH FROM

C.P.T. LTD.,
26 ORCHARD AVENUE,
SHIRLEY, CROYDON,
CR0 8UA

Dealers'
Enquiries
Welcome!



SOLENT SOFTWARE

Specialists in educational computing - BBC software
96 Coldharbour Road, Redland, Bristol BS6 7SB

Topomap

Cartographic package for representation of any 3D surface. Can be used to draw topographic block diagrams with hidden lines removed. Adjustable vertical view angle, rotation and scaling.

Same data files used to draw 'contour' maps. Picture save facility. Screen dumps available for either Epson MX80 or Walters 2000 — please specify which.

Disk only.

£12.80 — without screen dump

£15.80 — with screen dump

Sequence*

Illustrated sentence sequencing including a powerful graphics aid and easy guide for creating new problems. £8.00

Clock*

Telling the time — an exciting approach for early learners. £8.00.

Screen Dumps*

Fast machine code screen dump for graphical modes. Epson MX80 or Walters 2000 — please specify which. £5.00 each.

*Single program orders — tape only.

Official order form or cash with order. All prices inclusive of VAT and post and packing.

PROGRAM POWER MICROPOWER

A SUPERB NEW PROGRAM FROM BRITAIN'S LEADING SOFTWARE HOUSE!

CYBERTRON MISSION

Fort Cybertron: the most well-protected stronghold in the galaxy. Obliterate the Spinners, Clones and Cyber-Droids as you run from room to room in search of the Fort's riches. Avoid touching the walls with their sizzling high voltage charge. Watch out for the relentless Spook who glides through walls in hot pursuit.

Superb graphical animation and nerve-wrecking sound effects feature in this new machine-code game.

£7.95

*VERSIONS AVAILABLE FOR BBC
AND ELECTRON



WE STOCK THE BBC MICRO, ELECTRON, DRAGON 32,
COMMODORE 64, ORIC AND SPECTRUM.

SPECIAL OFFER

Deduct £1 per cassette
when ordering
two or more.

WRITTEN ANY
PROGRAMS? WE
PAY 20% ROYALTIES



All cassettes are fully guaranteed and
contain two recordings.
All prices inclusive of VAT.

Mail Order: Please add 55p per order
to cover P & P.

WE'RE EXPANDING!

Showroom:
Northwood House
North Street
Sheepscar
Leeds LS7 2AA
Tel: (0532) 458800

Mail order:
Dept.
8/Ba Regent Street
Chapel Allerton
Leeds LS7 4PE
Tel: (0532) 683186/696343



WE
Guarantee
THAT ALL OUR ADVERTISED
PROGRAMS HAVE BEEN
COMPLETED AND ARE
READILY AVAILABLE

The following titles are available for both the BBC Micro and Electron: Killer Gorilla £7.95/
Moonraider £7.95/Bandits at 3 o'Clock £6.95/
Croaker £7.95/Felix in the Factory £7.95/
Felix and the Fruit Monsters £7.95/Chess £7.95/
Escape from Moonbase Alpha £7.95/Draw £9.95/
Swoop £7.95. BBC only (at present):
Martian Attack £7.95/Demon Decorator £6.95/
Asteroid Storm £7.95/Laser Command £7.95/
Galactic Commander £7.95/Time Trek £7.95/
Danger! UXB £7.95/Cowboy Shootout £6.95/Wall £5.95/
Alien Swirl £6.95/Labyrinths of LaCoshe £7.95/
Adventure £7.95/Caveman Adventure £6.95/
Filer £9.95/Beebmon £7.95/Barrage £7.95/
Chemistry £6.95/World Geography £6.95/
Where? £6.95/Junior Maths Pack £6.95/
Constellation £6.95/Physics £6.95.

BBC MICRO AND ELECTRON PROGRAMS
CAN BE OBTAINED FROM SELECTED
BRANCHES OF W H SMITH,
JOHN MENZIES, HARRODS, ALL BOOKS-
FALTERS, OR DIRECT
FROM MICROSUPER

FREE ADS

ACORN AP100A printer (Seikosha GP100A). Interface cable. Dust cover. Excellent condition. £180. Exeter 68065 or Exeter 75858.

WANTED Atom software, particularly Acornsoft Games Pack Eleven, Maths Pack Two and Database. Will buy or swap for other software - I have over 30 titles. Simon Young, 14 Hermon Avenue, Blackpool FY5 3BL.

OVER 100 BBC software titles including all Acornsoft (new and old), Mary Rose, Vu-type, Vu-File etc, Killer Gorilla + upgrade, Pinball, Music Processor, 747, White Knight, Leap-Frog, Hunchback, Bandit and much more to swap. Ring. 0524 68100 after 4pm.

PRINTER: Tandy DMP 100. Full graphics and adjustable tractor feed, complete with BBC and/or Dragon leads. Use with parallel or serial interfaces. Cost £300; selling for £170 ono. Contact Adrian. Telephone 0926 (Warwick) 497231.

ATARI VCS, controllers, with cartridges or separately. Invaders, Combat, Outlaw, Superman. Offers? Best offer accepted. Worth £170 new. Will swap for BBC software. A. Freudenberg, Charlton Orchards, Taunton, Somerset. Telephone West Monkton 412959.

SCOTLAND. BBC model B for sale. OS 1.2. As new (boxed) £350. 041-812 6065 anytime.

BBC games to swap or sell. Over 100 different. Some even on disc. Several useful utilities on tape and disc. Most are latest games out. Please phone Peter on 01-243 0820 anytime.

WANTED. Dot matrix line printer. Can pay up to £100. Small collection radius as I am still at school. Phone Heathfield (04352) 3640 early morning or in the evening.

EPSON FX80 printer, mint condition with very little use. Including lead for BBC computer. £350 ono. Tel: Windsor 67988.

MORSEL morse tutor program for model B BBC £5.50. Also connector, cable and morse key, £9.50. R. A. Brooks, "Way-side", S. Milton, Kingsbridge, S. Devon TQ7 3JQ. Tel: 054857 771.

CUMANA double disc compatible BBC B. Bought April 83, £746, accept £510. BBC cassette player, £20. Both perfect, postage included. Churher, 10 Park Avenue, Eastbourne. 0323 53822.

ATARI VCS. Two joysticks, two paddles, nine cartridges. Space Invaders, Haunted House, Pele Soccer Star, Raiders, Adventure, Superman, Pac Man, Space War, Combat. Cost £321, sell for £160. Dan Berbridge, Betchworth 2196.

PRINTER Shinwah CP80 Centronics Interface with 3 ribbons. As new, £200. 01-941 0505.

UK 101 8k RAM, fully expandable. New monitor with Exmon, 6502 assembler and disassembler. 11 cassettes of software (games and utilities), and all leads included with case. £60 ono. Tel: Cannock 4963.

ATOM 12k RAM 16k ROM including Programmers Toolbox and FP ROM, 6522 VIA, PSU, all leads and manuals, £95. Tel: Hull 491943 after 6pm.

ATOM 12k RAM together with plenty of games and books. £75 ono. Forrester, 28 Beagle Ridge Drive, Foxwood Hill, York. Telephone 0904 798158.

TELETYPE (Westrex) printer, keyboard and stand. Working order including new ribbon and paper. Bargain at £35. Bedford (0234) 48664.

WANTED 8271 floppy disk controller. Will pay up to £25. Phone Hemel Hempstead 68395.

BBC owners. Sell/swap software. I have over 80 games including Hobbit, Cylon Attack, Program Power, Acornsoft and more. S. Rush, 42 York Road, Rayleigh, Essex SS6 8SB. Phone 0702 521903 after 7pm.

WANTED Atom software. I will buy or exchange your unwanted Atom programs. Send details of your programs to Andy Watson, 33 Hilton Street, Aberdeen AB2 3QT.

IKON Hobbit floppy tape drive for BBC complete with zero memory system, EPROM, leads, tapes, software. Ideal upgrade from cassette, £115. Ring Dave Eden, 0925 814042, Warrington, Cheshire.

SEIKOSHA GP100A. Good as new, for sale £150 inc manual and lead. Phone 01-920 7350 (day), 01-947 6579 (evenings). Bevan.

BBC ROMs for sale. Wordwise £30, Discdoctor £22, Beebcalc £26, Forth £26. Tel: Derek Chassay; 01-602 5526 (daytime), or 01-381 2593 (evening).

PRINTER. Tandy DMP200 six months old with BBC cable bidirectional, high resolution graphics 160cps, multiple print styles including word processor. Send stamped see for example. Offers £250+. L. Paulsen, 72 Hillcrest, Hatfield, Herts. Tel: 65466.

EXCHANGE extremely large selection of software of every description. Games, adventures, educational, utilities etc. Quality of program and my reliability guaranteed. No cash transactions. Tel: 0469 60976.

BBC model B one year old. I can't find the time to use it. OIR £340. Durham (0385) 65602.

ORIGINAL BBC software: Pharaoh's Tomb, Exmon + others, £5 ono including routine to work from disc. Also Simonsoft Disassembler (disc), £6 ono, Beebug Starfire, £2. Little used. Tel: Manchester (061) 224 0756 (after 6pm).

WATFORD Electronics DFS ROM + manual, £35; 8271 disc controller, £30. For BBC model B or both, £60. Full disc upgrade instructions can be supplied. Phone 031-667 4180 evenings.

ATOM owner? Do you live in or near Gravesham or Medway areas? Would you like to exchange games, software, advice? If so, ring Andrew. Tel: Meopham (0474) 812704.

WANTED: "Your Computer" magazines. Volume 1, Issue 1; Volume 2, Issues 2, 3, 5; Volume 3, Issue 9. Please ring Andrew, Tel: Meopham (0474) 812704. Also any Bug Byte's "The Atom".

ACORN Atom games, Galaxian, Invaders, Chess, Hyperfire, Space Panic, and

Air Attack. All originals. Also two Atom books. £15 the lot. S. Jack, 23 Crossdene Road, Crosshouse, Kilmarnock, Ayrshire. After 6pm.

SWAP or sell Beeb software: Pass-go (Monopoly), Vortex, 3D Bomb Alley, Snowball (adventure), Hunchback, Space Adventure, Monaco, Planetoid, Castle of Riddles, Music Processor, Beeb-Art. Phone Derby (0332) 517519 after 6pm.

VIEW ROM complete as new, £35 or swap. Also most Gemini progs. All original and large amount of games. Please ring 0635 63854 for list.

SEIKOSHA GP250X graphics printer with BBC cable plus screen dump program. Only £195. Little used. Not suited for my needs. Tel: Rhoose 710663 after 6.30 pm. Boxed with manual. Ask for Mr P. Panayides.

BBC 32k computer, two official joysticks, Hitachi radio cassette, three books, lots of magazines and software. All as new for only £375 ono. Write to Mr Olive, 8 Adelaide Drive, Sittingbourne, Kent.

BBC model B + software including Starship Command, Chess, Arcadians, Killer Gorilla etc (17 in all). All original, worth £570, will sell for £420. Tel: Dursley (0453) 842381.

BBC model B with disc interface, 80 column printer, £50 of software, £20 of magazines etc, all in excellent condition - genuine reason for sale. Only £450 inclusive. Phone Cambridge 245799. Worth over £600.

MOLIMERX Jumbo and Shuttle simulations includes manuals. Cost £30, sell for £18 or £10 each. Also Galactic Commander, £5. P. Cahillane, Room 114, Lewis Jones, The University, Singleton Park, Swansea SA2.

WANTED 8271 floppy disc controller IC. Ring 0482 826946.

SWAP BBC games including Alien Swirl, Killer Gorilla, Bomb Alley, Rocket Raid, Meteors, Planetoid, Monsters, Snapper, Sphinx adventure, Chess, Swoop, Laser Command. Plus more. A. Dunn, 34 Aberfeldy Street, Dennistoun, Glasgow G31 3NP.

PRINTER Acorn AP100A. Excellent condition, only nine months old. In original box with manual. Only £165. Phone Abingdon (0235) 848544.

FOR BBC computer - Cumana (Teac) dual disc drive 200k, 40-track, built in PSU, disc manual, utility disc, all leads, Acorn DFS chip, 11 months old in perfect order. £345 ono. Bedford (0234) 67067 evens/wkends.

WANTED BBC games to swap for Snapper, Meteors, Defender, Painter, Monsters, Moonraider, EDG Graphics, Filer, PP Physics, Geography, Snake, Swoop. Wordwise ROM with instructions, £14. Also interested in educational and practical software. Telephone 061-620 5309.

ATOM 12k + 12k, FPT, comes with Acorn Games 5, 7, 8, 9, 11, Introductory Pack, Atom Chess, manual, Atom magic book, £165. Leeds (0532) 579366.

MATTTEL Intellivision for sale with six superb cartridges. Two cartridges are special American exports. Any reason-

able offers considered. Phone Maidenhead 74601 after 5pm weekdays. Anytime at weekends. Must sell this month!

WORDWISE ROM package, £27. View ROM package, £40. Quicksilver Protector, £5, Chess, £5, Dogfight, £5. Tel: 0761-71575. 49 Mearns, High Littleton, Avon.

SEIKOSHA GP100A printer. Approx 9 months old. As new, £140 ono or £160 includes paper, dust cover, spare ribbon, cable for BBC micro. Includes original packing and manual. Buyer collects. Aldridge, Westmid. 0922 57259.

HOBBIT floppy tape system for sale plus zero memory option with complete instructions for use. Excellent condition. Keith Watkins, 110 Meredith Street, Crewe, Cheshire. 0270 211059 after 6pm. £100.

BBC micro software: Rocket Raid, Flight Simulator, Roulette, Tanks, Middle Kingdom, Zombies, F For Freddie, Guns of Navarone, Fruit machine, fun games, games of strategy. Beebcalc. All around £5. Telephone Bristol 561237.

BBC official (Shugart) 100k disc drive, utilities disk, manual and leads, 9 months old, getting bigger drives. Will deliver within reasonable radius of Maidstone. Tel: 0732 848436 after 6pm.

BBC software: Graphs and Charts, Desk Diary, Philosophers Quest, Painting, Wordwise - sale or exchange. Wanted Lisp, Forth, Pascal, BCPL for disc system. Also books. Telephone 02216 (Bath) 4432 evenings.

PET 3032 with C2N cassette unit and £150-worth of games all in VG condition. £300 - ono. Phone Camberley 64059 evenings.

PRINTER Seikosha AP100A, 80 column 30 cps. VGC, includes manual, leads and paper. £150. Phone Langley, Great Barton (028-487) 470.

ACORN games to sell - all for BBC B. Ten of them, also two other professional games. All boxed and in good condition. All of these for £60 ono. Ring Matthew, Milton Keynes 564373.

DISC Interface with 0.90 DFS, £80. Grantham, Lincs area. Will fit for you. Upgrading to double density. Tel: 0476 85402.

BBC Teletext adapter, complete with ROM and manual. As good as new, £200. Tel: Holbeach 380621 after 6pm or at weekends. Ask for Trevor.

WANTED. Atom software especially Flight Simulator. Will swap existing programs or buy good used tapes. Aberdeen (0224) 323302 after 6pm.

SWAP BBC B software, over 100 games including Program Power, Acornsoft, Superior etc. Mitchell Trow, 3 Church Walk, Eggington, near Leighton Buzzard, Beds. Tel: Leighton Buzzard 210301 after 4.30pm or weekends.

ZEN assembler for the Newbrain. Complete with full documentation, £25. (0736) 754845, Cornwall.

WANTED BBC compatible disc drive. Preferably 100k Teac half height but anything considered. Tel: 0247 63603 afternoons or evenings.

Free software, only £225.

If you own a BBC Micro, you can now download, store and run programs (transmitted free of charge via Ceefax) with the new Teletext Adaptor, priced £225 inc. VAT.

These programs make up the BBC Telesoftware Service (which is intended to become a computer software broadcasting channel) and although primarily educational, they will soon develop into general interest and business areas.

And, as they will change every two weeks, you'll soon be able to build up a vast bank of top quality software without ever having to put your hand in your pocket.

But that's not all the adaptor has to offer. It also enables you to gain access to the normal teletext store of data. This is different to simply having a teletext TV because it means

this data can now be transferred to memory and manipulated in any way you wish (making graphs or bar charts for instance).

It's yet another development in our programme to help you fully realise your BBC Micro's potential.

If you're a credit card holder you can order the Teletext Adaptor by ringing 01-200 0200 at any time or 0933-79300 during office hours.

(You can also find out the address of your local BBC Micro dealer by calling the same numbers.)

Alternatively, you can order it by sending off the coupon below.



Technical Specifications

Access to Teletext and Telesoftware Services broadcast on U.H.F. channels E21 to E69.
Speed of max. data capture rate approx. 128k baud.
(8 lines of Teletext per frame.)
Height 70mm. Width 210mm. Depth 350mm. Weight 2kg.
Colour: BBC Computer cream.
Construction: Moulded top and bottom to match BBC computer profile. ABS injection moulded plastic.
Controls: Four tuning potentiometers on rear panel.
Mains on/off switch on rear panel.
Power in 240v, 50Hz, 15w.
Operating Temperature: 10° to 35°C.
Designed and manufactured to comply with BS415 Class 1 standard.

To: BBC Microcomputers, c/o Vector Marketing, Denington Estate, Wellingborough, Northants NN8 2RL.

AC.3.

Please send me _____ BBC Teletext Adaptors at £225 each, inc. VAT and delivery. I enclose PO/cheque payable to Readers A/C, Acorn Computers Ltd, or charge my credit card.

Card Number _____
Amex/Diners/Visa/Access (Delete)

Name _____

Address _____

Postcode _____

Signature _____
Registered No. 140 3810 VAT No. 215 400220

The BBC Microcomputer System.

Designed, produced and distributed by Acorn Computers Limited.

BBC EXPANDABLE CONSOLE

as supplied to BBC, Universities, Colleges, Schools, etc

A professional console to house disc drives/2nd processor/TORCH dual drives/teletext, etc. All untidy wiring out of sight in the strong aluminium console in a matching textured colour. Available now a bolt on extra module for extra expansions.

Also available a matching printer stand, yes stack your paper under the printer.

ELECTRON MODEL
AVAILABLE

as used by
ACORN
computers



For further information enclose sae or send cheque to:

Mail Order
Only

Silent
COMPUTERS

01-801 3014

27 Wycombe Rd
London N17

24 hour
ansaphone

Viewing by
arrangement

Please allow 28 days for delivery

*After March 31st console price is £44.99

* BASIC CONSOLE as shown only £39.99 + £4.00 p/p
PRINTER/VDU STAND only £14.99 + £2.00 p/p
EXPANSION MODEL only £14.99 + £2.00 p/p
Please add V.A.T. at 15%.

PRINTER/VDU STAND

Acorn owners who only need a VDU stand will find the stand slips comfortably over the BBC with adequate ventilation allowed for. After use the micro can be slid UNDER the stand acting as a dust cover when micro not in use.

THE BBC MICRO SOUND SYSTEM MICROVOC

As supplied to Schools & Colleges

SYSTEM INCLUDES:

Speakers, Volume control, jack sockets and all connections (assembled) plus Buzzgo to eliminate the infernal B.B.C. buzz.

Easily fitted with no drilling, soldering or cabinet modifications £23.00 inc VAT and p & p

MICROVOC WITHOUT SPEAKERS £15 inclusive

Now in stock—The Synth. This program allows the mixing and saving of all four channels, including Channel O for cymbals and drums. Complex melodies can now be entered in minutes by even a complete novice.

MICROVOC IS IDEAL FOR SPEECH
SYNTHESIS OR COMPUTER PRODUCED
MUSIC

MICRO-ADVENT

Ashlyn House, 113 Writtle Road, Chelmsford, Essex.
Tel: 0245 59708

3D SOFTWARE FOR YOUR BBC MICROCOMPUTER

3D TENNIS

Full feature, one or two player game. Fully detailed on screen scoreboard. You'll feel you're playing at Wimbledon.

3D GOLF

It looks a long way down the fairway. Trees to the left, out of bounds on the right and a stream crossing through the middle.

All the fun of the fairway rough.

MELODY LINE

Not 3D, but an excellent music programme offering rhythm generator metronome, envelope design, 4 channel simulator tape recorder. Turns your computer into a piano keyboard.

DOVES

Certainly not a peaceful game. Fast arcade action. Will you get the bird?

Large list of other proprietary software.

Send a large sae for list

TORCH DISK PACK WITH FREE SOFTWARE
£730.00 + VAT

West Coast Personal Computers
47 Kyle Street, Ayr HA1 1RS Tel: 0292 285082

SAFETY & SECURITY WITH THE NEW **TIDYBASE** MICROCOMPUTER HOUSING



Designed around the BBC model B but suitable for various models.

For School, College, home and business use this compact housing offers special safety and security features. Made up of individual modules—available separately—if you already own the original Tidybase you can upgrade it.

With the processor 'locked' in place, plugs and sockets inaccessible there is little opportunity for tampering or pilfering.

- Optional and unique security bar locks equipment in place.
- 3 or 4 way socket accommodates monitor, processor, drive, printer etc. One external lead only for mains input—no multi-plugging, no adaptors.
- Strong metal construction with safety edges, stoved finished Brown or Cream.

- All individual modules interlock to provide complete housing.
- Alternative housings for various disk drives available.
- Optional trolley for ease of movement or unlock and carry the system.



remedian

For full details
REMEDIAN INSTRUMENTS LIMITED
3 Over Links Drive, Poole, Dorset BH14 9QU
Tel: Canford Cliffs (0202) 708404

VT100 Intelligent Workstation

Plug the 'Emuterm' ROM into a BBC Microcomputer (Model B) to give the benefits of both a personal computer and a DEC VT100 terminal.

- ★ line speeds to 9600 baud, 3 or 5 wire operation
- ★ almost all VT100 features supported including VT52 mode
- ★ switch between terminal mode and native microcomputer by simple command
- ★ fitted in a few minutes by following the simple instructions
- ★ optional intelligent file transfer mode
- ★ optional numeric keypad (automatically used if fitted)

VT100 Emuterm £35 inc p&p and VAT

Other terminal emulators (inc Newbury 7000 and 8000 series) and communication software available. Please send sae for details.



All orders and enquiries to:

**Applied Real Time Systems Ltd.,
Dept AU, PO Box 32, Sunderland, SR2 7SN.**

DEC, VT100 and VT52 are registered trademarks of Digital Equipment Corp., Maynard.

INDEX TO ADVERTISERS

Aardvaark Software.....	82	EECE.....	78	Newark Video Centre.....	77
A B Designs.....	167	Educare.....	175	Oakleaf.....	42
Ahker.....	96	Elbug.....	128	Off Records.....	175
Acorn.....	104/105, 181	Electronequip.....	72	OIC.....	148
Acornsoft.....	86	Extron.....	177	Opus.....	54, 118, 152
Advanced Memory Systems.....	47	GCC (Camb).....	66	Pace.....	94
A J Vision.....	148	Gemini.....	48	Peaksoft.....	175
And Next Software.....	156	Golem.....	154	Postern.....	10
Applied Real Time Systems.....	184	Golden Challenge.....	124	Remedian Instruments.....	182
Beebug.....	68	Guildford Computer Centre.....	161	Ricksoft.....	176
Bits & Bytes.....	156	Harris McCutcheon Systems.....	161	Robot.....	135
British Micro.....	144	Hawthorn.....	170	Salamander Software.....	12
Bud Computer Products.....	88	Hessel, S.....	70	Screenplay.....	125
Cambridge Computer Consultants.....	111	I J K Software.....	79	Shard Software.....	124
Cambridge Computer Store.....	156	Instastore.....	174	Shumwari Associates.....	78
Cambridge Processor Services.....	166	Integrex.....	103	Silent Computers.....	182
Cardiff Micros.....	76	Interface Publications.....	166	Silverlind.....	172
CCS.....	74	Keyzone.....	176	Sir Computers.....	168
Chase Data.....	37	Leasalink Viewdata.....	i.f.c.	Softlife.....	78
Cheetah.....	44	Level 9.....	64	Software Invasion.....	85
C J E Microcomputers.....	58	Lincoln Micros.....	77	Software For All.....	158
Clares Micro Supplies.....	56	Mail Order Micros.....	174	Solent Software.....	177
Comotion.....	77	Mayfair Micros.....	172	Stellar Enterprise.....	113
Computerama.....	17	Merlin.....	60	Superior Software.....	i.b.c.
Computer Concepts.....	30, 108, 160	MicroAid.....	154	Synergy Software.....	113
Computer Room.....	177	Micro Advert.....	182	System Software.....	163
Computer Town.....	26/27	MicroAge Electronics.....	40/41	3 D Computers.....	164
Comtec.....	164	Micronet.....	100	Tandy.....	170
Coomber.....	135, 145	Micropower..... o.b.c., 6, 50, 75, 138, 179		Technomatic.....	4/5, 9
CPT.....	177	Microstyle.....	62/63	Twillstar.....	1
Croydon Computer Centre.....	172	Microware.....	133	Victor Morris.....	176
Cumana.....	15, 99	Microworld.....	121	Video Games International.....	38
DACC.....	170	Microvitec.....	106	Viglen.....	32/33, 150
Datapen.....	172	Midwich.....	131	Virgin.....	136
Dataplus.....	90	Mirrorsoft.....	143	Watford Electronics.....	18/19/20/21/22
Datastore.....	156	Molimerx.....	114	West Coast Personal Computers.....	182
Dataware.....	120			Windsor Computer Centre.....	52

SPECIAL OFFER!
Deduct £1 per cassette or disc
when ordering
2 or more.

THE BEST BBC MICRO SOFTWARE

PRODUCED BY AN INDEPENDENT SOFTWARE HOUSE

* TOP QUALITY MACHINE-CODE PROGRAMS *

BBC




BEEBUG (32K) £7.95

Beautifully detailed animation (the best we've yet seen!) as Quasimodo leaps over the ramparts dodging rocks and arrows, swinging on ropes, and avoiding the guard's spears as he attempts to rescue Esmeralda. Twelve different screens of action! This program is sold under licence from Century Electronics Ltd; we have exclusive rights to its sale for use on the BBC micro.

(For use with KEYBOARD or JOYSTICKS).

"It is an extremely good version of the arcade game... thoroughly recommended." ... BEEBUG MAGAZINE




CRAZY PAINTER (32K)

The only full-feature version available for the BBC micro. On the first screen, you take the part of a monkey being chased by African tribesmen. If you manage to survive by painting-in all the squares, the bonus screen features the monkey trying to reach his bunch of bananas. After that, you take control of a paint-roller and each square painted adds to your score. But beware... the teddy-bears are now in hot pursuit. Superb animation and sound-effects.

(For use with KEYBOARD or JOYSTICKS).

••• NEW RELEASE •••



2002 (32K)

A space docking simulator using 3D graphics to model the motions and responses of the ORION 4 spacecraft. Your mission is to pilot the shuttle to a "soft dock" with the space station. PITCH, YAW, ROLL, FORWARD, LATERAL and VERTICAL engines are provided together with orbit manoeuvring booster engines. 6 skill levels provide for the completely inexperienced pilot as well as the fully-fledged commander.

••• NEW RELEASE •••




ALIEN DROPOUT (32K)

A novel and unusual program. Arcade-action with this enthralling multi-stage shooting game. You have to shoot the aliens out of their "boxes" before the "boxes" fill up. Once full, the aliens fly down relentlessly, exploding as they hit the ground. Hi-score, rankings, and sound effects.

(For use with KEYBOARD or JOYSTICKS).

"... this game is as good as any on the market." ... HOME COMPUTING WEEKLY.



FAIRGROUND (32K) £7.95

An exciting target-shooting game! Bonuses are scored for spelling out the word FAIRGROUND by hitting the appropriate target letters, and for shooting all the targets. Extra bullets are obtained by shooting the numerical targets, but watch out for the "smileys" who are intent on stealing your bullets. Music, sound effects, hi-score, and rankings.

••• NEW RELEASE •••




CENTIPEDE (32K)

Incredible arcade-style game featuring mushrooms, snails, flies, spiders, and the centipedes of course. Excellent graphics and sound. 6 skill levels, hi-score, rankings, bonuses, and increasing difficulty as the spiders become more lively and the number of mushrooms increases.

(For use with KEYBOARD or JOYSTICKS).

"Visually this game compares well with the arcade version, being colourful and clear." ... YOUR COMPUTER



ROAD RUNNER (32K)

The only full feature machine-code version available for the BBC micro. Features include: scrolling screen, radar display, 3 pursuing cars, checkpoint flags, fuel gauge, smoke screens, 6 skill levels, rankings, increasing difficulty, and sound effects.

(For use with KEYBOARD or JOYSTICKS).

"I enjoyed the game very much... the graphics are excellent... movement is smooth and fast as only machine code can produce." ... HOME COMPUTING WEEKLY



FROGGER (32K)

Not just another version of Frogger... this is the arcade-action version that you've been waiting to see. Graphically brilliant with gaping-mouthed crocodiles, diving turtles, flies, and frogs that flex their legs as they jump along. Increasing difficulty, and responsive controls.

(For use with KEYBOARD or JOYSTICKS).

"... very good indeed... fast flicker-free graphics and a frog that really hops!" ... BEEBUG MAGAZINE

ALSO AVAILABLE

SPACE FIGHTER (32K)	£7.95
GALAXIANS (32K)	£7.95
INVADERS (32K)	£7.95
FRUIT MACHINE (32K)	£7.95
CRIBBAGE (32K)	£6.95
PONTOON (32K)	£6.95

DEALERS... DEALERS... DEALERS...

Our software is now available at all good dealers including:-

W.H. SMITH - Selected branches.

JOHN MENZIES - Selected branches.

BOOTS - Selected branches.

ELTEC COMPUTERS, 29 Ivecate, Bradford

MICRO MANAGEMENT, 32 Princes Street, Ipswich

WEST COAST PERSONAL COMPUTERS, 47 Kyle Street, Ayr.

MICROSTYLE, 29 Belvedere, Lansdown Road, Bath.

ELECTRONEQUIP, 36-38 West Street, Fareham, Hants.

3D COMPUTERS, 230 Tolworth Rise South, Tolworth, Surrey.

GTM COMPUTERS, 864 York Road, Leeds.

+ MORE THAN 300 OTHER DEALERS THROUGHOUT THE U.K. AND OVERSEAS.

ADVENTURE GAMES

COLDITZ ADVENTURE (32K)

£7.95

STAR TREK ADVENTURE (32K)

£7.95

LOST CITY (32K)

£7.95

GIDEON'S GAMBLE (32K)

£7.95

WE PAY UP TO 20% ROYALTIES FOR HIGH QUALITY BBC MICRO, ELECTRON AND ORIC-1 PROGRAMS



SUPERIOR SOFTWARE LTD.

Dept. AU1,
69 Leeds Road, Bramhope, Leeds
Tel: 0532 842385

ALL OUR PRICES ARE INCLUSIVE OF V.A.T. AND P. & P.

DISC SOFTWARE AVAILABLE NOW

All our programs are ready for despatch on 5 1/4" discs at £11.95 each.


OUR GUARANTEE

- (1) All our software is available before we advertise.
- (2) All our software is despatched within 48 hours by first-class post.
- (3) In the unlikely event that any of our software fails to load, return your cassette or disc to us and we will immediately send a replacement.

A SUPERB NEW PROGRAM FROM BRITAIN'S LEADING SOFTWARE HOUSE!

THE MINE

Tunnel through the strata deep beneath the earth's crust in search of buried treasure. Clear the mine of fire breathing dragons and giant man-eating tomatoes with your neutraliser. But watch out for toppling rocks, poisonous toadstools and ruthless phantoms. An exciting and challenging machine code game for only £7.95.



The following top titles are available for both the BBC Micro and Electron:- Killer Gorilla £7.95/ Moonraider £7.95/Bandits at 3 o'Clock £6.95/ Croaker £7.95/Felix in the Factory £7.95/ Felix and the Fruit Monsters £7.95/Chess £7.95/ Escape from Moonbase Alpha £7.95/Draw £9.95/ Swoop £7.95/Intergalactic Trader £8.95/ Positron £6.95/Cybertron Mission £7.95/ Adventure £7.95.

All prices inclusive of V.A.T.
Mail Order: Please add 55p per order P. & P.

WE GUARANTEE THAT ALL OUR ADVERTISED PROGRAMS HAVE BEEN COMPLETED AND ARE READILY AVAILABLE.

Showroom: Mail Order:

Northwood House 8/8a Regent Street
North Street LEEDS LS7 4PE
LEEDS LS7 2AA Tel: (0532) 683186
Tel: (0532) 458800 Or: 696343

WRITTEN ANY
PROGRAMS?
WE PAY 20%
ROYALTIES!

SPECIAL
OFFER
Deduct £1 per
cassette when
ordering two or
more.

WE STOCK THE
BBC MICRO, ELECTRON,
MEMOTECH MTX 500,
COMMODORE 64, ORIC-1
AND SPECTRUM.

B.B.C. MICRO AND
ELECTRON PROGRAMS
CAN BE OBTAINED FROM
SELECTED BRANCHES OF
W.H.SMITH, JOHN MENZIES,
BOOTS, HARRODS, ALL GOOD
DEALERS, OR DIRECT
FROM MICRO POWER.

MICROPOWER